

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, અમદાવાદ
કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, સુભાષબ્રિજ સર્કલ પાસે, અમદાવાદ - ૩૮૦૦૨૭
ફોન નંબર : ૦૭૯-૨૭૫૬૧૯૭૦ ઇ-મેઇલ : collector-ahd@gujarat.gov.in

ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ

ફકમ નં. ૩૧/૦૭/૧૮/૦૪૮/૨૦૨૦

તા. ૦૨/૦૧/૨૦૨૦



અરજદારશ્રી રસિકભાઈ બાબુલાલ પારેખ વિગેરે

રહે. પ્લોટ નંબર - ૩૬૪/૧, સેક્ટર - ૨/બી, ગાંધીનગર.-૩૮૨૦૦૭ ની તા.૨૧/૦૮/૨૦૧૯ ની અંતિમ નોંધ

(પ્રા.૩૦/૧૮૦૪૮૨૬૬૬૨) તથા સોગંદનામું

મુજબ જમીન મહેસૂલ કાયદો ૧૯૭૯ ની કલમ - ૪૮, ૬૫, ૬૬ તથા ૬૭

જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ ૮૧, ૧૦૦, ૧૦૧, ૧૦૨

અરજદારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/૬ તા.૦૧/૦૭/૨૦૦૮


અરજદારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૩૨૭/૬ તા.૦૮/૦૫/૨૦૧૮

અરજદારશ્રીના મહેસૂલ વિભાગના ઠરાવ ક્રમાંક: એસ/ટીપી/૧૨૨૦૯/૭૬૯/૧૧/૬.૧ તા.૩૧/૦૩/૨૦૧૧

અરજદારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/૬ તા.૦૯/૦૧/૨૦૧૯

અરજદારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/૬ તા.૧૨/૦૨/૨૦૧૯

RCMS પોર્ટલ પરની કેસ વિગત



વંચાણે લીધેલ કમ (૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી રસિકભાઈ બાબુલાલ પારેખ વિગેરે એ મોજે ચાંદખેડા તા. રમતી જિ. અમદાવાદ ના સરવે/બ્લોક નં. ૮૭૬/૨ ના ક્ષેત્રફળ ૫,૬૬૬.૦૦ ચો.મી. પૈકી ક્ષેત્રફળ ૩,૪૦૦.૦૦ ચો.મી ની જમીન અંગે રાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતીના હેતુ માટે પરવાનગી આપવા વિનંતી કરેલ છે.

૨. સવાલવાળી જમીનના ગામ નમૂના નં. ૭/૧૨ માં કબજેદારોની વિગત નીચે મુજબ છે.

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ (ખાતા નં. ૩૭૮)	જમીનનો સત્તાપ્રકાર (૭/૧૨ મુજબ)
સરવે/બ્લોક નં. : ૮૭૬/૨ સરવે/બ્લોક નં. : --- ટી. પી. નં. : ૭૬/બી એ. પી. નં.: ૩૨૯	૩,૪૦૦.૦૦	રસિકભાઈ બાબુલાલ પારેખ મંજુલાબેન રસિકભાઈ ભાગ્યેશ રસિકભાઈ મનિષ રસિકભાઈ જીજ્ઞેશ રસિકભાઈ	જુની શરત (જુ.શ.)

૩. વસુલ કરવામાં આવેલ કરવેરાની વિગત નીચે મુજબ છે.

બેંકમાં ચલન ભર્યા તા.૨૩/૧૨/૨૦૧૯ નં.૬૭૦૦૦૦૧૩૫૫૧૦૦૩૫૨૩૧૨૧૫૭૦૭૫

કરની વિગત	સદર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	દર રૂ. પ્રતિ ચો.મી.	કુલ રકમ રૂ.
પાણી કર	૫૬૯-૦૦૩૫-૦૦-૮૦૦-૦૧	૩,૪૦૦.૦૦	૪૦.૦૦	૧,૩૬,૦૦૦.૦૦
પાણી ધારો	૫૭૦-૦૦૩૫-૦૦-૧૦૧-૦૧	૩,૪૦૦.૦૦	૦.૬૦	૨,૦૪૦.૦૦
કલ ફંડ	૫૭૪-૦૦૨૯-૦૦-૧૦૩-૦૧	૩,૪૦૦.૦૦	૦.૩૦	૧,૦૨૦.૦૦
પાણી ઉપકર	૫૭૫-૦૦૪૫-૦૦-૧૦૮-૦૧	૩,૪૦૦.૦૦	૦.૧૫	૫૧૦.૦૦
પાણી ફી	૫૭૭-૦૦૨૯-૦૦-૧૦૬-૦૧	૩,૪૦૦.૦૦	---	૧,૮૦૦.૦૦
			કુલ રૂ.	૧,૪૧,૩૭૦.૦૦

૪. ઉપર્યુક્ત તમામ હકીકતો ધ્યાને લઈ મોજે ચાંદખેડા તા. સાબરમતી જિ. અમદાવાદ ના સરવે/પ્લોટ નં. 876/૨ ના 5,666.00 ચો.મી. પૈકી ક્ષેત્રફળ 3,400.00 ચો.મી ની જમીનને નીચે જણાવેલ શરતોને આધિન ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતી હેતુ (બહુહેતુક ઉપયોગ) માટે પરવાનગી આપવા આથી હુકમ કરવામાં આવે છે.

શરતો :-

- (૧) આ હુકમ મળ્યેથી બે માસમાં "એમ" નમૂનામાં સનદ પ્રાપ્ત થશે.
- (૨) જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવેલ છે. જેથી માપણી કરી / કરાવી આ હુકમ આપવા મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું / કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલ દફતરે રજીસ્ટર કરવાનું જ પ્રશ્નવાળી બિનખેતીની જમીન / પ્લોટનું રજી. દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.
- (૩) અરજદારે પ્રતિ વર્ષ ખેતી સિવાયનો ધારો (વિશેષધારો) દર પ્રતિ ચો.મી. ના રૂ. 0.60 પ્રમાણે રૂ. 2,040.00 તેમજ વિદ્યુત લોકલ ફંડ તથા શિક્ષણ સેસ ભરવો પડશે જે અંગેનો દર વખતે વખત ફેરફારને પાત્ર રહેશે.
- (૪) અમદાવાદ મહાનગરપાલિકા એ મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને હુકમ થયા તારીખથી ત્રણ વર્ષમાં બાંધકામ પૂર્ણ કરવાનું રહેશે.
- (૫) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં. બખપ/૧૦૯૩/૧૦૫૨/ક તા. ૧૩/૦૯/૧૯૯૩ માં ઠરાવ્યા મુજબ સહીયારા / પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુખ્ય માલિકનો કોઈ હક્ક રહેશે નહિ.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૦૭/૦૮/૧૯૯૧ ના પરિપત્ર નં. બખપ-૧૦૯૧/૧૭૫૬/ક ની જોગવાઈ મુજબ બિન બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા / શહેરી વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલે રહેશે.
- (૭) સદર જમીનમાંથી પેટ્રોલીયમ / પાણીની કે અન્ય કોઈપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ આપનાર ઓથોરિટીએ સંબંધિતોનું ના-વાંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૮) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૧૨/૦૨/૨૦૧૯ ના પરિપત્ર નં. બખપ/૧૦૨૦૧૮/૪૨૫/ક મુજબની નીચેની શરતો કરવાનું રહેશે.
 ૧. જો અગાઉ ચોક્કસ હેતુ માટે પ્રિમિયમ ભરપાઈ થયેલ હોય અને અન્ય હેતુ માટે વિકાસ પરવાનગી માંગેલ હોય / મંજૂર કરવાના થતા હોય તો વિકાસ પરવાનગી આપતાં પહેલાં પ્રિમિયમ તફાવત ભરાયાની સંબંધિત સત્તામંડળે મંજૂર કરવાની રહેશે અને ત્યારબાદ જ વિકાસ પરવાનગી આપવાની રહેશે.
 ૨. જીડીસીઆર મુજબ જે તે હેતુ/ ઉપયોગ માટે પરવાનગી મળવાપાત્ર નહિ હોય તો તે ઉપયોગ કરી શકાશે નહિં.
 ૩. ખેતી ઝોનમાં જીડીસીઆર મુજબ જેટલું બાંધકામ મળવાપાત્ર હશે તેટલા જ ક્ષેત્રફળ માટે વિકાસ પરવાનગી આપવાની રહેશે.
 ૪. બિનખેતી પરવાનગી મળ્યા બાદ જો ખાસ મંજૂરી વિના ધાર્મિક ઉપયોગ માટે બાંધકામ કરેલ હશે તો તે શરતભંગ અને તે બાંધકામ દૂર કરવાપાત્ર થશે.
- (૯) સરકારશ્રીનાં મહેસૂલ વિભાગનાં તા. ૦૧/૦૭/૨૦૦૮ ના ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક માં જણાવેલ નીચે મુજબનાં પાલન કરવાનું રહેશે.
 ૧. જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડ દ્વારા ઇસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ જોઈએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવી જોઈએ.
 ૨. બાંધકામ શરૂ કરતા પહેલાં બાંધકામનાં નકશાં સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિન પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચિઠ્ઠી મેળવી શકશે નહિ.
 ૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનિંગ સ્કીમ મંજૂર થઈ ગઈ છે ત્યાં જી.ડી.સી.આર. અને ઝોનિંગના નિયમો અનુસાર કરવાનું રહેશે.
 ૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
 ૫. અરજદારે રિબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઈ રસ્તાના મધ્યવિંદુથી બાંધકામ વચ્ચે અ જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
 ૬. ફ્લોર, મિલ, સિનેમા/ ટુરિંગ સિનેમા/ થિયેટર માટે બિનખેતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી આગળની કાર્યવાહી કરવાની રહેશે.
 ૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૮. ઇન્ડિયન એક્સપ્લોઝિવ એક્ટ અન્વયે મેગેનિઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલાં મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.

૯. સવાલવાળા જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી નિયમ મુજબ જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રિડના તાર/ હાઇટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.

૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસ નિયમ મુજબની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સિવિલ એવિએશન ખાતા પાસેથી મેળવવું રહેશે અને સિવિલ એવિએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.

૧૨. ઓ.એન.જી.સી. ના કુવાની નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
૧૩. નર્મદા કેનાલ/ અન્ય સિંચાઇ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવા સૂચિત અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.

૧૪. અરજદારે/ જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી નિયમ મુજબનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
૧૫. જમીન પર કોઇ બેંક/ મંડળીનો બોજો બાકી હોય તો, તે ભરપાઇ કર્યા સિવાય આ મિલકત કોઇપણ પ્રકારે વેચાણ, ભેદ, માનાખત, ગિરો કરી શકાશે નહિ અને કોઇપણ અન્યને પ્રત્યક્ષ કે પરોક્ષ રીતે માલિકી કે કબજો લોગવટો તબદીલ શકાશે નહિ.

૧૬. જમીનમાં નગરપાલિકા/ મહાનગરપાલિકા/ શહેરી વિકાસ સત્તા મંડળ દ્વારા જે શરતોએ પરવાનગી આપવામાં આવી હોય તેવા શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.

૧૭. જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન/ સંચય માટે દર મકાન/ બહુમાળી મકાન દીઠ એકના દરે આ જમીનમાં ઉપર મુજબની શરતોએ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.
(૧૩) પ્રશ્નવાળી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહિ.

અરજદારે ઉપરોક્ત શરતોનું પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસર કાર્યવાહી કરશે.

(૧૪) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.

(૧૫) ઉપરોક્ત શરતોમાં ગમે તે મજફૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલા અથવા વધારાના કોઇપણ મકા અથવા ઇમલ્લાને કલેક્ટરશ્રીએ, આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સૂચવ્ય ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.

વધુમાં ઉપર્યુક્ત શરતોને આધીન અરજદાર દ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ દ્વારા જાહેર કરેલી હકીકતોને સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે.

સ્વાના કર્મ પ્રમાણિત

વિસ્વા કલેક્ટર, અમદાવાદ વતી



સહી/-

(કે. કે. નિરાલા)
કલેક્ટર, અમદાવાદ

આર.પી.એ.ડી.

પ્રતિ,

રસિકભાઈ બાબુલાલ પારેખ વિગેરે

પ્લોટ નંબર - ૩૬૪/૧

સેક્ટર - ૨/બી

ગાંધીનગર.-૩૮૨૦૦૭

નકલ રવાના:-

૧. મુખ્ય અધિકારીશ્રી, અમદાવાદ મહાનગરપાલિકા

૨. મામલતદારશ્રી તા. સાબરમતી જિ. અમદાવાદ (હુકમનો અમલ ગામ દફતરે રેકર્ડ ઓફ રાઈટ્સ મુજબ કરાવવા સારું.)

૩. જિલ્લા ઇન્સ્પેક્ટરની જમીન રેકર્ડ જિ. અમદાવાદ
૪. તલાટીની ચાંદખેડા તા. સાબરમતી જિ. અમદાવાદ તરફ.
૫. રેકર્ડ શાખા. કલેક્ટર કચેરી, અમદાવાદ
૬. સીલેક્ટ ફાઇલ, કલેક્ટર કચેરી, અમદાવાદ

* આ હુકમની દોષ્ટર/કેન્સ, સાબરમતી માં નોંધ નંબર 13881 થી મોજે.- ચાંદખેડા તા. સાબરમતી જિ.- અમદાવાદ માં નોંધ થયેલ



રજીસ્ટ્રેશન નંબર 14240
અરજી આપ્યા તારીખ 14/09/2020
નકલ વિતરણ કર્યા તા. 14/09/2020
નકલ આપ્યા તારીખ 14/09/2020
મુકાબલો ફી 4280
નકલ મુકાબલો 280
મુકાબલો તરફના 2020

પ્રમાણિત કરવામાં આવેલ
14/9
તા. મા. (રેકર્ડ)
કલેક્ટર કચેરી, અમદાવાદ...

c/125

AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.) AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079)

No. - OPN328621072020 Dt.:21/07/2020

To,

SHIV ANANTA,

NEAR- MADHURAM SKY, B/H-KESHAV APARTMENT, CHANDKHEDA, AHMEDABAD

NEAR- MADHURAM SKY, B/H-KESHAV APARTMENT, CHANDKHEDA, AHMEDABAD

Sub: Fire safety & protection, opinion for a proposed high-rise building / Low-Rise Building - Low Rise Building

Sir,

This is to intimate that , the plans submitted for, Low Rise Building , have all the required line drawings and write-up are as per the requirement of fire prevention and protection.

All norms as per the GDCR (2021) & CBD by AUDA have to be followed as far as the construction and Fire Prevention and Protection system, are to be followed.

1.5 Meters for - 18 to 25 meters building heights,

2.00 meters for 25 meters to above height, clear in width.

The staircase and lift shafts shall not go to the basement but if they go they have to be protected by 2 hours fire resistant construction including the doors.

A motorable road with 45 ton load bearing capacity and minimum as mention in table; is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles.

Any transformer to be installed shall be away from the building & leaving open Space required around the building and below building height wise open space required around the building.

Margin for different types of building;

1) 8 to 25 Meters building - 3 meters

Plot area more than 750 sq. mt. : 4 Meters

2) Up to 45 Meters building : 6 Meters


3) Up to 70 Meters building : 8 Meters

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The Fire Protection system shall be as mentioned in the approved plans.

1. All basements parking and HPP shall be fully sprinklered.
2. All lower basements should have positive pressure ventilation.
3. Electric Cable Shaft should have fire resistant doors.

In this Filed we can write what system they required in building So whatever here we write that can be mention in


DINESH S. JAIN
ARCHITECT
18, G. F. KOTHARI TOWER,
RAMNAGAR, SABARMATI,
AHMEDABAD-380 005.
AMC LIC No: AR0011060821 R3

C/159



M.F. Dastoor

(M.F.Dastoor)

Chief Fire Officer

Dinesh S. Jain
DINESH S. JAIN
ARCHITECT
18, G. F. KETHARI TOWER,
RAMNAGAR, SABARMATI,
AHMEDABAD-380 005.
AMC LIC No: AR0011060821 R3



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

C/123

Rashikbhai B. Parekh & Others

Date: 31-08-2020

F.P.NO. 329, Nr.Madhuram
Sky, B/H.LIG Keshav
Apartment, Chandkheda,

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	AHME/WEST/B/082720/479267
Applicant Name*	Tushar Mory
Site Address*	T.P.S.No.-76/B Chandkheda, F.P. NO - 329, R.S.NO - 876/2, At - Chandkheda, Taluka - Sabarmati, Dist-Ahmedabad.
Site Coordinates*	23 06 59.54N 72 35 37.26E, 23 06 57.42N 72 35 37.84E, 23 06 59.98N 72 35 39.07E, 23 06 57.71N 72 35 39.42E
Site Elevation in mtrs AMSL as submitted by Applicant*	58.96 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 5961 mts from ARP and lies in the grid I11 of the published CCZM of Ahmedabad airport. The Permitted top elevation for this grid is 95 mts.

Since the requested top elevation 88.96 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

राजीव गांधी भवन
Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110008
Safdarjung Airport, New Delhi-

दूरभाष : 24632950
Phone: 24632950

DINESH S. JAIN
ARCHITECT
18, G. F. KOTHARI TOWER,
RAMNAGAR, SABARMATI,
AHMEDABAD-380 005.
AMC LIC No: AR0011060821 R3

c/127

final opinion letters

Builder name	SHIV ANANTA			
Address	NEAR- MADHURAM SKY, B/H-KESHAV APARTMENT, CHANDKHEDA, AHMEDABAD			
T.P.No.	76/B CHANDKHEDA			
F.P.No.	329			
R.S.No.	876/2			
Sub Plot No.				
Surrounding Margin from building				
Common Plot Margin from building				
Building Types	Low Rise Building			
	A		B	
Fire Opinion Remarks	• BASEMENT PARKING, HPP & SHOPS AT ALL LEVEL SHALL BE FULLY SPRINKLERED. •ELECTRIC CABLE DUCT SHOULD HAVE FIRE RATED DOORS AT ALL LEVEL AND TO BE KEPT OPEN FROM TERRACE AND LAST BASEMENT LEVEL. •STAIRCASE AND LIFT LOBBY TO BE ENCLOSED AT BASEMENT.		• BASEMENT PARKING, HPP & SHOPS AT ALL LEVEL SHALL BE FULLY SPRINKLERED. •ELECTRIC CABLE DUCT SHOULD HAVE FIRE RATED DOORS AT ALL LEVEL AND TO BE KEPT OPEN FROM TERRACE AND LAST BASEMENT LEVEL. •STAIRCASE AND LIFT LOBBY TO BE ENCLOSED AT BASEMENT.	
Block Height From Ground Level to Top Slab(In Meter)	32.8		32.8	
	Use	Height(In Meter)	Use	Height(In Meter)
Basement 1	PARKING	3.0500	PARKING	3.0500
Hollow Plinth/Ground Floor	COMMERCIAL	3.7700	COMMERCIAL	3.7700
Floor 1	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 2	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 3	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 4	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 5	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 6	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 7	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 8	RESIDENCE	2.9200	RESIDENCE	2.9200
Floor 9	RESIDENCE	2.9200	RESIDENCE	2.9200

Ramp only permitted for 18 to 25 meters building in margin.

Basic Fire Requirement Notes on plan

Take online print of approved opinion and submitted plan copy .The copies of plans are provide during final inspection of the fire fighting system.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.

Note : if plans are submitted for only industrial building approval, Industrial Building -

Information about all processes, raw material and finished material shall be mentioned in plan.

DINESH S. JAIN
ARCHITECT
18, G. F. KOCHARI TOWER,
RAMNAGAR, SABARMATI,
AHMEDABAD-380 005.
AMC LIC No: AR0011060821 R3



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.

g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

This assessment is system auto generated and thus does not require any signature


DINESH S. JAIN
ARCHITECT
18, G. F. KOTHARI TOWER,
RAMNAGAR, SABARMATI,
AHMEDABAD-380 005.
AMC LIC No: AR0011060821 R3

Designated Officer

Region Name: WEST

Address: General Manager (ATM)

Email ID: vaah.noc@aai.aero

Contact No: 079-22858111