







TOWER - CD - Carpet Area Table[illegible]BA Calc Temp: °C/°F

40.75 ± 0.27 (1500-1600)
 41.00 ± 0.25 (1600-1700)
 41.25 ± 0.25 (1700-1800)
 41.50 ± 0.25 (1800-1900)
 41.75 ± 0.25 (1900-2000)
 42.00 ± 0.25 (2000-2100)
 42.25 ± 0.25 (2100-2200)
 42.50 ± 0.25 (2200-2300)
 42.75 ± 0.25 (2300-2400)
 43.00 ± 0.25 (2400-2500)
 43.25 ± 0.25 (2500-2600)
 43.50 ± 0.25 (2600-2700)
 43.75 ± 0.25 (2700-2800)
 44.00 ± 0.25 (2800-2900)
 44.25 ± 0.25 (2900-3000)
 44.50 ± 0.25 (3000-3100)
 44.75 ± 0.25 (3100-3200)
 45.00 ± 0.25 (3200-3300)
 45.25 ± 0.25 (3300-3400)
 45.50 ± 0.25 (3400-3500)
 45.75 ± 0.25 (3500-3600)
 46.00 ± 0.25 (3600-3700)
 46.25 ± 0.25 (3700-3800)
 46.50 ± 0.25 (3800-3900)
 46.75 ± 0.25 (3900-4000)
 47.00 ± 0.25 (4000-4100)
 47.25 ± 0.25 (4100-4200)
 47.50 ± 0.25 (4200-4300)
 47.75 ± 0.25 (4300-4400)
 48.00 ± 0.25 (4400-4500)
 48.25 ± 0.25 (4500-4600)
 48.50 ± 0.25 (4600-4700)
 48.75 ± 0.25 (4700-4800)
 49.00 ± 0.25 (4800-4900)
 49.25 ± 0.25 (4900-5000)
 49.50 ± 0.25 (5000-5100)
 49.75 ± 0.25 (5100-5200)
 50.00 ± 0.25 (5200-5300)
 50.25 ± 0.25 (5300-5400)
 50.50 ± 0.25 (5400-5500)
 50.75 ± 0.25 (5500-5600)
 51.00 ± 0.25 (5600-5700)
 51.25 ± 0.25 (5700-5800)
 51.50 ± 0.25 (5800-5900)
 51.75 ± 0.25 (5900-6000)
 52.00 ± 0.25 (6000-6100)
 52.25 ± 0.25 (6100-6200)
 52.50 ± 0.25 (6200-6300)
 52.75 ± 0.25 (6300-6400)
 53.00 ± 0.25 (6400-6500)
 53.25 ± 0.25 (6500-6600)
 53.50 ± 0.25 (6600-6700)
 53.75 ± 0.25 (6700-6800)
 54.00 ± 0.25 (6800-6900)
 54.25 ± 0.25 (6900-7000)
 54.50 ± 0.25 (7000-7100)
 54.75 ± 0.25 (7100-7200)
 55.00 ± 0.25 (7200-7300)
 55.25 ± 0.25 (7300-7400)
 55.50 ± 0.25 (7400-7500)
 55.75 ± 0.25 (7500-7600)
 56.00 ± 0.25 (7600-7700)
 56.25 ± 0.25 (7700-7800)
 56.50 ± 0.25 (7800-7900)
 56.75 ± 0.25 (7900-8000)
 57.00 ± 0.25 (8000-8100)
 57.25 ± 0.25 (8100-8200)
 57.50 ± 0.25 (8200-8300)
 57.75 ± 0.25 (8300-8400)
 58.00 ± 0.25 (8400-8500)
 58.25 ± 0.25 (8500-8600)
 58.50 ± 0.25 (8600-8700)
 58.75 ± 0.25 (8700-8800)
 59.00 ± 0.25 (8800-8900)
 59.25 ± 0.25 (8900-9000)
 59.50 ± 0.25 (9000-9100)
 59.75 ± 0.25 (9100-9200)
 60.00 ± 0.25 (9200-9300)
 60.25 ± 0.25 (9300-9400)
 60.50 ± 0.25 (9400-9500)
 60.75 ± 0.25 (9500-9600)
 61.00 ± 0.25 (9600-9700)
 61.25 ± 0.25 (9700-9800)
 61.50 ± 0.25 (9800-9900)
 61.75 ± 0.25 (9900-10000)

NAME OF WORK SHEET No. 3.4[illegible]

Chad

Barry

ENGINEER	STRUCTURE ENGINEER
----------	--------------------

M.S. Ghosh

NARESH S. GHEDIA
HOLIDAY CORNER, 3rd Floor
JALSA ROAD

RAJ KOT	UDA Lic No. ST - 91
R. M. C. Lic. No. E/131	R. M. C. Lic. No. SE - 163
UDA Lic No. E/82	

AUTHORITY

