



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

VAIBHAV GANESHBHAI KHUNT

Date: 15-11-2019

B-405, RJD BUSINESS HUB,
KASANAGAR,
KATARGAM, SURAT

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	SURA/WEST/B/111319/434108
Applicant Name*	Sanjay I dholakiya
Site Address*	FP.No. 152, TPS.No.9, (PALANPOR-BHESAN), MOJE-PALANPOR, CITY-SURAT
Site Coordinates*	21 12 15.56N 72 46 19.07E, 21 12 14.07N 72 46 19.47E, 21 12 14.38N 72 46 20.79E, 21 12 12.83N 72 46 21.20E, 21 12 16.14N 72 46 21.56E, 21 12 14.80N 72 46 21.98E, 21 12 13.74N 72 46 23.42E
Site Elevation in mtrs AMSL as submitted by Applicant*	7.94 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 10305 mts from ARP and lies in the grid F15 of the published CCZM of Surat airport. The Permitted top elevation for this grid is 69 mts.

Since the requested top elevation 67.94 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.

g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

This assessment is system auto generated and thus does not require any signature

Designated Officer

Region Name: WEST

Address: General Manager Airports
Authority of India, Regional
Headquarter, Western Region,
Opp. Parsiwada, Sahar Road,
Vale Parle (E)


Email ID: nocwr@aai.aero

Contact No: 022-28300656

Street View



November 13, 2019




ANN

Satellite View



November 13, 2019



3

S. M. SAIYAD, IFS
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

No. SEIAA/GUJ/EC/8(a)/469/2020

Date:

5 JUN 2020

BY R.P.A.D
Time Limit

Sub: Environment Clearance for the Building Construction Project under Pradhan Mantri Awas Yojana at F.P. No. 152 (Housing For SEWSH), T.P.S. No. 9 (Palanpur-Bhesan), Dist. Surat proposed by Surat Municipal Corporation. Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/MIS/128649/2019.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 03/01/2020, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 22/01/2020. The project proponent submitted additional information / documents vide letter dated 24/02/2020 to the SEAC.

The proposal is for Environmental Clearance for the Building Construction Project under Pradhan Mantri Awas Yojana at F.P. No. 152 (Housing For SEWSH), T.P.S. No. 9 (Palanpur-Bhesan), Dist. Surat proposed by Surat Municipal Corporation. This is a proposed building construction project having plot area of 5962.00 m² and the proposed FSI area of the project is 17849.55 m² with proposed built up area of 25094.00 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 3 numbers of buildings. No. of Blocks: 3. Scope of buildings/blocks are: Hollow Plinth + 14 floors and No. & size of Residential Units are: 420.

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 18/03/2020 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 03/03/2020. The proposal was considered by SEIAA, Gujarat in its meeting held on 24/03/2020 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

1. Fresh water requirement during the construction phase shall be 16.4 KL/day and it shall be met through water supply system of Surat Municipal Corporation (SMC). No ground water shall be tapped during the construction phase.
2. Sewage generated during the construction phase shall be disposed off through septic tank & soak pit.

A.2 OPERATION PHASE:

A.2.1 WATER

3. Total water requirement during the operation phase shall be 518.0 KL/day, out of which fresh requirement of 394.25 KL/day shall be met through water supply system of Surat Municipal Corporation (SMC) and the remaining 123.75 KL/day of water requirement shall be met through treated sewage. No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained. Sewage generation during operation phase shall be 412.50 KL/day which shall be treated in the proposed onsite Sewage Treatment Plant.

The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the GPCB norms at the STP outlet. Treated sewage conforming to GPCB



norms shall be utilized within premises for gardening & flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed off through drainage line of Surat Municipal Corporation (SMC).

6. A proper logbook of STP operation and also showing the quantity of treated sewage utilization within premises & quantity of treated sewage discharged into the drainage line shall be maintained and furnished to the GPCB from time to time.
7. Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.
8. No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
9. Rain water harvesting from rooftop and paved areas and ground water recharge through 2 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the run off, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

10. A D. G. set (1 x 125 KVA) proposed as backup power shall be of enclosed type and conform to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
11. The exhaust of the D. G. Set shall be at least 3 m above roof top.
12. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards.

A 2.3 SOLID WASTE:

13. The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be converted into useful end product by treating it into the proposed onsite Organic Waste Converter and the recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by the Surat Municipal Corporation (SMC).

A 2.4 SAFETY :

14. Fire fighting facilities like fire extinguisher, hose reel, wet riser, manually operated electric fire alarm system, underground water tank of 75 KL x 3, terrace tank of 5 KL x 3, two electric & one diesel pump of capacity 2500 L/min. & two electric pump of capacity 200 L/min. having pressure 4.0 kg/cm² at terrace level etc. shall be provided as proposed.
15. All the staircases and lifts shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each building having floor area more than 500 m² on each floor.
16. Clear peripheral margin space of atleast 6 m, excluding the width for tree plantation, shall be provided for unobstructed & easy movement of vehicles in case of emergency.

A2.5 PARKING / TRAFFIC CONGESTION:

17. Minimum parking space of 2,138.03 m² [1,500.51 m² in hollow plinth + 637.52 m² as open surface parking] shall be provided as proposed.

A 2.6 ENERGY CONSERVATION:

18. Energy conservation measures viz. use of LED light in common areas, solar lights for landscape areas, maximum use of natural lighting, reflective / white tiles on terrace floor, roof top solar panels of 13 KW etc. shall be implemented as proposed.

A 2.7 GREEN BELT:

19. Green belt area of 614.03 m² comprising of 120 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B. GENERAL CONDITIONS :

B1. PRE -CONSTRUCTION AND CONSTRUCTION PHASE:


20. Roads leading to or at construction site must be paved and blacktopped (i.e. – metallic roads).
21. No excavation of soil shall be carried out without adequate dust mitigation measures in place.
22. Grinding and cutting of building materials in open area shall be prohibited.
23. Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.
24. Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site.
25. Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.
26. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003.
27. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
28. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
29. Wind – breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.
30. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
31. No uncovered vehicles carrying construction material and waste shall be permitted.
32. No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
33. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
34. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
35. The project proponent shall ensure maximum employment to the local people.
36. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
37. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
38. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
39. First Aid Box shall be made readily available in adequate quantity at all the times.
40. Training shall be given to all workers on construction safety aspects.
41. The project proponent shall strictly comply with the Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
42. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.
43. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase
44. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
45. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
46. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
47. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.



48. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
49. Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
50. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.
51. Provisions of Construction & Demolition Waste Management Rules-2016 shall be strictly adhered to.
52. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
53. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
54. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
55. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:

56. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
57. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
58. Used oil shall be sold only to the registered recycler.
59. Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.
60. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules & regulations made there under shall be provided.
61. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
62. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
63. First Aid Box shall be made readily available in adequate quantity at all the times.
64. Main entry and exit shall be separate and clearly marked in the facility
65. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
66. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
67. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules.
68. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
69. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
70. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
71. The transformers and motors shall have minimum efficiency of 85%.
72. Only variable frequency motor drives shall be used in project.
73. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.



74. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
75. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
76. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
77. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
78. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
79. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
80. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
81. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
82. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
83. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
84. All the terms & conditions prescribed in the amendment of EIA Notification – 2006 published by the MoEF&CC vide its Notification No. S.O. 3999(E) dated 9th December, 2016 shall be complied with letter & spirit.
85. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
86. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
87. The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.

B3. OTHER:

88. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
89. The project proponent shall allocate separate fund of Rs. 63.16 lakhs for activities like provision of toilet blocks with water tank & drainage network, provision of sanitation facilities for villagers, provision of computers, printers, educational materials & benches for primary school, provision of solar street lights on SMC/SUDA road, tree plantation activity on SMC/SUDA road etc. in accordance to the MoEFCC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
90. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
91. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the



stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned and shall be uploaded on website of Gujarat Real Estate Regulatory Authority, on 1st June and 1st December of each calendar year.

92. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
93. The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
94. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
95. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
96. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards,
Yours sincerely,

(S. M. SAIYAD)
Member Secretary



Issued to:

Mr. T.N.Kalathia,
Executive Engineer
Surat Municipal Corporation.
Slum Upgradation Department Tadwadi,
Rander Road, Chorasi, Surat-395009

સ.ર. ચીફ ઇન્ચાર્જ ઓફિસરશ્રી, સુરત મહાનગરપાલિકા પ્રતિ,

સેઈ/ટી.પી.સી.નં./સેઈ/સી.પી.સી.નં. (પાલનપોર લિફ્ટ) ૧૦૦૫, ૧૦૦૬
સેઈ/સી.પી.સી.નં. પ્લોટ નં: ૧૫૫૨ વાળી મિલકતમાં ૧૦૦૫, ૧૦૦૬ મીટર ઉચાઈના
ખાંધકામ વિકાસ પરવાનગી માંગતી અરજી મળેલ છે, જે અરજી સાથે રજૂ
કરેલ પ્લાનની કોપી આ સાથે સામેલ છે., રાજ્ય સરકારના ઇન્ચાર્જ પ્રિવેન્શન એન્ડ લાઈફ સેફ્ટી એક્ટ-૨૦૧૩
(ઇન્ચાર્જ એક્ટ) તથા તા.૦૩/૦૨/૨૦૧૬ ના જાહેરનામાથી મંજૂર થયેલ ઇન્ચાર્જ પ્રિવેન્શન એન્ડ લાઈફ સેફ્ટી
રેગ્યુલેશન-૨૦૧૬ તથા ત્યારબાદ રાજ્ય સરકારશ્રીના તા.૨૧/૦૭/૨૦૧૮ ના જાહેરનામા ક્રમાંક: જીએચ/વી/૮૫
એક્ટ ૨૦૧૮/પીઆરસી-૧૦૨૦૧૮-૪૦૬૮-૬ થી મંજૂર થયેલ એમેન્ડમેન્ટ ધ્યાને લઈને રજૂ થયેલ પ્લાનનો ઇન્ચાર્જ
સેફ્ટી એક્સર્સની જોગવાઈઓ મુજબ દર્શાવેલ છે કે કેમ? તેની ચકાસણી કરીને તેમાં જરૂર જણાયે સુધારા સુચવી નકશા
સહિતનો આપશ્રીની સીમાર્કસ સાથે તાકીદે અભિપ્રાય મોકલી આપવા વિનંતી. વધુમાં આ અંગે મે.કમિશનરશ્રીએ
આપેલ આદેશ અન્વયે, જો દિન-૧૫ (પંદર) માં ન મળે તો આપના ખાતાને વાંધાજનક નથી તેમ જણીને વિકાસ
પરવાનગીની આગળની કાર્યવાહી હાથ ધરવામાં આવશે, જે નિહિત થવા વિનંતી.

મિલકત : પ્લાન નં: ૧૫૫૨

નં:ટી.પી.ઓ/ ૫૭૫
તા.૦૮/૧૦/૨૦૨૦

આસી/ જી.પી.ઈજનેર/આસી.ટા.પ્લાનર
મધ્યસ્થ શહેર વિકાસ ખાતુ
સુરત મહાનગરપાલિકા