

c/125

AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.)AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079)

No. - OPN002903012023 Dt.:03/01/2023

To,

KAMLESHBHAI GORDHANBHAI PATEL AS PARTNER OF SHRIDHAR DEVELOPERS,
JINESHWAR HEIGHTS, OPP. AAKRUTI TOWNSHIP, NAROL-ASLALI ROAD, NAROL, AHMEDABAD
JINESHWAR HEIGHTS, OPP. AAKRUTI TOWNSHIP, NAROL-ASLALI ROAD, NAROL, AHMEDABAD

Sub: Fire safety & protection, opinion for a proposed high-rise building / Low-Rise Building - High Rise Building

Sir,

This is to intimate that , the plans submitted for, High Rise Building , have all the required line drawings and write-up are as per the requirement of fire prevention and protection.

ALL NORMS AS PER THE NBC-2016 PART-IV FIRE AND LIFE SAFETY GUIDELINES / GUJARAT STATE MEASURES ACT - RULES / GDCR (2021) & CBD BY AUDA / SPECIAL INSTRUCTIONS GIVEN BY FIRE OFFICER HAVE TO BE FOLLOWED AS FAR AS THE CONSTRUCTION AND FIRE PREVENTION FOLLOWED AS BELOW.

Staircase :

1.5 meters for 9 to 25 meters building heights.

2.00 meters for 25 meters to above building heights, clear in width.

It is required that all staircases of the building shall be ventilated above the parapet wall at each floor level and shall be 2 meters clear in width.

The staircase and lift shafts shall not go to the basement but if they go they have to be protected by 2 hours fire resistant construction including the doors.

All fire doors of the building shall be certified for stability, integrity & insulation by fire research laboratory, institute, roorkee-247-667.

A motorable road with 45 ton load bearing capacity and minimum as metion in table; is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles.

Any transformer to be installed shall be away from the building & leaving open Space required around the building and below building height wise open space required around the building.


Margin for different types of building;

1) 15 to 25 Meters building - 3 meters

Plot area more than 750 sq. mt. : 4 Meters

2) Up to 45 Meters building : 6 Meters

3) Up to 70 Meters building : 8 Meters


KRUNAL K. MISTRY (B.E. CIVIL)
CONSULTING CIVIL ENGINEER
177, DEVPATH, B/H. LAL BUNGLOW,
C. G. ROAD, AHMEDABAD-380 006.
AMC LIC : 001ERH01032600598

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The Fire Protection system shall be as mentioned in the approved plans.


1. All basements parking and HPP shall be fully sprinklered.
2. All lower basements should have positive pressure ventilation.
3. Electric Cable Shaft should have fire resistant doors.

In this Filed we can write what system they required in building – So whatever here we write that can be mention in final opinion letters

Name of Building	KAMLESHBHAI GORDHANBHAI PATEL AS PARTNER OF SHRIDHAR DEVELOPERS	
Site Address	JINESHWAR HEIGHTS, OPP. AAKRUTI TOWNSHIP, NAROL-ASLALI ROAD, NAROL, AHMEDABAD	
T.P.No.	57 (NAROL)	
F.P.No.	79/1	
R.S.No.	71/4	
Sub Plot No.	0	
Surrounding Margin from building		
Common Plot Margin from building		
Building Type	High Rise Building	
Fire Opinion Remarks	A BASEMENT PARKING, HPP & SHOPS SHALL BE FULLY SPRINKLERED. HYDRANT SYSTEM (CONVENTIONAL) ONLY CLASS-C PIPES TO BE USED FIRE PUMP NOT TO BE INSTALLED LOWER THAN 2ND BASEMENT. - FIRE PUMP CAPACITY TO DISCHARGE 900 LITERS PER MINUTE @ 3 BAR PRESSURE MEASURED AT TERRACE LEVEL. - ONE HYDRANT VALVE AND ONE HOSE REEL HOSE WITH ON / OFF SWITCH FOR THE FIRE PUMP (ONE SET PER FLOOR AREA OF 1000 SQ. METERS.) - RISER CUM DOWN COMMER TO BE PROVIDED 100 MM. DIAMETER UP TO 30 METERS, 150 MM. FOR BUILDINGS ABOVE 30 METERS. - ONE UNIT OF CO2 EXTINGUISHER 4.5 KGS AND ONE UNIT OF DCP EXTINGUISHER OF 6 KGS. PER FLOOR (ONE SET PER 1000 SQ. METERS) - FIRE SERVICE INLET TO BE PROVIDED AT THE GROUND LEVEL. • STAND ALONE WITH INBUILT BATTERY TYPE OF SMOKE/ HEAT DETECTORS ARE NOT PERMITTED IN ANY KIND OF OCCUPANCY.	
Block Height From Ground Level to Top Slab(In Meter)	24.85	
	Use	Height(In Meter)
Basement 1	PARKING	3.4000
Hollow Plinth/Ground Floor	SHOP + PARKING	3.5000
Floor 1	RESIDENCE	3.0500
Floor 2	RESIDENCE	3.0500
Floor 3	RESIDENCE	3.0500
Floor 4	RESIDENCE	3.0500
Floor 5	RESIDENCE	3.0500
Floor 6	RESIDENCE	3.0500
Floor 7	RESIDENCE	3.0500

Ramp only permitted for 15 to 25 meters building in margin.

Basic Fire Requirement Notes on plan


KRUNAL K. MISTRY (B.E. CIVIL)
CONSULTING CIVIL ENGINEER
177, DEVPATH, B/H. LAL BUNGLOW,
C. G. ROAD, AHMEDABAD-380 006.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after

c/128

due inspection by the Fire service officer an NOC can be issued.

Note : if plans are submitted for only industrial building approval, Industrial Building -

Information about all processes, raw material and finished material shall be mentioned in plan.



(JAYESH N. KHADIA)




KRUNAL K. MISTRY (B.E. CIVIL)
CONSULTING CIVIL ENGINEER
177, DEVPATH, B/H. LAL BUNGLOW,
C. G. ROAD, AHMEDABAD-380 006.
AMC LIC : 001ERH01032600598

મહેકમ શાખા

જીલ્લા કલેક્ટરની કચેરી, પહેલો માળ
સુભાષભીજ સર્કલ, અમદાવાદ

તારીખ : 19/03/2013



(૧) કબજેદારની તારીખ : 28/02/2013 'તત્કાલ બિનખેતી યોજના' હેઠળ અરજી ક્રમાંક : 685071
તથા સોનિદનામુ/બાંહેધરી ખત વિગેરે

(૨) જમીન મહેસુલ અધિનિયમ-૧૮૭૮ ની કલમ -૬૫/૬૬/૬૭ હેઠળના અધિકારો તથા ગુજરાત નિયમો ૧૮૭૨ના નિયમોના નિયમ - ૧૦૦

૩. કબજેદારની તારીખ : 28/02/2013 ની અરજી તથા જવાબ.

હ ક મ

એપેન્ડિક્સ-એ, માં દર્શાવેલ જમીનના કબજેદાર ધ્વારા આમુખ-(૧) વાળી અરજી અન્વયે બીનખેતીના હેતુ માટે ઉપયોગ કરવા નીચે દર્શાવેલ તેઓની માલિકીની જમીનની બીનખેતી માટેની પરવાનગીની માંગણી કરેલ છે. કબજેદારની રજુઆત મુજબ તથા કામના કાગળોમાં રેકર્ડ ઉપર અરજદારનું નામ કબજેદાર તરીકે ચાલે છે તથા શહેરી જમીન ટોચ મર્યાદા કાયદા અન્વયે પ્રશ્નવાળી જમીન ફાજલ થયેલ નથી કે સરકાર પક્ષે કબજો લેવાયેલ નથી તેમ કાગળો ઉપરથી ફલિત થાય છે. જે અંગે આમુખ-(૨) માં દર્શાવ્યા મુજબ સંબંધીત મામલતદારશ્રી તથા પ્રાંત અધિકારીશ્રીના હકારાત્મક અભિપ્રાય મળેલા છે. અરજદાર જે બાંધકામ કરવા માંગે છે તેના પ્લાનની નકલ રજુ થયેલ છે.

એપેન્ડિક્સ-એ (જમીનની વિગત)

ઠરાવેલ વિશેષ ધારો :

Rs. 1355 /-

મોજે : નારોલ

તાલુકો : સીટી (ઈસ્ટ)

ક્ષેત્રફળ : 3950.00 Sq.Mts.

સર્વે નંબર : 71/4

ટી.પી. : 57

ફા.પ્લોટ નં. 79/1 79/2

સ.પ્લોટ નં.

બીનખેતી હેતુ :

રહેણાંક 2900.00 Sq.Mts.

વાણિજ્ય 1050.00 Sq.Mts.

એપેન્ડિક્સ-બી (કરવેરાની વિગત)

(૧) રૂપાતર કરની રકમ : Rs. 60500 /- ચલન નંબર:- 88 તારીખ :- 03/03/2013

(૨) વિશેષ ધારો : Rs. 1355 /- પહોંચ નંબર:- 43 તારીખ :- 13/03/2013

પ્રમાણીત નકલ

(Signature)

ના. મા. (રેકર્ડ)

જીલ્લા કલેક્ટર કચેરી, અમદાવાદ... Page 1 of 3

એપેન્ડીક્ષ-એ, માં દર્શાવેલ જમીન સ્થળે ખુલ્લી છે. તથા અત્રેથી જણાવ્યા મુજબ રૂપાંતર કરની રકમ કબજેદારે જમા કરાવી, અને ચલન રજુ કરેલ છે. જેથી કબજેદારની માંગણી તથા ઉપર મુજબની હકીકતે, નીચે દર્શાવેલ શરતોને આધીન, જમીન મહેસુલ અધિનિયમની કલમ-૬૫ હેઠળ, એપેન્ડીક્ષ-એ, માં દર્શાવેલ ક્ષેત્રફળ વાળી જમીન ઉપર બીનખેતીનો ઉપયોગ કરવા પરવાનગી આપવામાં આવે છે.

શરતો :-

૧. આ પરવાનગી સ્થાનિક સત્તા મંડળ દ્વારા મંજૂર કરવામાં આવતાં નકશા તેમજ વિકાસ પરવાનગીની શરતોના અમલીકરણને આધીન રહેશે. વધુમાં વિકાસ પરવાનગી અન્વયે કરવામાં આવતો વિકાસ અને તેનો વપરાશ વિકાસ યોજનાના નિયંત્રણ, વિનિમયો તેમજ ઔડા / મ્યુનિ. કોર્પોરેશન અને રાજ્ય સરકાર દ્વારા આપવામાં આવતાં વખતો વખતના આદેશ / નિર્દેશનો આધીન રહેશે. જમીનના માલિક / કબજેદારોએ પરવાનગી હેઠળની જમીનનો વિકાસ સંબંધિત સત્તા મંડળની વિકાસ પરવાનગીને આધીન રહીને જ કરવાનો રહેશે.

૨. વરસાદી પાણીના નિકાલ માટે પરકોલેટીંગ વેલની વ્યવસ્થા કરવાની રહેશે. તથા બાંધકામમાં ઉપયોગમાં લેવાની ઈટોના કુલ જથ્થાના ૭૫%, ફ્લાય એશ બ્રીક્સ નો ઉપયોગ કરવાનો રહેશે.

૩. એપેન્ડીક્ષ-એ, માં દર્શાવેલ બીનખેતી હેતુ તેમજ ક્ષેત્રફળ મુજબ એપેન્ડીક્ષ-બી મુજબ કરવેરા વસુલ લેવામાં આવેલ છે. તે સિવાય બાંધકામનો અન્ય હેતુ માટે ઉપયોગ થઈ શકશે નહીં.



૪. આ પરવાનગી હેઠળની જમીનનો ઠરાવેલ વિશેષધારો, અત્રેથી ફેરફાર કરવામાં ન આવે ત્યાં સુધી દર વર્ષે પહેલી ઓગસ્ટ થી નિયત થયેલ મહેસુલી વર્ષથી ભરવાનો રહેશે. ઉપરાંત કબજેદારે તે ઉપર નકકી થતો લોકલ ફંડ, શિક્ષણ ઉપકર, તથા અન્ય કરવેરા પણ દર વર્ષે ચૂકવવાના રહેશે. વિશેષધારો અમદાવાદ શહેરી વિસ્તાર પૂરતો સુપ્રિમ કોર્ટમાં આ બાબતનો નિકાલ આવ્યેથી તે ચૂકાદાને આધીન રહીને ભરવાનો રહેશે. પરંતુ બીનખેતીનો ઉપયોગ શરૂ કરવામાં ન આવે ત્યાં સુધી ઉક્ત ઠરાવેલ વિશેષધારો દર વર્ષે બમણા દરે ભરવાનો રહેશે.

૫. આ પરવાનગીની તારીખથી દિન-૩૦ માં ડિસ્ટ્રીક્ટ ઈન્સપેક્ટરશ્રી, લેન્ડ રેકર્ડઝ મારફતે માપણી કરાવવાની રહેશે, જે માપણી મુજબ સાઈટ પ્લાનની નકલી અત્રે રજુ કરવાની રહેશે તથા ક્ષેત્રફળની વધઘટ મુજબનો વિશેષધારો તેમજ અન્ય ઉપકરો કબજેદારે ભરવાના રહેશે.

૬. જમીનની તબદીલી, ફેરફાર તથા જમીન અંગેના અન્ય તમામ આનુસંગિક કાયદાઓને આધીન રહીને આ પરવાનગી આપવામાં આવેલ છે, જેથી અન્ય કોઈ કાયદા હેઠળ મેળવવાની થતી જરૂરી પરવાનગીઓ મેળવી લેવાની રહેશે.

૭. સવાલવાળી જમીનમાંથી ઈલેક્ટ્રીક લાઈન, કે ટેલીફોન લાઈન પસાર થતી હશે તો, આવી લાઈન કે તેના થાંભલા ભવિષ્યમાં નાંખવાના થશે તો તે અંગે કોઈ વળતર મેળવવા હકકદાવો થઈ શકશે નહીં.

૮. આ પરવાનગીની તારીખથી ૬ (છ) માસમાં બાંધકામ શરૂ કરી ત્રણ વર્ષમાં બાંધકામ પુરું કરવાનું રહેશે.

૯. બાંધકામનો ઉપયોગ શરૂ કરતા પહેલાં બી. યુ. પરમીશન મેળવી લેવાની રહેશે.

૧૦. આ હુકમમાં અગર સનંદમાં કોઈ કારકુની અથવા ગણતરીની ભૂલ હશે તો, તેમાં સુધારો થઈ શકશે.

૧૧. આ પરવાનગીની તારીખ પછી નમુના-એમ માં સનંદ તૈયાર થયેથી, તથા અપીલ સમય પૂરો થયેથી અરજદારે સનંદ ભરાવી લેવાની રહેશે.

પ્રમાણિત નકલ

ના. મા. (રેકર્ડ)

ફોલોવર કચેરી, અમદાવાદ....

૧

૧૨. સરકારશ્રીના મહેસુલ વિભાગના તા. ૧/૭/૨૦૦૮ ના ઠરાવ ક્રમાંક: બામપ/૧૦૦૬/૪૨૫/ક, ના પરિશિષ્ટ-૪ માં ઉલ્લેખેલ તમામ શરતોનું ચુસ્તપણે પાલન કરવાનું રહેશે.

૧૩. આ પરવાનગી અરજદારે રજૂ કરેલ વિગતોને આધારે આપવામાં આવેલ છે. રજૂ થયેલ કોઈ વિગત ખોટી હોવાનું જાહેર થયેથી કે ઉપરની કોઈપણ શરતોનો ભંગ થયેથી આ પરવાનગી આપોઆપ રદ થયેલી ગણાશે તથા જમીન મહેસુલ કાયદા કલમ-૭૯/એ, હેઠળ પગલાં લેવાને પાત્ર રહેશે. અને તત્કાલિન અમલમાં હોય તેવા બીજા કોઈપણ કાયદાની જોગવાઈઓના બાધ વિના ઈન્ડિયન પીનલ કોડ હેઠળ કબજેદારો ફોજદારી ગુન્હા માટે શિક્ષાત્મક પગલા લેવાને પાત્ર બનશે. તથા જમીન મહેસુલ કાયદાની કલમ-૬૬ તથા નિયમોના નિયમ-૧૦૦ અનુસાર યોગ્ય તે દંડાત્મક કાર્યવાહી કરવામાં આવશે અને બાંધકામ દુર કરાવવા સહિતના એક કે વધુ પગલાં લેવામાં આવશે.

રવાના કરવા માટે પ્રમાણીત,

૧૧/૩
વધારાના ચીટની પ્રત કલેક્ટર
અમદાવાદ ૦૧/૫/૨૩



સહી/-
(વિજય નેહરા)
કલેક્ટર, અમદાવાદ

પ્રતિ,

ખોડાજી મંગાજી
૨/૨, વૈકુઠ કોમ્પ્લેક્સ,
રસપાન પાર્ટી પ્લોટ પાસે, નવાનિહોલ,

અમદાવાદ

નકલ રવાના :- જાન. કચેરી સહી ૨૫

૨/- આગળની જરૂરી કાર્યવાહી તથા સનંદ ભરાવવા અંગે ઘટતી કાર્યવાહી હાથ ધરવા સારું.

૨. તલાટીશ્રી નારોલ

તરફ આગળની કાર્યવાહી તથા ગામ નમુના નં. ૨, માં જરૂરી નોંધ કરવા સારું.

૩. ડિસ્ટ્રિક્ટ ઈન્સ્પેક્ટરશ્રી, લેન્ડ રેકર્ડ્ઝ, મોજશી ભવન, ભીમજીપુરા, નવા વાડજ, અમદાવાદ

૪. મ્યુનિસિપલ કમિશનરશ્રી (એસ્ટેટ) દાણાપીઠ, અમદાવાદ / મુખ્ય કારોબારી અધિકારીશ્રી, ઔડા, ઉસ્માનપુરા, અમદાવાદ

૫. સિલેક્ટ ફાઇલે.

૩. ઈ-ધરાકેન્દ્ર નરજી

(Signature)

અરજી નંબર
અરજી આવ્યા તા ૧૧/૩/૨૦૨૩
નકલ તૈયાર કર્યા તા. ૧૦/૫/૨૦૨૩
નકલ આવ્યા તા ૨૦/૨/૨૦૨૩
નકલ બનાવનારની સહી પુરુષોત્તમ સરગાજી
મુકાબલ કરનારની સહી પુરુષોત્તમ સરગાજી

શબ્દો
સુકાબલ ફી
સુકાબલ ફી
સુકાબલ ફી
સુકાબલ ફી
સુકાબલ ફી

પ્રમાણીત નકલ

૧૦-૪૦
૩: ૬૦
: ૬૦
૧૬: ૨૦
ના. મા. (રેકર્ડ)
કલેક્ટર કચેરી, અમદાવાદ....



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Raghvani Developers LLP Partner Parth Bharatkumar Shah

Date: 04-07-2023

Sur. No. 71/4, F.P.No. 79/1,
T.P.S. No. 57 (Narol South-1),
At. Narol, Ta. Maninagar, Dist.

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	AHME/WEST/B/063023/766781
Applicant Name*	Bhargav Savaliya (Mo. No. 9998982893)
Site Address*	Sur. No. 71/4, F.P.No. 79/1, T.P.S. No. 57 (Narol South-1), At. Narol, Ta. Maninagar, Dist. Ahmedabad.
Site Coordinates*	22 57 19.53N 72 35 48.53E, 22 57 17.84N 72 35 48.88E, 22 57 19.75N 72 35 49.67E, 22 57 18.06N 72 35 50.02E
Site Elevation in mtrs AMSL as submitted by Applicant*	42.47 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 13214 mts from ARP and lies in the grid R11 of the published CCZM of Ahmedabad airport. The Permitted top elevation for this grid is 135 mts.

Since the requested top elevation 97.47 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.

g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

This assessment is system auto generated and thus does not require any signature

Designated Officer


Region Name: WEST

Address: General Manager (ATM)
Airports Authority of India, SVP
International Airport,
Ahmedabad, (Gujarat) -380 003.

Email ID: vaah.noc@aai.aero

Contact No: 079-22858111

Street View



June 30, 2023

1:3,600
0 0.03 0.06 0.11 mi
0 0.04 0.09 0.18 km
Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community

AAI

Satellite View



June 30, 2023

1:3,600
0 0.03 0.06 0.11 mi
0 0.04 0.09 0.18 km
Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

AAI