

GUJARAT INDUSTRIAL DEVELOPMENT CORPORATION
(A Govt. of Gujarat Undertaking)



Office of the Executive Engineer ,
Ground floor, GMDC Building, Near Helmet
circle, Memnagar Ahmedabad- 380052
Phone: 9099041629
E-mail:xen-ahd@gidcgujarat.org

No.GIDC / XEN/ABD

To,
M/s. SHREE SONAL GUM INDUSTRIES

Sub: Approval of plans for plot no.9 at Vatva Industrial Estate.

Ref: Your online application number: PA2019ab5ee6 . 9/15/2019 12:00:00 AM .

Dear Sir,

Gujarat Industrial Development Corporation is pleased to inform you that the building plans sent by you are approved for construction based on the document submitted by you, subject to following conditions.



L090112612629-03/10/2019
Branch : EXECUTIVE
ENGINEER
Office : Ahmedabad
Priority : Routine Letters
Label

- 1) The plot has been allotted to you and the possession of the same has been taken over by you and dimensions of the plot shown in the plan are same as per site. If any discrepancy found, construction is to be started after confirmation & clarification with sub division office.
- 2) The structural design and soundness of proposed construction work is not checked by this office. As per the resolution from government of Gujarat dated 29-05-2001 for structural safety including provision under the articles 13-14 and 15, safety against natural/man-made calamities, including quality of construction material, its testing and safety is entirely at the risk and cost of your own, Architect, Structural Engineer, Engineer, Clerk.
- 3) You will have to obtain separate approval from Chief Factory Inspector before starting any work.
- 4) The compound wall is to be constructed in such a way that other surface of the foundation masonry should be inside the boundary between the plots or plot and road i.e. no construction should project in the plot of other/s plot holders or road side.
- 5) All the gates of compound wall should open inward and be provided with stop, which will prevent the gate from opening outward in front path of the road.
- 6) Barbed wire fencing or compound wall shall be within the plot boundaries of owner's own plot.
- 7) Separate drawing for construction of compound wall will have to be submitted for approval, if required
- 8) You will have to obtain approval of local authorities and other concerned authorities also as per requirement.
- 9) No sewage shall be allowed to dispose in Storm Water Drain or in road side or in adjoining land. Septic tank, sock pit, Manhole etc. shall be provided with C.I. Heavy Covers.
- 10) Effluent shall be treated as per standard prescribed by Gujarat Pollution Control Board/Central Pollution Control Board from time to time and compliance for the same should be submitted before commencement of the factory.
- 11) You will have to plant three trees on every 200 Sq.Mtrs. of land allotted to you.
- 12) The work shall be executed at your own risk, cost and all the structural changes shall have to be checked and supervised by your authorized Engineer.
- 13) The plans are approved for the purpose for which the plot is allotted.

GUJARAT INDUSTRIAL DEVELOPMENT CORPORATION
(A Govt. of Gujarat Undertaking)



Office of the Executive Engineer ,
Ground floor, GMDC Building, Near Helmet
circle, Memnagar Ahmedabad- 380052
Phone: 9099041629
E-mail: xen-ahd@gidcgujarat.org

31) Interest of corporation can not be overruled by this approval.

32) In case of any discrepancy, approved copy of this office as per record will govern.

33) Fire safety system is to be provided as per the chapter no 22 of the

Gujarat Industrial Development Corporation is looking forward towards completion of construction of your factory and its successful functioning.
Wishing you success in your project.


Executive Engineer
GIDC, Ahmedabad

Encl: - Copy of approved set of plan.

Copy S.W.R.T :-

1. The Regional Manager, G.I.D.C., Ahmedabad for information please with set of approved drawing.
2. The Factory Inspector, office of the factory inspector, Ahmedabad for information and further needful please.

Copy to:-

1. The Deputy Executive Engineer ,G.I.D.C., _____ for information please with set of approved drawing.