



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ संख्या: एएआई/एएच/एटीसीओ-61/ 29672-77

दूतगामी डाक
दिनांक: 20.11.2015

सेवा में,

23 NOV 2015

श्री कलपेश एच गाला,
मारफ्त डोलरिया डीजाइन (जगदीश भीखाभाई पटेल)
सी/17, दूसरी मंजिल, पदमावती फ्लेट,
नारणनगर बस स्टॉप के पास, मुकेश भाजीपांव के ऊपर,
नरोडा, ता.सीटी, जिला: अहमदाबाद-382330

विषय: अनापत्ति प्रमाणपत्र जारी करने हेतु, NOC ID: AHME/WEST/B/110315/214070, AH1787/2015

Please refer to your NOC application on the subject mentioned above. The NOC letter for NOC ID: AHME/WEST/B/110315/214070, AH1787/2015 is enclosed.

सधन्यवाद

(Handwritten signature)
20/11/15
(तपन नायक)

वरिष्ठ प्रबंधक (वा.या.नि. - एन.ओ.सी)
एवं सदस्य सचिव (एन.ओ.सी.सी)
कृते विमानपत्तन निदेशक

प्रतिलिपि:- (सूचनार्थ)

1. कार्यपालक निदेशक (वा.या.नि.), भारतीय विमानपत्तन प्राधिकरण, राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली-110003
2. महाप्रबंधक (विमानक्षेत्र), प.क्षे. मुख्यालय, भारतीय विमानपत्तन प्राधिकरण, नया एटीएस कॉम्प्लेक्स, सुतार पाकड़ी रोड, सहार कार्गो कॉम्प्लेक्स के नजदीक, सहार, मुंबई-99
3. प्रधान टाऊन प्लानर, अहमदाबाद शहरी विकास सत्तामंडल (AUDA), सरदार वल्लभभाई पटेल भवन, उस्मानपुरा क्रॉस रोड, आश्रम रोड, अहमदाबाद ।
4. गार्ड फाईल
5. विमानपत्तन निदेशक के निजी सचिव।

(Handwritten signature)
20/11/15
(तपन नायक)

वरिष्ठ प्रबंधक (वा.या.नि. - एन.ओ.सी)
एवं सदस्य सचिव (एन.ओ.सी.सी)
कृते विमानपत्तन निदेशक



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

No. AAI/AH/ATCO-61/

Date: 20/11/2015

Kalpesh H. Gala

C/o. Dholariya Design, (Jagdish Bhikhabhai Patel), C/17, Second Floor, Padmavati Flat, Near Narannagar Bus Stop, Above Mukesh Bhaji Pav, At: Naroda, Taluka: City, Dist: A'bad. Gujarat. PIN-38 23 30

NO Objection Certificate for Height Clearance

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order SO84 (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations.

1. References:

NOCID	AHME/WEST/B/110315/214070
Applicant Letter	NIL DATED 06.11.2015
AAI Reference	AH-1787/2015

2. NOC Details for Height Clearance:

Applicant Name	Kalpesh H. Gala
Type of Structure	Building
Site Address	T. P. S. No. 3 (Bopal), F. P. No. 142/3, 144, 158/3, Block No. 499, 500, At: Bopal, Taluka: Daskroi, District: Ahmedabad. At: Bopal, Taluka: Daskroi, District: Ahmedabad.
Site Coordinates	23 01 00.71N -72 28 07.29E 23 00 56.93N -72 28 09.62E 23 00 58.10N -72 28 06.59E 23 01 02.57N -72 28 05.21E 23 01 03.32N -72 28 07.85E
Site Elevation AMSL in Mtrs	44.536Mtrs FOUR FOUR DECIMAL FIVE THREE SIX METERS.
Permissible height above Ground Level in Mtrs	60.00 Mtrs SIX ZERO DECIMAL ZERO ZERO METERS.
Permissible Top Elevation AMSL in Mtrs	104.536Mtrs ONE ZERO FOUR DECIMAL FIVE THREE SIX METERS.

3. This NOC is subject to the terms and conditions as given below:

- The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will be invalid.
- The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by buildings and trees etc.) Rules, 1994.
- No radio/TV Antenna, lighting arresters, staircase, Muntree, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation 104.536 Mtrs, indicated in para 2.
- The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.
- The certificate is valid for a period of 5 years from the date of its issue. If the

<http://nocas.aai.aero/NOCLetterForBuilding2.aspx?nocID=AHME/WEST/B/110315/21...> 20-11-2015

building/structure/Chimney is not constructed & completed within the period, the applicant will be required to obtain a fresh 'NOC' from the Designated Officer of Airports Authority of India. The date of completion of Building/Structure/Chimney should be intimated to this office of AAI. Request for revalidation of NOC will not be entertained after the expiry of its validity period.

f. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.

g. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

h. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in

i. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of 'to ensure the safe and regular aircraft operations' and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc

j. This NOC has been issued w.r.t. the Civil Airports as notified in S0 84(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation 104.536 Mtrs.

(Signature)
26/11/15
(TAPAN NAYAK)
Sr. Manager (ATM-NOC)
Member Secretary NOCC
Airports Authority Of India

Copy to :

1. The Executive Director(ATM), AAI, Rajiv Gandhi Bhavan, Safdarjung Airport, New Delhi-110003

2. GM(NOC)/Airport Director(Bundle).

3. Guard File

4. GM (Aero),WR, AAI, New ATS Complex, Sutar Pakadi Road, Near Sahar Cargo Complex, Sahar, Mumbai-99.

5. Chief Town Planner, Ahmedabad Urban Development Authority (AUDA), Sardar Vallabhbhai Patel Bhavan, Ushmanpura Cross Road, Ashram Road, Ahmedabad.

Generate Letter

Issue

Print



No. SEIAA/GUJ/EC/8(a)/4028/2015

BY R.P.A.D

Date: 07-11-2015

Time Limit

Sub: Environment Clearance for the Building Construction Project at S.No.463+ 474+ 475+ 476+ 477/A+ 476+ 477/B+487+490+492+493+ 494+495/P+496+497+499+468+468/1+469/P+472/A+472/C,O.P.No.142,144,158, F.P. No.142/3+ 158/3+144/2, T.P.S.No.3 Bopal, Daskroi, Ahmedabad proposed by M/s. Manav Builders.....Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 11/04/2015, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 16/07/2015. The project proponent submitted additional information / documents vide letter dated 02/09/2015 to the SEAC.

The proposal is for Environmental Clearance for the Building Construction Project at S.No.463+ 474+ 475+ 476+ 477/A+ 476+ 477/B+487+490+492+493+ 494+495/P+496+497+499+468+468/1+469/P+472/A+472/C,O.P.No.142,144,158, F.P. No.142/3+ 158/3+144/2, T.P.S.No.3 Bopal, Daskroi, Ahmedabad proposed by M/s. Manav Builders. This is a proposed residential building construction project having plot area of 12064.0 m² and the proposed built up area of the project is 46750.22 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 04 numbers of buildings (1 commercial & 3 residential). Scopes of buildings/blocks are: Commercial building – Ground floor + 4 floors, Residential building – ground floor + 13 floors. No. & size of Residential Units are : 130 and No. & size of Commercial units are : 182.

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no 8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 06/11/2015 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 09/09/2015. The proposal was considered by SEIAA, Gujarat in its meeting held on 07/11/2015 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

SPECIFIC CONDITION:

- The original copy of Environmental Clearance granted vide No. SEIAA/GUJ/EC/8(a)/142/2013 dated 09/07/2013 shall be surrender to the SEIAA within seven days.
- This Environmental Clearance supersedes the Environmental Clearance granted vide No. SEIAA/GUJ/EC/8(a)/142/2013 dated 09/07/2013 & the same shall be treated as null & void.

A. PROJECT SPECIFIC CONDITIONS:

1. Full size project plans, with additional available FSI, approved by the concerned authority shall be submitted to SEIAA/SEAC within 6 months from the date of issue of the Environmental Clearance

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

2. Fresh water requirement during the construction phase shall be 21.75 KL/day and it shall be met through the water tankers. No ground water shall be tapped during the construction phase.
3. Sewage generated during the construction phase shall be disposed off through soak pit and septic tank.

A.2 OPERATION PHASE:

A.2.1 WATER

4. Water requirement during the operation phase shall be 121.12 KL/day and it shall be met through water supply system of Ahmedabad Urban Development Authority (AUDA). No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained.
5. No new bore well shall be constructed and existing bore well/s shall be either sealed or converted into the recharge well.
6. Sewage generation during the operational phase shall be 92.94 KL/day and it shall be discharged through the drainage system of Ahmedabad Urban Development Authority (AUDA).
7. Rain water harvesting from rooftop and paved areas and ground water recharge through 4 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

8. A D. G. Set (1 x 40 KVA) proposed as back up power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
9. The exhaust of the D. G. Set shall be at least 3 m above roof top.
10. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed by GPCB. At no time, the emission levels shall go beyond the stipulated standards.

A.2.3 SOLID WASTE:

11. The solid waste generated shall be properly collected and segregated at source. The recyclable material shall be sold to vendors whereas other garbage shall be disposed off properly as per the provisions made by the Ahmedabad Urban Development Authority (AUDA).

A.2.4 SAFETY:

12. Fire fighting facilities like fire extinguishers, hose reel wet riser, manually operated electric fire alarm system, automatic sprinkler system in basement, 2 nos. of underground static water storage tanks each of 100 KL capacity, terrace tank of 50 KL etc. shall be provided as proposed.
13. All the staircases and lifts shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each building having floor area more than 500 m² on each floor.
14. In basement at least two separate ramps of adequate width and slope shall be provided, located preferably at opposite ends.
15. Provision for adequate air changes per hour in the basement shall be made so as to avoid build up of CO in the area.
16. Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.

A.2.5 PARKING / TRAFFIC CONGESTION:

17. Parking space of 12,468.31 m² [2,039.75 m² in hollow plinth, 1,300 m² as open surface parking, 9,128.56 m² in basement] shall be provided as proposed.

A.2.6 ENERGY CONSERVATION:

18. Energy conservation measures viz. maximum use of natural lighting through architectural design, energy efficient motors & pumps, water efficient taps, provision of water meters, maximum use of aerated blocks & RMC, use of LED lighting fixtures and low voltage lighting, solar lighting in open and landscape areas, roof top thermal insulation etc. shall be implemented as proposed.

A.2.7 GREEN BELT:

19. Green belt area of 1,236.01 m² comprising of 400.0 m² tree covered area with 181 number of trees shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B. GENERAL CONDITIONS:

B1. PRE-CONSTRUCTION AND CONSTRUCTION PHASE

20. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003.
21. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
22. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
23. Temporary wind shield shall be done to prevent dust emission spreading outside the project premises. Barricade

- of adequate height shall be provided on the periphery of the construction site with adequate signages. Individual building within the project site shall also be provided with barricades.
24. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
 25. Material shall be covered during transportation to avoid the fugitive emission.
 26. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
 27. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
 28. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
 29. The project proponent shall ensure maximum employment to the local people.
 30. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
 31. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
 32. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labors.
 33. First Aid Box shall be made readily available in adequate quantity at all the times.
 34. Training shall be given to all workers on construction safety aspects.
 35. The project proponent shall strictly comply with the Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
 36. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.
 37. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase.
 38. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
 39. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
 40. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
 41. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.
 42. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
 43. Construction debris shall be reused in construction of roads, leveling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
 44. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighboring communities.
 45. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
 46. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
 47. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
 48. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:


49. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
50. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
51. Used oil shall be sold only to the registered recycler.

52. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 & rules made there under shall be provided
53. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
54. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
55. First Aid Box shall be made readily available in adequate quantity at all the times.
56. Main entry and exit shall be separate and clearly marked in the facility.
57. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
58. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
59. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules.
60. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
61. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
62. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
63. The transformers and motors shall have minimum efficiency of 85%.
64. Only variable frequency motor drives shall be used in project.
65. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
66. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
67. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
68. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
69. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
70. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
71. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
72. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
73. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
74. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
75. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
76. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
77. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
78. The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.

B3. OTHER:

79. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
80. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
81. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
82. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
83. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
84. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
85. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

With regards,
Yours sincerely,




(DARPANA DHIMMAR)
Member Secretary

Issued to:

To,
Mr. Shreyas Dave
Manager – Legal,
Gala Group,
9th floor, Safal Profitaire,
Opp. AUDA Garden, Prahladnagar,
Ahmedabad – 380015.

Copy to:-

1. The Secretary, SEAC, C/O. G.P.C.B. Gandhinagar - 382010.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD -cum-Office Complex, East Arjun Nagar, New Delhi-110032
3. The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (WZ), E-5, Arera Colony, Link Road-3, Bhopal-462016, MP
4. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi-110003.
5. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10 A, Gandhinagar-382010
6. Select File



(DARPANA DHIMMAR)
Member Secretary