

નં. એન.એ./પુ-૧/કલમ-૯૫-એ/શીખપુર-બાનપુર/કેસ નં.૪૪૩/૨૦૧૭

- ૧૧) આ કુટુંબમાં અગર સગાંમાં કોઈ કારકુની અથવા ચકાવીની પુઝા હશે તો તેમાં કુપરો કરી દાખી / કુપામળન કરશે. તથા આ કુપરો અગરકારને અપાવવામાં કરશે.
- ૧૨) આ પરવાનગીની તારીખ પછી ગુજા 'એન' માં સગાં તેમજ વરેલી તથા અપીલ સમય પુરો વરેલી અગરકારો નિમ્ન નકુપમાં સગાં અગરો લેવાની રહેશે.
- ૧૩) સરકારકીય મહેસુલ વિભાગના ઈન્વેન્ટરી નં. ૧-૦૭-૦૮ ના કલમ કલમ-૧૦૦૧/૧૨૫૩, ના પરિશિષ્ટ-૪ માં ડિલેમેન્ટ (૧) થી (૧૦) સમાપ્ત કરાવેલું ગુનાઓ પાલન કરવાનું રહેશે. (પરિશિષ્ટ-૪ અમલમાં લાગેલ છે)
- ૧૪) આ પરવાનગી અગરકારે રજુ કરેલ વિચારોને આધારે આજવામાં આવેલ છે. વધુ વધેલ કોઈ વિચાર ખોટી હોવાનું જાહેર વરેલી કે ઈન્વેન્ટરી નિર્દિષ્ટ કોર્પોરેશન સરકારોએ જાણ વરેલી આ પરવાનગી આપેલા ૨૪ વરેલી મહાસે તથા જમીન મહેસુલ કલમ-૧૮૭૦ ની અંતર્ગત કલમ-૭૦/એ હેઠળ વચલા લેવાને માન રહેશે. અને તાત્કાલિક અમલમાં હોય તેવા બીજા કોર્પોરેશન કલમ-૧૮૭૦ ની અંતર્ગત કલમ-૭૦/એ હેઠળ કલમ-૭૦/એ હેઠળની ગુના માટે કિલ્લાનગર પંચાયત લેવાને માન અપાશે. તથા જમીન મહેસુલ કલમ-૧૮૭૦ ની કલમ-૨૪ તથા ગુના જમીન મહેસુલ નિયમો ૧૯૭૨ના નિયમોના નિયમ ૧૦૦, અનુસાર હોય તે હાલમાં કલમ-૭૦/એ હેઠળ આપશે. અને આપવાનું કલમ-૭૦/એ હેઠળ તે વધુ વચલા લેવામાં આવશે.

નાયબ કમિશ્નર (બીનખેતી)
અમદાવાદ

અર્થે

એક પા તે અરજિદારના નાયરશેકની ટિકરી
પેરણા બંચોડ,કમલ કોલોનીની બાજુમાં,
બાંચેરપુરા,અમદાવાદ.

ગુજરાત રાજ્યના

(૧) મામલાદારશ્રી,સાબરમતી (સીટી પત્રિકા) તરફ....

૨/- આજવાની કરૂં કર્મવાહી તથા સગાં અગરકાર અંગે પછી કર્મવાહી હાથ પડેલા કારુ તથા તે અંગે વરેલો અગરકાર કર્મવાહી અંગે અંગે લેખીતમાં અહેવાલ મોકલવા અર્થે.

- (૨) મ.ઓ.શી/તણાટી શ્રી, સોના તરફ આજવાની કર્મવાહી તથા સાચ ગુજા નં. ૨ માં કરૂં નોંધ કરવા કારુ
- (૩) ડીસ્ટ્રીક્ટ ઈન્-કમિશ્નરશ્રી, લેન્ડ રેકર્ડ સર્વેયુવન, મોજાલી અગર,બીજાપુરા,તથા વાજ, અમદાવાદ
- (૪) મુનિ, કમિશ્નરશ્રી, (એસેટ) ટાણાપીઠ, અમદાવાદ,ગુજા સરકારી અધિકારીશ્રીઓ ડિસ્ટ્રીક્ટ, અમદાવાદ
- (૫) ડીસ્ટ્રીક્ટ કાર્ટર.

પરિશિષ્ટ-૪

વિનયોતી પરવાનગી મેળવવા ઉચિત અરજદારે પાલન કરવાની શરતો :

- (૧) ડિસ્ટ્રીક્ટ ઈન્સપેક્ટર ઓફ લેન્ડ રેકૉર્ડ્સ દ્વારા ઉત્પન્ન કરાવેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની તદ્દ પછા દર્શાવેલ હોય
- (૨) જોઈએ, રજુ કરાવેલ પ્લાન તથા લે-આઉટ પ્લાન સહમ કર્યાએ મંજૂર કરાવેલ હોય જોઈએ.
- (૩) આંધ્રાપ્રદેશ સરકારનાં પહેલાં આંદાજમાના નકશા સહમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર વિનયોતી ખેતરમાં વગર આવા આંધ્રાપ્રદેશની રજા ચીટી મેળવી શકશે નહીં.
- (૩) જોઈતી વિસ્તાર જ્યાં સારી પ્લાનીંગ સીમ મંજૂર થઈ ગઈ છે ત્યાં જી.ડી.સી.આર. અને ડેનીંગના નિયમો અનુસાર કરવાનું રહેશે.
- (૪) મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્ય દ્રષ્ટિએ મંદા પાણીના નિકાસની જોગવાઈ કરવાની રહેશે.
- (૫) અરજદારે અર્બન ડેવલપમેન્ટ ટ્રસ્ટ નીચે જે લે રહ્યાનો પ્રકાર આને લઈ રહ્યાના મધ્યસ્થિતિથી આંધ્રાપ્રદેશ વચ્ચે અંતર જાળવવા રહેશે.
- (૬) ઔદ્યોગિક હેતુ માટે મંજૂરી માંગેલ હોય તો આંધ્રાપ્રદેશ સરકારનાં પહેલાં જિલ્લા ઉપાય અધિકારીની જરૂરી મંજૂરી મેળવવા આવશ્યકી કરવાની રહેશે.
- (૭) જ્યોત મીથ, સિનેમાટૂરીય સિનેમાથીયેટર માટે વિનયોતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આ કરવાની રહેશે.
- (૮) હોટલ, રીઝર્વ, કેરોસીન, સી.એન.જી, એલ.પી.જી, પંપ નાંખવા માટે વિનયોતી પરવાનગીના કામે આંધ્રાપ્રદેશ સરકારનાં પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આવશ્યકી કરવાની રહેશે.
- (૯) ઈન્ડિયન એક્ષપ્લોઝીવ એક્ટ અન્વયે મેનેરીંગ, સુપરવાઈઝ, ઘડખાના માટે વિનયોતીની કર્યા પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આવશ્યકી કરવાની રહેશે.
- (૧૦) સવાલચાલી જમીન જો જોઈતી નજીક હોય તો ૧૮૪ મીટરનું અંતર જોઈતી આંધ્રાપ્રદેશ કરવાનું રહેશે.
- (૧૧) સવાલચાલી જમીન, જો રેલ્વે લાઈની નજીક હોય તો રેલ્વેની લાઈની ૩૦ મીટર જમ્બા જોઈતી આંધ્રાપ્રદેશ કરવાનું રહેશે.
- (૧૨) સવાલચાલી જમીન ઉપરથી અથવા અડધામાંથી વિજાબી સીના સરકારી-વાન પાવર અથવા આંધ્રાપ્રદેશ હોય ત્યારે તે ન જાતુ પાતા નિયમોનું પાલન કરવા અને તે મુજબ આંધ્રાપ્રદેશ કરવાનું રહેશે.
- (૧૩) વિનયોતી માંગણમાં આવી હોય તેવી જમીન જો એરોડ્રોમ આસપાસના ૨૦ કી.મી.ની વિજાબામાં આવતી હોય ત્યારે આંધ્રાપ્રદેશ તથા એરોડ્રોમની કમીએ જરૂરી એવું 'ના વાંધા પ્રમાણપત્ર' સીવલ એવીએસન ખાતા પાસેથી મેળવવાનું રહેશે અને તે એવીએસન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
- (૧૪) ભારતીય વાયુસેનાના હવાઈ મથક તથા ઈન્ડિએસનથી ૯૦૦ મીટરની વિજાબા અંતર આંધ્રાપ્રદેશ કરવાનું રહેશે.
- (૧૫) એ.એન.જી.સી.ના કુવા નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
- (૧૬) નર્મદા કેનાલ અથવા સિંચાઈ કેનાલની નજીકમાં આવેલ જમીનની આખલામાં અરજદારે સુવિત આંધ્રાપ્રદેશ માટે જાળવવાના થતાં નિયમોનું પાલન કરવાનું રહેશે.
- (૧૭) અરજદારે જ્યાં જરૂરી હોય ત્યાં કેન્ડ સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મ (PROTECTED MONUMENTS) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી ૧૦૦ મીટર સુધીનું અંતર જાળવવા પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૮) અરજદારે (જ્યાં જરૂરી હોય ત્યાં) ભારતીય વન અધિનિયમ હેઠળ અનામત વન જમીન કે રક્ષિત વન તરીકે જાહેર કરેલ જમીનથી જાળવવાના થતાં અંતર આખલાની જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૯) અરજદારે (જ્યાં જરૂરી હોય ત્યાં) વન્ય જીવન સંરક્ષણ અધિનિયમ ૧૯૭૨ અન્વયે અભયારણ અથવા રાષ્ટ્રીય ઉપવન તરીકે જાહેર કરેલ કોઈ પણ વિસ્તારની હાથી જાળવવાના થતાં અંતર આખલાની જોગવાઈઓનું પાલન કરવાનું રહેશે. અરજદારે ઉપરોક્ત સુચનાઓનું મુખપક્ષે પાલન કરવાનું રહેશે. જો તેના નિષ્ફળ જશે તો સરકારમાંથી સહમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

सदर संख्या: एअरपोर्ट/एअरपोर्ट/सीओ-६४/५७५/३६५५।

दुसरी प्रत
दिनांक: ०७.०३.२०१७
२३

हेतु: वे,

बीसवीं सप्ताह,
राजका शीलरिया टीकडन (अरुडीस बीसवाई बेटन)
सी/१७, दुसरी मंडल, पदमवती फ्लेट,
नवमनगर एस सी/१७ के फ्ल, मुंबई प्रान्तीय के अवर,
नरेश, ज. सीटी, जिला अहमदाबाद-३८०००३

विषय: अरुडीस प्रमोशनर आरटी करी हेतु, NOC ID: AHME/WEST/B/022717/198637

संदर्भ:

The NOC letter for NOC ID: AHME/WEST/B/022717/198637 is enclosed.

Name of the Owner as per NOC/A Application: Rupa Daughter of Arvindbhai Nagar Sheth

Full Address as per NOC/A Application: T. P. S. No. 15 (Mamnagar), F. P. No. 265, City
Survey No. 4625, At Mamnagar Taluka City District Ahmedabad.

सहस्रवर्ष

०७/०३/१७
(समर्पन नमूना)

स. महप्रबन्धक (स. प्र. वि. - इन. प्रो. सी)
सं. सहाय सचिव (इन. प्रो. सी. सी)
इसे विमानपत्तन निदेशक



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Range Commander of Aerodrome Nagpur North and South

Date: 07-03-2017

Postage Bangalore, Next To Super
Tower, Near Samudra Hospital,
Chandrasekhar V.V. Rd., Narayangpur,
Ahmednagar - 414005, Dist. Jalgaon B.
Phone: 020-261114, 2610828

Valid upto: 07-03-2022

No Objection Certificate for Height Clearance

1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and on part the provisions of Govt. of India (Ministry of Civil Aviation) under GSR751 (I) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations.

2. This NOC has no objection to the construction of the proposed structure as per the following details:

Ref. No.	AAI/MW/NT/REG/2017/19027
Applicant Name	Jagdish H Patel
Site Address	E. P. S. No. 19 (Mehangar), E. P. No. 345, City Survey No. 4615, At Mehangar Taluka Chh. District Ahmednagar, At Mehangar Taluka Chh. District Ahmednagar, Ahmednagar, Ahmednagar, Ahmednagar
Site Coordinates	72 33 17.13-23 42 24.91, 72 33 17.36-23 42 24.91, 72 33 17.44-23 42 24.91, 72 33 17.52-23 42 24.91, 72 33 17.60-23 42 24.91, 72 33 17.68-23 42 24.91, 72 33 17.76-23 42 24.91, 72 33 17.84-23 42 24.91, 72 33 17.92-23 42 24.91, 72 33 18.00-23 42 24.91, 72 33 18.08-23 42 24.91, 72 33 18.16-23 42 24.91, 72 33 18.24-23 42 24.91, 72 33 18.32-23 42 24.91, 72 33 18.40-23 42 24.91, 72 33 18.48-23 42 24.91, 72 33 18.56-23 42 24.91, 72 33 19.04-23 42 24.91, 72 33 19.12-23 42 24.91, 72 33 19.20-23 42 24.91, 72 33 19.28-23 42 24.91, 72 33 19.36-23 42 24.91, 72 33 19.44-23 42 24.91, 72 33 19.52-23 42 24.91, 72 33 19.60-23 42 24.91, 72 33 19.68-23 42 24.91, 72 33 19.76-23 42 24.91, 72 33 19.84-23 42 24.91, 72 33 19.92-23 42 24.91, 72 33 20.00-23 42 24.91, 72 33 20.08-23 42 24.91, 72 33 20.16-23 42 24.91, 72 33 20.24-23 42 24.91, 72 33 20.32-23 42 24.91, 72 33 20.40-23 42 24.91, 72 33 20.48-23 42 24.91, 72 33 20.56-23 42 24.91, 72 33 21.04-23 42 24.91, 72 33 21.12-23 42 24.91, 72 33 21.20-23 42 24.91, 72 33 21.28-23 42 24.91, 72 33 21.36-23 42 24.91, 72 33 21.44-23 42 24.91, 72 33 21.52-23 42 24.91, 72 33 21.60-23 42 24.91, 72 33 21.68-23 42 24.91, 72 33 21.76-23 42 24.91, 72 33 21.84-23 42 24.91, 72 33 21.92-23 42 24.91, 72 33 22.00-23 42 24.91, 72 33 22.08-23 42 24.91, 72 33 22.16-23 42 24.91, 72 33 22.24-23 42 24.91, 72 33 22.32-23 42 24.91, 72 33 22.40-23 42 24.91, 72 33 22.48-23 42 24.91, 72 33 22.56-23 42 24.91, 72 33 23.04-23 42 24.91, 72 33 23.12-23 42 24.91, 72 33 23.20-23 42 24.91, 72 33 23.28-23 42 24.91, 72 33 23.36-23 42 24.91, 72 33 23.44-23 42 24.91, 72 33 23.52-23 42 24.91, 72 33 23.60-23 42 24.91, 72 33 23.68-23 42 24.91, 72 33 23.76-23 42 24.91, 72 33 23.84-23 42 24.91, 72 33 23.92-23 42 24.91, 72 33 24.00-23 42 24.91, 72 33 24.08-23 42 24.91, 72 33 24.16-23 42 24.91, 72 33 24.24-23 42 24.91, 72 33 24.32-23 42 24.91, 72 33 24.40-23 42 24.91, 72 33 24.48-23 42 24.91, 72 33 24.56-23 42 24.91, 72 33 24.64-23 42 24.91, 72 33 24.72-23 42 24.91, 72 33 24.80-23 42 24.91, 72 33 24.88-23 42 24.91, 72 33 24.96-23 42 24.91, 72 33 25.04-23 42 24.91, 72 33 25.12-23 42 24.91, 72 33 25.20-23 42 24.91, 72 33 25.28-23 42 24.91, 72 33 25.36-23 42 24.91, 72 33 25.44-23 42 24.91, 72 33 25.52-23 42 24.91, 72 33 25.60-23 42 24.91, 72 33 25.68-23 42 24.91, 72 33 25.76-23 42 24.91, 72 33 25.84-23 42 24.91, 72 33 25.92-23 42 24.91, 72 33 26.00-23 42 24.91, 72 33 26.08-23 42 24.91, 72 33 26.16-23 42 24.91, 72 33 26.24-23 42 24.91, 72 33 26.32-23 42 24.91, 72 33 26.40-23 42 24.91, 72 33 26.48-23 42 24.91, 72 33 26.56-23 42 24.91, 72 33 26.64-23 42 24.91, 72 33 26.72-23 42 24.91, 72 33 26.80-23 42 24.91, 72 33 26.88-23 42 24.91, 72 33 26.96-23 42 24.91, 72 33 27.04-23 42 24.91, 72 33 27.12-23 42 24.91, 72 33 27.20-23 42 24.91, 72 33 27.28-23 42 24.91, 72 33 27.36-23 42 24.91, 72 33 27.44-23 42 24.91, 72 33 27.52-23 42 24.91, 72 33 27.60-23 42 24.91, 72 33 27.68-23 42 24.91, 72 33 27.76-23 42 24.91, 72 33 27.84-23 42 24.91, 72 33 27.92-23 42 24.91, 72 33 28.00-23 42 24.91, 72 33 28.08-23 42 24.91, 72 33 28.16-23 42 24.91, 72 33 28.24-23 42 24.91, 72 33 28.32-23 42 24.91, 72 33 28.40-23 42 24.91, 72 33 28.48-23 42 24.91, 72 33 28.56-23 42 24.91, 72 33 28.64-23 42 24.91, 72 33 28.72-23 42 24.91, 72 33 28.80-23 42 24.91, 72 33 28.88-23 42 24.91, 72 33 28.96-23 42 24.91, 72 33 29.04-23 42 24.91, 72 33 29.12-23 42 24.91, 72 33 29.20-23 42 24.91, 72 33 29.28-23 42 24.91, 72 33 29.36-23 42 24.91, 72 33 29.44-23 42 24.91, 72 33 29.52-23 42 24.91, 72 33 29.60-23 42 24.91, 72 33 29.68-23 42 24.91, 72 33 29.76-23 42 24.91, 72 33 29.84-23 42 24.91, 72 33 29.92-23 42 24.91, 72 33 30.00-23 42 24.91, 72 33 30.08-23 42 24.91, 72 33 30.16-23 42 24.91, 72 33 30.24-23 42 24.91, 72 33 30.32-23 42 24.91, 72 33 30.40-23 42 24.91, 72 33 30.48-23 42 24.91, 72 33 30.56-23 42 24.91, 72 33 30.64-23 42 24.91, 72 33 30.72-23 42 24.91, 72 33 30.80-23 42 24.91, 72 33 30.88-23 42 24.91, 72 33 30.96-23 42 24.91, 72 33 31.04-23 42 24.91, 72 33 31.12-23 42 24.91, 72 33 31.20-23 42 24.91, 72 33 31.28-23 42 24.91, 72 33 31.36-23 42 24.91, 72 33 31.44-23 42 24.91, 72 33 31.52-23 42 24.91, 72 33 31.60-23 42 24.91, 72 33 31.68-23 42 24.91, 72 33 31.76-23 42 24.91, 72 33 31.84-23 42 24.91, 72 33 31.92-23 42 24.91, 72 33 32.00-23 42 24.91, 72 33 32.08-23 42 24.91, 72 33 32.16-23 42 24.91, 72 33 32.24-23 42 24.91, 72 33 32.32-23 42 24.91, 72 33 32.40-23 42 24.91, 72 33 32.48-23 42 24.91, 72 33 32.56-23 42 24.91, 72 33 32.64-23 42 24.91, 72 33 32.72-23 42 24.91, 72 33 32.80-23 42 24.91, 72 33 32.88-23 42 24.91, 72 33 32.96-23 42 24.91, 72 33 33.04-23 42 24.91, 72 33 33.12-23 42 24.91, 72 33 33.20-23 42 24.91, 72 33 33.28-23 42 24.91, 72 33 33.36-23 42 24.91, 72 33 33.44-23 42 24.91, 72 33 33.52-23 42 24.91, 72 33 33.60-23 42 24.91, 72 33 33.68-23 42 24.91, 72 33 33.76-23 42 24.91, 72 33 33.84-23 42 24.91, 72 33 33.92-23 42 24.91, 72 33 34.00-23 42 24.91, 72 33 34.08-23 42 24.91, 72 33 34.16-23 42 24.91, 72 33 34.24-23 42 24.91, 72 33 34.32-23 42 24.91, 72 33 34.40-23 42 24.91, 72 33 34.48-23 42 24.91, 72 33 34.56-23 42 24.91, 72 33 34.64-23 42 24.91, 72 33 34.72-23 42 24.91, 72 33 34.80-23 42 24.91, 72 33 34.88-23 42 24.91, 72 33 34.96-23 42 24.91, 72 33 35.04-23 42 24.91, 72 33 35.12-23 42 24.91, 72 33 35.20-23 42 24.91, 72 33 35.28-23 42 24.91, 72 33 35.36-23 42 24.91, 72 33 35.44-23 42 24.91, 72 33 35.52-23 42 24.91, 72 33 35.60-23 42 24.91, 72 33 35.68-23 42 24.91, 72 33 35.76-23 42 24.91, 72 33 35.84-23 42 24.91, 72 33 35.92-23 42 24.91, 72 33 36.00-23 42 24.91, 72 33 36.08-23 42 24.91, 72 33 36.16-23 42 24.91, 72 33 36.24-23 42 24.91, 72 33 36.32-23 42 24.91, 72 33 36.40-23 42 24.91, 72 33 36.48-23 42 24.91, 72 33 36.56-23 42 24.91, 72 33 36.64-23 42 24.91, 72 33 36.72-23 42 24.91, 72 33 36.80-23 42 24.91, 72 33 36.88-23 42 24.91, 72 33 36.96-23 42 24.91, 72 33 37.04-23 42 24.91, 72 33 37.12-23 42 24.91, 72 33 37.20-23 42 24.91, 72 33 37.28-23 42 24.91, 72 33 37.36-23 42 24.91, 72 33 37.44-23 42 24.91, 72 33 37.52-23 42 24.91, 72 33 37.60-23 42 24.91, 72 33 37.68-23 42 24.91, 72 33 37.76-23 42 24.91, 72 33 37.84-23 42 24.91, 72 33 37.92-23 42 24.91, 72 33 38.00-23 42 24.91, 72 33 38.08-23 42 24.91, 72 33 38.16-23 42 24.91, 72 33 38.24-23 42 24.91, 72 33 38.32-23 42 24.91, 72 33 38.40-23 42 24.91, 72 33 38.48-23 42 24.91, 72 33 38.56-23 42 24.91, 72 33 38.64-23 42 24.91, 72 33 38.72-23 42 24.91, 72 33 38.80-23 42 24.91, 72 33 38.88-23 42 24.91, 72 33 38.96-23 42 24.91, 72 33 39.04-23 42 24.91, 72 33 39.12-23 42 24.91, 72 33 39.20-23 42 24.91, 72 33 39.28-23 42 24.91, 72 33 39.36-23 42 24.91, 72 33 39.44-23 42 24.91, 72 33 39.52-23 42 24.91, 72 33 39.60-23 42 24.91, 72 33 39.68-23 42 24.91, 72 33 39.76-23 42 24.91, 72 33 39.84-23 42 24.91, 72 33 39.92-23 42 24.91, 72 33 40.00-23 42 24.91, 72 33 40.08-23 42 24.91, 72 33 40.16-23 42 24.91, 72 33 40.24-23 42 24.91, 72 33 40.32-23 42 24.91, 72 33 40.40-23 42 24.91, 72 33 40.48-23 42 24.91, 72 33 40.56-23 42 24.91, 72 33 40.64-23 42 24.91, 72 33 40.72-23 42 24.91, 72 33 40.80-23 42 24.91, 72 33 40.88-23 42 24.91, 72 33 40.96-23 42 24.91, 72 33 41.04-23 42 24.91, 72 33 41.12-23 42 24.91, 72 33 41.20-23 42 24.91, 72 33 41.28-23 42 24.91, 72 33 41.36-23 42 24.91, 72 33 41.44-23 42 24.91, 72 33 41.52-23 42 24.91, 72 33 41.60-23 42 24.91, 72 33 41.68-23 42 24.91, 72 33 41.76-23 42 24.91, 72 33 41.84-23 42 24.91, 72 33 41.92-23 42 24.91, 72 33 42.00-23 42 24.91, 72 33 42.08-23 42 24.91, 72 33 42.16-23 42 24.91, 72 33 42.24-23 42 24.91, 72 33 42.32-23 42 24.91, 72 33 42.40-23 42 24.91, 72 33 42.48-23 42 24.91, 72 33 42.56-23 42 24.91, 72 33 42.64-23 42 24.91, 72 33 42.72-23 42 24.91, 72 33 42.80-23 42 24.91, 72 33 42.88-23 42 24.91, 72 33 42.96-23 42 24.91, 72 33 43.04-23 42 24.91, 72 33 43.12-23 42 24.91, 72 33 43.20-23 42 24.91, 72 33 43.28-23 42 24.91, 72 33 43.36-23 42 24.91, 72 33 43.44-23 42 24.91, 72 33 43.52-23 42 24.91, 72 33 43.60-23 42 24.91, 72 33 43.68-23 42 24.91, 72 33 43.76-23 42 24.91, 72 33 43.84-23 42 24.91, 72 33 43.92-23 42 24.91, 72 33 44.00-23 42 24.91, 72 33 44.08-23 42 24.91, 72 33 44.16-23 42 24.91, 72 33 44.24-23 42 24.91, 72 33 44.32-23 42 24.91, 72 33 44.40-23 42 24.91, 72 33 44.48-23 42 24.91, 72 33 44.56-23 42 24.91, 72 33 44.64-23 42 24.91, 72 33 44.72-23 42 24.91, 72 33 44.80-23 42 24.91, 72 33 44.88-23 42 24.91, 72 33 44.96-23 42 24.91, 72 33 45.04-23 42 24.91, 72 33 45.12-23 42 24.91, 72 33 45.20-23 42 24.91, 72 33 45.28-23 42 24.91, 72 33 45.36-23 42 24.91, 72 33 45.44-23 42 24.91, 72 33 45.52-23 42 24.91, 72 33 45.60-23 42 24.91, 72 33 45.68-23 42 24.91, 72 33 45.76-23 42 24.91, 72 33 45.84-23 42 24.91, 72 33 45.92-23 42 24.91, 72 33 46.00-23 42 24.91, 72 33 46.08-23 42 24.91, 72 33 46.16-23 42 24.91, 72 33 46.24-23 42 24.91, 72 33 46.32-23 42 24.91, 72 33 46.40-23 42 24.91, 72 33 46.48-23 42 24.91, 72 33 46.56-23 42 24.91, 72 33 46.64-23 42 24.91, 72 33 46.72-23 42 24.91, 72 33 46.80-23 42 24.91, 72 33 46.88-23 42 24.91, 72 33 46.96-23 42 24.91, 72 33 47.04-23 42 24.91, 72 33 47.12-23 42 24.91, 72 33 47.20-23 42 24.91, 72 33 47.28-23 42 24.91, 72 33 47.36-23 42 24.91, 72 33 47.44-23 42 24.91, 72 33 47.52-23 42 24.91, 72 33 47.60-23 42 24.91, 72 33 47.68-23 42 24.91, 72 33 47.76-23 42 24.91, 72 33 47.84-23 42 24.91, 72 33 47.92-23 42 24.91, 72 33 48.00-23 42 24.91, 72 33 48.08-23 42 24.91, 72 33 48.16-23 42 24.91, 72 33 48.24-23 42 24.91, 72 33 48.32-23 42 24.91, 72 33 48.40-23 42 24.91, 72 33 48.48-23 42 24.91, 72 33 48.56-23 42 24.91, 72 33 48.64-23 42 24.91, 72 33 48.72-23 42 24.91, 72 33 48.80-23 42 24.91, 72 33 48.88-23 42 24.91, 72 33 48.96-23 42 24.91, 72 33 49.04-23 42 24.91, 72 33 49.12-23 42 24.91, 72 33 49.20-23 42 24.91, 72 33 49.28-23 42 24.91, 72 33 49.36-23 42 24.91, 72 33 49.44-23 42 24.91, 72 33 49.52-23 42 24.91, 72 33 49.60-23 42 24.91, 72 33 49.68-23 42 24.91, 72 33 49.76-23 42 24.91, 72 33 49.84-23 42 24.91, 72 33 49.92-23 42 24.91, 72 33 50.00-23 42 24.91, 72 33 50.08-23 42 24.91, 72 33 50.16-23 42 24.91, 72 33 50.24-23 42 24.91, 72 33 50.32-23 42 24.91, 72 33 50.40-23 42 24.91, 72 33 50.48-23 42 24.91, 72 33 50.56-23 42 24.91, 72 33 50.64-23 42 24.91, 72 33 50.72-23 42 24.91, 72 33 50.80-23 42 24.91, 72 33 50.88-23 42 24.91, 72 33 50.96-23 42 24.91, 72 33 51.04-23 42 24.91, 72 33 51.12-23 42 24.91, 72 33 51.20-23 42 24.91, 72 33 51.28-23 42 24.91, 72 33 51.36-23 42 24.91, 72 33 51.44-23 42 24.91, 72 33 51.52-23 42 24.91, 72 33 51.60-23 42 24.91, 72 33 51.68-23 42 24.91, 72 33 51.76-23 42 24.91, 72 33 51.84-23 42 24.91, 72 33 51.92-23 42 24.91, 72 33 52.00-23 42 24.91, 72 33 52.08-23 42 24.91, 72 33 52.16-23 42 24.91, 72 33 52.24-23 42 24.91, 72 33 52.32-23 42 24.91, 72 33 52.40-23 42 24.91, 72 33 52.48-23 42 24.91, 72 33 52.56-23 42 24.91, 72 33 52.64-23 42 24.91, 72 33 52.72-23 42 24.91, 72 33 52.80-23 42 24.91, 72 33 52.88-23 42 24.91, 72 33 52.96-23 42 24.91, 72 33 53.04-23 42 24.91, 72 33 53.12-23 42 24.91, 72 33 53.20-23 42 24.91, 72 33 53.28-23 42 24.91, 72 33 53.36-23 42 24.91, 72 33 53.44-23 42 24.91, 72 33 53.52-23 42 24.91, 72 33 53.60-23 42 24.91, 72 33 53.68-23 42 24.91, 72 33 53.76-23 42 24.91, 72 33 53.84-23 42 24.91, 72 33 53.92-23 42 24.91, 72 33 54.00-23 42 24.91, 72 33 54.08-23 42 24.91, 72 33 54.16-23 42 24.91, 72 33 54.24-23 42 24.91, 72 33 54.32-23 42 24.91, 72 33 54.40-23 42 24.91, 72 33 54.48-23 42 24.91, 72 33 54.56-23 42 24.91, 72 33 54.64-23 42 24.91, 72 33 54.72-23 42 24.91, 72 33 54.80-23 42 24.91, 72 33 54.88-23 42 24.91, 72 33 54.96-23 42 24.91, 72 33 55.04-23 42 24.91, 72 33 55.12-23 42 24.91, 72 33 55.20-23 42 24.91, 72 33 55.28-23 42 24.91, 72 33 55.36-23 42 24.91, 72 33 55.44-23 42 24.91, 72 33 55.52-23 42 24.91, 72 33 55.60-



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

- a. Only use of oil fired or electric fired furnace is permissible, within 4 km of the Aerodrome Reference Point.
- f. The certificate is valid for a period of 5 years from the date of its issue. If the construction of structure/Chimney is not completed within the period, a fresh "NOC" from the General Manager of Airports Authority of India shall be from the date of issue of "NOC" in respect of building/structure and for a period not exceeding 8 years from the date of issue of "NOC" in respect of chimney, may be considered by AAI. The date of completion of the structure should be intimated to this office.
- g. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aerodrome or ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operation of flight.
- h. The applicant shall not exempt himself from compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations in the vicinity of the airport.
- i. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 4 and appendix 6 of Civil Aviation Requirement Series "B" Part I Section 4, available on DGCA India website: www.dgca.ae.in
- j. The applicant is responsible to obtain all other necessary clearances from the concerned authorities including the approval of building plans. This "NOC" for height clearance is to ensure the safe and regular aircraft operations and shall not be used for any other purpose such as clearance for building construction of lands etc.
- k. This NOC has been issued w.r.t. the Civil Airport. Applicant needs to seek separate NOC from Defence, if the site lies within their jurisdiction.
- l. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.
- m. In case of any dispute w.r.t. site elevation and the AAI, height, top of tower in AAIIL shall prevail.


1. Issuance NOC Conditions

Region Name: WEST

Address: B. General Manager, Airports
Authority of India, GVP
International Airport,
Wazirpur Road, New Delhi-110033

Email ID: services@aai.aero

Contact No. 011-22162196



राजीव गांधी जल
Rajiv Gandhi Jalam

सफरजल एवं जल नई दिल्ली-110033
Safarjalam Airport, New Delhi-110033

दूरभाष : 24632968
Phone: 24632968



AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.) AHMEDABAD - 380 001
PH : (079) 22148446 / 47 / 48, 32981178, 32981500 FAX : (079) 22148598.

(No.21. Dt.03/02/2017.)

To,
Sh. Rutul S. Rajput
S. Swar Appt.
Kirti Colony,
Usmanpura, Ahmedabad.

Sub: Fire safety & protection, opinion for a proposed high-rise Building (25 meters).

Sir,

This is to intimate that, the plans submitted for high-rise Commercial Building with 2 Basements parking (both basement with double level mechanised car parking) + Ground floor shops + 1st to 7th floors offices. At F.P.no.265, S.P.no.A, T.P.no.19 (Memnagar - Final), Ahmedabad have all the required line drawings and write-up required for the opinion, are as per the requirement of fire prevention and protection. All norms as per the Fire Prevention and Life Safety Measures Act-2013, Gujarat state, have to be followed for providing Fire Prevention and Protection system, are to be followed.

Moreover, it is required that all the staircases of the building shall be ventilated above the parapet wall at each floor level and shall be 1.5 meters clear in width. A motorable road with 40 ton load bearing capacity and minimum 4 meters wide, is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles. (except one side ramp)

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The building should have fire Protection system as per approved plans.

- Both basements parking and shops shall be sprinklered.
- Lower basement should have positive pressure ventilation.
- Double level mechanised parking shall be double level sprinklered.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.

The copies of plans are returned herewith duly signed and have to be submitted during final inspection of the fire fighting system.




(M.F. Dastoor)
Chief Fire Officer