



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

द्रुतगामी डाक

दिनांक: 22-03-2016

संदर्भ संख्या: एएआई/एएच/एटीसीओ-61/

सेवामें,


शांतीग्राम एस्टेट मैनेजमेंट प्राइवेट लिमिटेड,
(श्री जगदीश भिखाभाई पटेल के द्वारा),
ढोलारिया डिजाइन, सी-17, पद्मावती फ्लैट, नारायण नगर सोसाइटी के समीप,
नरोडा, अहमदाबाद, गुजरात-382330।

विषय: अनापत्ति प्रमाणपत्र की वैधता बढ़ाने के संबंध में, मामला संख्या AH145/2011.

Please refer to your application dated 12.03.2016 on the subject mentioned above. The NOC for Height clearance only, issued vide this office letter No. AAI/AH/ATCO-40/20840-46 dated 10.08.2011, NOC ID: AHME/WEST/B/060811/005 is hereby extended for a period of 03 (Three) year's w.e.f 10.08.2016. No further extension of NOC will be granted for the site.

This letter of extension shall be read in conjunction with the NOC issued vide this office letter No. AAI/AH/ATCO-40/20840-46 dated 10.08.2011, NOC ID: AHME/WEST/B/060811/005.


सधन्यवाद


(सुभाष चन्द्र)


वरिष्ठ प्रबन्धक (वा. या. नि. - एन. ओ. सी.)
एवं सदस्य सचिव (एन. ओ. सी. सी.)
कृते विमानपत्तन निदेशक

प्रतिलिपि: - (सूचनार्थ)

1. कार्यपालक निदेशक (वा. या. प्र.), भारतीय विमानपत्तन प्राधिकरण, राजीव गांधी भवन, सफदरजंग विमानपत्तन नई दिल्ली -110003।
2. महाप्रबंधक (विमानक्षेत्र) प. क्षे. मुख्यालय, भारतीय विमानपत्तन प्राधिकरण, नया एटीसी कॉम्प्लेक्स सुतार पाकड़ी रोड, सहार कार्गो कॉम्प्लेक्स के समीप, सहार मुंबई - 99।
3. शहरी विकास अधिकारी (टीडीओ), अहमदाबाद महानगरपालिका, सरदार पटेल भवन दानापीठ, अहमदाबाद।- सूचनार्थ.
4. गार्ड फ़ाइल।
5. विमानपत्तन निदेशक के निजी सचिव।


(सुभाष चन्द्र)

वरिष्ठ प्रबन्धक (वा. या. नि. - एन. ओ. सी.)
एवं सदस्य सचिव (एन. ओ. सी. सी.)
कृते विमानपत्तन निदेशक



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ संख्या: एएआई/एच/एटीसीओ-40/ 20840 46

दिनांक: 10.08.2011

सेवा में,

(दुतगामी डाक)

शान्तिग्राम एस्टेट मैनेजमेंट प्रायवेट लिमिटेड,

42, टिडनियम प्लाजा, कोर्पोरेट रोड,

प्रहलादनगर औड गार्डन के पास,

वेजलपुर, अहमदाबाद-380015.

विषय: अनापत्ति प्रमाणपत्र जारी करने हेतु (केस नं. AH145/2011)

Issue of NOC, Case No. AH145/2011 NOC ID-AHME/WEST/B/080811/005

1. Please refer to your letter no. nil dated 01.07.2011 on the subject mentioned above.
2. This office has no objection to the construction of the PROPOSED RESIDENTIAL AND COMMERCIAL BUILDINGS by SHANTIGRAM ESTATE MANAGEMENT PVT.LTD, here in after referred to as the applicant(s) at the site as mentioned in Annexure-"A", described by the following coordinates-

Point	Latitude	Longitude	Reduced level (in metres)
A	N23°10'17.29"	E72°31'47.37"	66.330 mt
B	N23°09'53.84"	E72°32'19.89"	66.740 mt
C	N23°09'25.44"	E72°32'44.91"	65.159 mt
D	N23°09'11.74"	E72°32'54.26"	65.681 mt
E	N23°08'48.63"	E72°32'47.11"	63.907 mt
F	N23°08'49.89"	E72°32'38.41"	62.517 mt
G	N23°09'34.27"	E72°32'34.17"	64.701 mt
H	N23°09'31.48"	E72°32'23.01"	65.696 mt
I	N23°09'46.17"	E72°32'22.53"	67.693 mt
J	N23°10'01.81"	E72°32'06.31"	66.775 mt
K	N23°10'02.37"	E72°31'20.09"	63.140 mt
L	N23°10'24.44"	E72°31'22.32"	62.669 mt
M	N23°10'30.79"	E72°31'47.57"	65.782 mt
N	N23°09'26.99"	E72°32'46.11"	59.500 mt
O	N23°09'40.33"	E72°32'39.87"	63.000 mt
P	N23°10'8.54"	E72°32'26.28"	60.500 mt

to height of 100.000 meters (ONE ZERO ZERO DECI ZERO ZERO ZERO METERS) ABOVE GROUND LEVEL, so that the top of the proposed structure when erected shall not exceed 67.693 meters (site elevation) + 100.000 meters (height of the structure) i.e 167.693 meters ABOVE MEAN SEA LEVEL.

(पृष्ठ 2 का 1)

3. This no objection certificate is being issued on the express understanding that the site-elevation reduced level (height above mean sea level) viz 67.893M, relative location of the proposed Bldg./Structure & its distances and Bearings from the ARP / Runway ends, as tendered by the applicant(s) are correct. If, However, at any stage it is established that the said data as tendered by the said applicant is actually different from the one tendered & which could adversely affect aircraft operations, the structure or part(s) thereof in respect of which this 'NOC' is being issued will have to be demolished at his own cost as may be directed by the Airports Authority of India. The applicant(s) is /are therefore advised in his/their own interest to verify the elevation and other data furnished for the site, before embarking on the proposed construction.
4. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued thereunder from time to time and under which the applicant may be called upon by the Airports Authority of India to demolish in whole or in part the structure now being authorized vide this 'NOC'.
5. No radio/TV antenna, lighting arresters, staircase, murrtes, overhead water tank and attachments of fixtures of any kind shall project above the height indicated in para 2.
6. The use of oil fired or electric fired furnace is obligatory, within 8 kms. of the Aerodrome.
7. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.
8. The certificate is valid for a period of FIVE years from the date of its issue. If the building / structure / Chimney is not constructed & completed within the above mentioned period of FIVE years he will be required to obtain a fresh 'No Objection Certificate' from the Chairman, Airports Authority of India and / or the AIRPORT DIRECTOR, AAI, AHMEDABAD. The date of completion of Building / Structure / Chimney should be intimated to the AAI and/or AIRPORT DIRECTOR, AAI, AHMEDABAD. No light or a combination of lights which by reason of its intensity, configuration of colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time during or after the construction of the building. Day & Night markings with secondary power supply may be provided as per ICAO standards.

"NOC FOR HEIGHT CLEARANCE ONLY"

This certificate is issued with the approval of Competent Authority.

भवदीया,


(अरुणिमा सान्याल)

संयुक्त महा प्रबंधक (वा.या.नि.)
कृते विमानपत्तन निदेशक

संलग्न:- यथोपरि
प्रतिलिपि:

1. कार्यपालक निदेशक (वा.या.नि.), भारतीय विमानपत्तन प्राधिकरण, राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली-110003-सूचनार्थ।
2. क्षेत्रीय कार्यपालक निदेशक (प.क्षे.), भारतीय विमानपत्तन प्राधिकरण, नई एयरपोर्ट कोलोनी, पोर्टा केबिन, हनुमान रोड के सामने, पश्चिमी एक्सप्रेस हाईवे के पास, विले पार्ले (प.), मुंबई-99-सूचनार्थ।
3. महाप्रबंधक (विमानक्षेत्र), प.क्षे. मुख्यालय, भारतीय विमानपत्तन प्राधिकरण, नया एटीएस कॉम्प्लेक्स, सुतार पाकड़ी रोड, सहार कर्गो कॉम्प्लेक्स के नजदीक, सहार, मुंबई-99-सूचनार्थ।
4. प्रधान टाऊन प्लानर, अहमदाबाद शहरी विकास सत्तामंडल (AUDA), सरदार वल्लभभाई पटेल भवन, उस्मानपुरा, आश्रम रोड, अहमदाबाद-380014-सूचनार्थ।
5. गार्ड फाईल
6. विमानपत्तन निदेशक के निजी सचिव।


(अरुणिमा सान्याल)

संयुक्त महा प्रबंधक (वा.या.नि.)
कृते विमानपत्तन निदेशक

ANNEXURE - "A"

Details of Survey / Block No. of Villages & District

(1) Village - Dantali District-Gandhinagar (Points - A, B, J, M and P) Block / Survey No.

388	369	400	401	402	403	404	405	407	410
411	434/B	438	442	483	513	365	371	406	418
435	445	448	466	482	501	503	504	506	509
511	514	515	517/A	521/A	416	417	374	375	377
378	412	449	450	452	453	454	461	462	463
464	409	439	505/A	507/P	451	408	381	460	447
380	389	446	399	393	394	388	392	398	387
395	386	397	478	499	493	496	475	477	498
470	469	472	456	481	459/B	458	443	457	474
441	444	484	510	367	479	480	486	487	489
490	491	494	508	467	379	414	382	386	390
471	473	476	485	488	497	391	440	500/A	502/A
502/B	220	221	383	384	385	516	459/A	492	495
370	376	413	420	419	415	436	364	502/C	500/B
217	218	219	222	468	512	437			

(2) Village - Jaspur District-Gandhinagar (Points - K and L) Block / Survey No.

387	389	388	297	303	304	305	306	307	307/A
316/1	327	361	361/A	373	373/A	363	365	365/A	365/B
372/1	375	409	420	298	366	368	297/A	299	367
367/A	369	369/A	370	364/P	364/B	364/C	364/D	364/B/1	371/B
371/C	376/P	374	302/1	302/2	302/3	360/P	296/A	317	362
326	328/P	316	318/P	371	371/A	376/A	336	294	295
296	300	301	308	364/P/1	372/P	423	419	422	310

(3) Village - Khodiyar District-Ahmedabad (Points - C, G, H, I, N, and O) Block / Survey No.

345/P	346	348	351	327	328	343	345/1	345/2	345/3
345/4	345/5	345/6	345/7	345/8	345/9	345/10	344	318	320
326	347	349/P	350	319	355/P	364	363	370	357
325	368	329	361						

(4) Village - Khoraj District-Gandhinagar (Points - D, E and F) Block / Survey No.

33	35/B/1	35/B/2	35/2	35/4	35/5	596/P	38/10/A	38/10/B	38/10/C
38/9/A	38/9/C	38/9/D	594/1	38/2/2	38/9/B	45+46	40/1/A	43/1/1	35/C/2
35/B/3	35/B/4	35/C/1	35/1/A	35/3	38/2/1	38/5	38/7/2	38/4	38/8
38/6	38/2/3	38/9/E	38/7/3	38/7/1	40/2	40/1/B	40/1/C	41/1	41/2/A
41/2/B	41/2/2/C	41/2/1/D	41/3	41/4	47	39	42/1	42/2	42/3
42/4	43/1/2	43/2	48/1+2/1	48/2/2	48/2/3	49/A	50	51	52
53	54								


 (A. Sanyal),
 Jt. GM (ATM)
 For Airport Director



No. SEIAA/GUJ/EC/8(b)/201 12011

Date: 13 SEP 2011

Time Limit

Sub: Environment Clearance for the proposed project "Shantigram Township" at various survey numbers of Khodiyar, Khoraj, Dantali & Jaspur villages, Gandhinagar - Sarkhej Road, Dist. Gandhinagar, proposed by Adani Township and Real Estate Management Company..... Construction project in Category 8 (b) of Schedule annexed with EIA Notification dated 14/9/2006.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A, REIA Report, Additional information submitted on 29/12/2010, Additional information/documents submitted on 3/3/2011 vide letter no. SH1/H/O/STA/09/019/1467, Copy of SSNNL's letter showing confirmation of allocation of water to the Shantigram Township, submitted vide letter no. SH1/H/O/STA/09/019/1649 dated 21/4/2011, Revised Form-1 & Form-1A and updated REIA Report vide their letter dated SH1/H/O/STA/09/019/1467-01 dated 07/06/2011 submitted to the SEAC, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006.

The proposal is for Environmental Clearance for the proposed project "Shantigram Township" at various survey numbers of Khodiyar, Khoraj, Dantali & Jaspur villages, Gandhinagar - Sarkhej Road, Dist. Gandhinagar, proposed by Adani Township and Real Estate Management Company. The land area of the project is 24,96,702 sq.m. i.e. @ 249.67 Hectares. Developable FSI area is 29,33,140 sq.m. The project falls under the category 8(b) of EIA Notification-2006.

The proposed township will have 16,647 residential units (including SEWH). The township will also have other amenities like mall, retail shops, offices, corporate buildings, three hotels, two hospitals etc.

The project activity is covered in 8(b) and is of 'B' Category. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended to the SEIAA, Gujarat, to grant the Environment Clearance to this project for the above-mentioned Township Construction project. The proposal was considered by SEIAA, Gujarat in its meeting held on 26.07.2011 & 26.08.2011 at Gandhinagar. Since the public consultation is not required for the project, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following Specific, Other conditions and General conditions.:

A. SPECIFIC CONDITIONS:

1. The entire fresh water requirement during the operation phase of the project shall be met from Narmada water supply from the SSNNL. However, ground water may be withdrawn from existing 12 bore wells for a period of approximately one month in a year when canal water is not available due to maintenance work of canal.
2. No new bore well shall be constructed in the project. Water meter / totalizer shall be installed on outlet of each existing bore well and records of ground water withdrawal shall be maintained.
3. The maximum height of the buildings to come up in the project shall be restricted to 40 m. The project proponent shall have to separately approach to SEAC / SEIAA for amendment of the environmental clearance in respect of building height more than 40 m as and when such building is planned in the project.
4. Prior permission from the Forest Department shall be obtained, if project site or its part is located in the Eco Fragile Zone identified around the Nalsarovar & Thol Bird Sanctuaries.

B. CONSTRUCTION PHASE:

5. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
6. Water requirement for the construction phase shall be met through existing 12 no. of bore wells or water supply from SSNNL. Prior permission of CGWA shall be obtained for drawl of ground water.
7. The construction site shall be provided with barricades of adequate height on its periphery with adequate signage.
8. Water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
9. Material shall be covered during transportation to avoid the fugitive emission.
10. The roads inside the project area and roads connected to the main road shall be paved or shall be water sprinkled to avoid the fugitive emissions during construction.
11. Adequate drinking water and sanitary facilities, electricity and ventilation, creches, canteen, rest rooms, safe disposal system for waste garbage and drainage water, first aid, medical and emergency facilities shall be provided for construction workers to ensure that they do no ruin the existing environmental condition.
12. Provision should be made for the supply of fuel (kerosene or cooking gas), utensils such as pressure cookers etc. to the labours during construction phase.
13. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
14. All topsoil excavated during construction activities should be stored separately for use in horticultural / landscape development within the project site.
15. The excavated soil, construction debris etc. shall be reused in construction of roads, leveling the site etc. Waste packaging material, metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
16. The construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
17. Use of diesel generator sets during construction phase should be enclosed type and conforming to the EPA Rules for air and noise emission standards.
18. Vehicles hired for bringing construction material at site should be in good conditions and conform to applicable air and noise emission standards and should be operated only during non-peak hours.
19. Ambient noise levels should confirm to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality should be closely monitored during construction phase.
20. Ready made mix concrete should be used so far as possible.
21. Water demand during construction should be reduced by use of curing agents, plasticizers and other best practices.
22. Fly ash should be used as building material in the construction as per provisions of Fly Ash Notification under EPA.
23. Structural design aspects in accordance to the seismic zone shall be strictly adhered to.
24. Water proofing material shall be used in terrace construction and china mosaic flooring shall be done on terrace of each building.
25. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.
26. Various energy conservation measures shall be implemented viz. use of solar based traffic signals & street lights, use of energy efficient appliances, use of CFL's, low voltage lighting etc.
27. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers Rules.

C. OPERATIONAL PHASE :

28. The water requirement during the operation phase shall be 26.11 MLD, out of which 10.56 MLD of fresh water requirement shall be met from the Narmada water supply by SSNNL and remaining 15.55 MLD of water requirement shall be met by reuse of treated sewage from the proposed STP.
29. Metering of the water shall be done and its records shall be maintained. No ground water shall be tapped for the project requirements except for a period of approximately one month in a year when canal water is not available due

to maintenance work of canal. Prior permission of CGWA shall be obtained for drawl of ground water.

30. The sewage generation shall not exceed 12.4 MLD, which shall be treated in the proposed Sewage Treatment Plant (STP) of 12.5 MLD capacity having primary, secondary and tertiary treatment facilities. The STP shall be operated regularly and efficiently so as to achieve the GPCB norms at the STP outlet.
31. Entire quantity of treated sewage shall be reused for flushing, horticulture and air conditioning purposes. Hence, there shall be no discharge of sewage outside the proposed township.
32. A proper logbook of STP operation and also showing the chemical consumption, power consumption, quantity of treated sewage reused in flushing, horticulture and air conditioning purpose etc. shall be maintained and furnished to the GPCB from time to time.
33. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
34. Dual plumbing system with separate tanks and lines shall be provided for reuse of treated sewage.
35. Harvesting of roof top, paved area & green area runoff and recharging of ground water shall be carried out through recharging wells of adequate depth. Recharging wells shall be provided in low contour. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.
36. The project must strictly comply with the rules and regulations with regards to handling and disposal of biomedical waste in accordance with the Biomedical Waste (Management and Handling) Rules, 1998, as may be amended from time to time. Authorization from the GPCB must be obtained for collection / treatment / storage / disposal of bio-medical wastes.
37. During operation phase, approximately 49.86 MT/day of solid waste shall be generated, out of which bio-degradable waste shall be segregated, vermin-composted and used as manure after mixing it with STP sludge, recyclable waste like metal waste, plastic bags, paper waste, glass waste shall be sold to recyclers and rest of the wastes shall be disposed off at the authorized sanitary land fill site of AMC/AUDA.
38. Hazardous wastes i.e. used oil generated from DG set / other machinery overhauling and transformer oil replacement shall be sold off to the registered recyclers and any other type of hazardous waste generating from the project if any, shall be disposed as per the Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008, as may be amended from time to time.
39. Bio-medical waste shall be segregated into different colour coded containers/bags at the point of generation in accordance with Schedule II of the Biomedical Waste (Management and Handling) Rules, prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to Schedule III of the Biomedical Waste (Management and Handling) Rules. Bio-medical wastes shall not be mixed with other wastes in any case.
40. Bio-medical waste shall be sent to the common bio-medical waste treatment and disposal facility for its disposal. No untreated bio-medical waste shall be kept stored beyond a period of 48 hours.
41. The stack height of the DG Sets shall be equal to the height needed for the combined capacity of all proposed DG sets. The gaseous emissions from the D. G. Sets shall conform to the standards prescribed by GPCB. At no time, the emission levels shall go beyond the stipulated standards.
42. The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, etc. and the noise level shall be maintained as per the MoEF / CPCB guidelines / norms both during day and night time.
43. 12.48 Ha. area (@ 5%) in the township shall be developed as parks & gardens and apart from this 78.22 Ha. area (@ 40%) shall be developed for horticulture uses within various residential and commercial parcels.
44. Minimum 50,000 trees shall be developed within the township premises. The project proponent shall grow as many trees as possible in the green belt and common plots rather than developing only lawns. The open spaces inside the project shall be suitably landscaped and covered with vegetation of indigenous variety. The area earmarked as green area shall be used only for greenbelt and shall not be altered for any other purpose.
45. The project proponent shall install the electric utilities / devises, which are energy efficient and meeting with the Bureau of Energy Efficiency norms, wherever applicable. Energy Conservation Building Code [ECBC] norms shall be implemented in the project.
46. The energy audit shall be conducted at regular interval for the project and the recommendations of the Audit Report shall be implemented with spirit.
47. The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning

- systems, etc. and the noise level shall be maintained as per the MoEF / CPCB guidelines / norms both during day and night time.
48. Parking space shall be provided as per the NBC guidelines. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
 49. No public space shall be used or blocked for the parking and the trained staff shall be deployed to guide the visitors for parking and helping the senior citizens and physically challenged people.
 50. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.
 51. All the staircases and lifts [if any] shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each high rise building having floor area more than 500 m² on each floor.
 52. Adequate continuous peripheral path not less than 10 feet in width shall be provided for turning around of the passage of fire tender/emergency vehicle without reversing.
 53. The planning design and construction of all buildings shall be such as to ensure safety from fire. Adequate fire and life safety measures shall be taken as per the provisions of the NBC and requirements of the Fire & Emergency Services department of the AUDA/AMC.
 54. Compulsory training for the first aid and fire fighting along with regular mock drill shall be imparted to the security personnel, STP operators and wireman cum D.G. Operator.
 55. The project management shall prepare a detailed Disaster Management Plan (DMP) for the operational phase of the project.
 56. Necessary emergency lighting system alongwith emergency power back up system shall be provided. In addition, emergency siren/public address system arrangement shall be provided in the township.
 57. Necessary signage/maps at all appropriate places shall be provided to guide the people towards exits and assembly points during the unforeseen emergency and untoward conditions.
 58. All the statutory clearances such as the approvals for storage of diesel from Chief controller of Explosives, Airport Authority of India, Fire Department, if applicable, shall be obtained from the competent authorities.
 59. Environment Management Cell shall be formed during operation phase which will supervise and monitor the environment related aspects of the project including performance of the Sewage Treatment Plant, incremental pollution loads on the ambient air quality, noise and water quality periodically.
 60. The project proponent shall also comply with any additional conditions that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.

D. GENERAL CONDITION :


61. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
62. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
63. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
64. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
65. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
66. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
67. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
68. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate

additional conditions, if the same is found necessary. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and Hazardous Wastes (Management Handling and Transboundary) Rules, 2008 along with their amendments and rules.

69. This environmental clearance is valid for five years from the date of issue.

With regards,

Yours sincerely,



(R.G.SHAH)

Member Secretary

Issued to:

Adani Township and Real Estate Company,

41, Titanium, Corporate Road,

Near Prahlad Nagar AUDA Garden,

Vejalpur, Ahmedabad – 380 015.

Copy to:-

1. The Secretary, Department of Environment and Forests, Govt. of Gujarat, Secretariat, Gandhinagar-382010.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD -cum-Office Complex, East Arjun Nagar, New Delhi-110032
3. The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (WZ), E-5, Arera Colony, Link Road-3, Bhopal-462016, MP
4. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi-110003.
5. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10 A, Gandhinagar-382010
6. Select File

(R.G.SHAH)

Member Secretary

ATRECO, SHANTIGRAM PROJECT		
RECEIVED ON	14-10-11	
DOC. NO.	4068	
FILE NO.	P518-022	
	ACTION	INF
Projects		
Planning		
Q/S		
Procurement		
Legal		
File		
Training		

F. No. 22-27/2015-IA-III
Government of India
Ministry of Environment, Forest and Climate Change
(IA Division)

Indira Paryavaran Bhawan
Ali Ganj, Jor Bagh Road
New Delhi- 110003.

Dated the 12th April, 2016


OFFICE MEMORANDUM

Subject: Notifications issued by the Ministry of Environment, Forest and Climate Change vide S.O. No. 1141 (E) dated 29.04.2015 and S.O. No. 2571 (E) dated 31.08.2015 under the provisions of the EIA Notification 2006 regarding extension of Validity of Environmental Clearance-Clarification regarding.

The undersigned is directed to inform that in respect of the subject mentioned above, the Ministry has decided to clarify the applicability of the Notifications as under:

- (i) The Environmental Clearance of the projects which had not completed five (5) years on the date of publication of Notification i.e. 29.04.2015, there validity will stand automatically extended to seven (7) years.
- (ii) The Environmental Clearance of the projects which have completed five (5) years on the date of publication of Notification i.e. 29.04.2015 and the project proponents submitted application for extension of their validity within the validity period of five (5) years, the validity of such environmental clearances will also be extended to seven (7) years.
- (iii) The Environmental Clearance of the projects which have completed five (5) years on the date of publication of Notification i.e. 29.04.2015 and application of seeking extension of validity has not been submitted within the validity period by the project proponent, their extension of validity will be decided on case to case basis.

This issues with the approval of the Competent Authority.


(Dr. Satish C. Garkoti)
Scientist 'F'

To

1. All the Officers of IA Division
2. Chairpersons / Member Secretaries of all the SEIAAs / SEACs
3. Chairman, CPCB
4. Chairpersons / Member Secretaries of all SPCBs / UTPCCs

Copy to:

1. PS to HMEFCC
2. PPS to Secretary (EFCC)
3. PPS to SS(SK)
4. PS to JS(MKS)/PS to JS(BS) / PS to JS(GB)
5. Website of MoEFCC
6. Guard File

SH2/2012/H/2/STA08/019/0467



HARDIK SHAH
SECRETARY

State Level Expert Appraisal Committee

STATE LEVEL EXPERT APPRAISAL
COMMITTEE, GUJARAT.

Office : Gujarat Pollution Control Board,
"Paryavaran Bhavan", Sector 10-A,
Gandhinagar-382010, GUJARAT

Phone : 079 -23232152,

Fax : 079 -23222784.

Email : ms-gpcb@gujarat.gov.in

Ref. No.: EIA-10-2007-93-E. 445, MAY 2012

To,

Mr. Vijay Balu

Shantigram Township (Adani Township @ Real Estate Company P. Ltd.)

Ashima House Kavi Nanalala Marg,

Nr : M. J. Library, Ellis Bridge,

Ahmedabad - 380006

Sub: Amendment in Environment Clearance under the EIA Notification 2006 for your proposed project at EC Shantigram Township near Khodiar, Vill: Gandhinagar Sarkhej Road.

Dear Sir,

This refers to your application on the subject mentioned above and the meeting held with the State Level Expert Appraisal Committee, Gujarat, on 5th January, 2012. The relevant information furnished and presentation made before the SEAC was considered and the additional information required was communicated to you by the SEAC immediately after the said presentation. However, a copy of the same is attached herewith for further necessary action at your end. You may please furnish the desired information / documents to enable us to process the application further.

With regards,

Yours sincerely,

(Hardik Shah)

Secretary, State Level Expert Appraisal Committee

Encl : As above.

815712	
0467	
FILE NO.	PS-18-028
	ACTION INF
Projects	
Planning	
QIS	
Procurement	
Legal	
Finance	
HR / Admin / IT	
Marketing	

Adani Township and Real Estate Company Nr Khodiyar Railway Station Vill: Khodiar, Gandhinagar-Sarkhej Road Dist : G' nagar.

The project was accorded Environmental Clearance from SEIAA, Gujarat vide office order no. SEIAA/GUJ/EC/8(b)/201/2011 dated 13/09/2011 which was subsequently amended vide office order dated 07/10/2011 for development of "Shantigram Township" for building height upto 40 m. The company has now applied for amendment in the Environmental Clearance granted for increase in the building height from 40 m to 70 m.

During the meeting it was presented that there will not be any change in the plot area, total built-up area, FSI area, estimated population, water consumption, wastewater generation, solid waste generation, etc. and the only change in the project would be reduction in ground coverage owing to the vertical development for the building height up to 70 m. It was also presented that two staircases to open at ground level from the highest point of building [with access from each floor] have already been planned in all the high rise buildings having floor area more than 500 m² on each floor.

After detailed discussion, it was decided to recommend the project for the said amendment subject to the satisfactory submission of the following:

1. Details of refuge area / skip floor to be provided in the buildings with 70 m height and compliance of the NBC guidelines in this regard.
2. Details of fire fighting system including location of fire water tanks & capacity, separate power system for fire fighting, automatic sprinkler system, fire detection system with alarms, fire extinguishers, location of fire lift and fire retardant staircases, details of qualified and trained fire personnel & their job specifications, distance from nearest fire station & time required to reach the proposed site etc. Calculation and provision of minimum fire water requirement based on fire study as well as the availability of external fire fighting facility.
3. Copy of the NOC obtained from the Fire & Emergency Services department of the AMC.
4. Copy of the NOC obtained from Airports Authority of India for the building height of 70 m.