



Vadodara Fire & Emergency Services

Vadodara Municipal Corporation.

1st Floor, City Command Control Centre

Badamdi Baug, Vadodara- 390209

Phone 0265-241 36 35, 241 37 54, 242 08 81, 241 37 53

E-Mail - cfo@vmc.gov.in



Fire Safety Opinion

Outward No.- 3948/2223
Date: 04/03/23

To,

Samarth Developers Partner Shri Nandubhai K.
Mulchandani,

Moje: Khanpur, Vadodara.

Subject: Fire Safety Opinion for the application made by concern person to Vadodara Fire and Emergency Services department for Building to be constructed at site details given below.

Reference: File submitted by you with Plan/Drawing Dated 24-02-2023 File No: 263.

SiteDetails: Moje: Khanpur, Vadodara, Block No.156, TP No.02, O.P No.22, FP No.21, Land to be used for construction of High-rise / Commercial / Residential Building. Height of the propose building is 15.3 Meters.

Type of Occupancy: Residential

Building usage: Resi

This is to inform the Applicant about the application made by him/her on date 24-02-2023 at the concern office with Application Letter and Plan/Drawing for issuing fire safety opinion for the place of Construction mentioned in subject. Considering your application for High-rise / Commercial / Residential Building necessary firefighting system installation and fire safety recommendation for public safety should be followed by Builder/Owner/Occupant all the time. Gujarat Fire Prevention and Life Safety Measures Act, 2013 Rules 2014/2021 and Regulations 2016/2018/2019 along with CGDCR Norms as applicable and NBC guidelines for fire safety should be strictly followed as per the nature of construction.

Building Plan/Drawing submitted by the applicant (Preferably from Registered Organization or Architect) should have all Firefighting arrangements as recommended in Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04 of National Building Code 2016 and Comprehensive General Development Control Regulations 2017 at all-time as applicable.

Note: For any Building that falls under category where public safety comes under threat as per norms and was constructed before 2017 in person inspection will be done by concern Officer and changes if required will be recommended as per Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04

એન.એ./એસ.આર./૪૭૮/૨૦૧૬-૧૭
 નં.જમીન-ડી/કલમ-૬૫/વશી/૫૫૩૩ થી ૫૫૪૧ /૧૬
 બીનખેતી શાખા, કલેક્ટર કચેરી, વડોદરા.
 તારીખ : ૦૮ /૦૮/૨૦૧૬

વંચાણમાં લીધા :-

- (૧) અરજદારશ્રી ઈલાબેન મહેશકુમાર લોઢારી રહે.૧૦, ગ્રીનવુડ, ગોત્રી-સેવાસી રોડ, તા.જિ.વડોદરાની તા.૦૬/૦૫/૧૫ ની અરજી તથા તા.૦૫/૦૭/૧૬ ની પુનઃ વિચારણા અરજી
- (૨) મામલતદારશ્રી, વડોદરા (ગ્રામ્ય)ના પત્ર નં.જમીન/વશી/૧૬૭૬/૧૬ તા.૦૮/૦૮/૧૬ થી રજુ થયેલ દરખાસ્ત/અભિપ્રાય
- (૩) નાયબ કલેક્ટરશ્રી, જમીન સુધારણા, વડોદરાના પત્ર નં.ટેનન્સી/એન.એ./વશી/૫૬૨/૧૫ તા.૧૬/૦૬/૧૫ થી રજુ થયેલ અભિપ્રાય.
- (૪) નગર નિયોજકશ્રી, વડોદરા શહેરી વિકાસ સત્તામંડળ, વડોદરાના પત્ર નં.યુડીએ/પ્લાન-૩/અ/૫૫૧/૧૫ તા.૧૮/૦૫/૧૫
- (૫) જમીન સંપાદન અધિકારીશ્રીઓ (૧) નાયબ કલેક્ટરશ્રી વડોદરા (ગ્રામ્ય) ના પત્ર નં.જ.સં. એન.ઓ.સી.એસ.આર./૧૨૩/૧૫ તા.૦૬/૦૫/૧૫ (૨) નાયબ કલેક્ટર અને ખાસ જમીન સંપાદન અધિકારીશ્રી એકમ-૧, વડોદરાના પત્ર નં.જસં/વળતર/વશી/૫૫૨/૧૫ તા.૦૨/૦૬/૧૫ (૩) ખાસ જમીન સંપાદન અધિકારીશ્રી નર્મદા યોજના, વડોદરાના પત્ર નં.જશ/નં.યો/વડોદરા/વશી/ એસ.આર./૫૨૮/૧૫ તા.૧૮/૦૫/૧૫ થી રજુ થયેલ અભિપ્રાયો.
- (૬) સરકારશ્રીના મહેસુલ વિભાગનો ઠરાવ ક્રમાંક : બખપ/૧૦૦૬/૪૨૫/ક, તા.૦૧/૦૭/૨૦૦૮ તા.૧૧/૦૮/૧૬ ની કાર્યાલય નોંધ ઉપર અપાયેલ આદેશ



હુકમ :-

અરજદારશ્રી ઈલાબેન મહેશકુમાર લોઢારી રહે.૧૦, ગ્રીનવુડ, ગોત્રી-સેવાસી રોડ, તા.જિ. વડોદરાની મોજે ખાનપુર તા.જિ.વડોદરાના બ્લોક નં.૧૫૬ (સ.નં.૨૨૬), ટી.પી.નં.૨, ફા.પ્લોટ નં.૨૧ ની ૩૦૪૫ ચો.મી જમીનની રહેણાંકના હેતુ માટે બિનખેતીની પરવાનગી મળવા બાબત.

મામલતદારશ્રી, વડોદરા (ગ્રામ્ય) વંચાણ-૨ ના પત્રથી અહેવાલ ચેકલીસ્ટ રજુ કરેલ છે. તેમજ સવાલવાળી જમીનના કબજેદાર અરજદારશ્રી હોવાનું તથા જમીનનું ટાઈટલ કલીયર હોવા બદલ પ્રમાણપત્ર આપેલ છે. તેમજ સવાલવાળી જમીન સ્થળે ખુલ્લી હોઈ બિનખેતીની પરવાનગી આપવા માટે હકારાત્મક અભિપ્રાય રજુ થયેલ છે.

નાયબ કલેક્ટરશ્રી, જમીન સુધારણા, વડોદરાએ વંચાણ-૩ થી સવાલવાળી જમીનના અરજદાર ખેડુત ખાતેદાર છે. બિનખેતી પરવાનગી આપવા અંગે ગણોત કાયદા અન્વયે હરકત સરખું ન હોવાનો હકારાત્મક અભિપ્રાય આપેલ છે.

વડોદરા શહેરી વિકાસ સત્તા મંડળ, વડોદરાએ વંચાણ-૪ થી જી.ડી.સી.આરના ઝોનીંગ રેગ્યુલેશન મુજબ સવાલવાળી જમીનને અરજદારશ્રીની માંગણી મુજબના હેતુ માટે બિનખેતીની પરવાનગી આપવામાં આવે તો ઝોનની દૃષ્ટિએ વાંધા સરખું નથી, તેમ અભિપ્રાય આપેલ છે.

સંપાદન અધિકારીશ્રીઓના વંચાણ-૫ ના પત્રોથી સવાલવાળી જમીન અંગે તેઓની કચેરીમાં સંપાદનની કોઈ કાર્યવાહી ચાલુમાં નથી.તેમ જણાવેલ છે.

ઉપરોક્ત હકીકતે રજુ થયેલ અહેવાલ-અભિપ્રાય નજરે વંચાણમાં દર્શાવેલ સરકારશ્રીના ઠરાવની જોગવાઈઓ તથા ઉક્ત રજુ થયેલ અભિપ્રાયો ધ્યાને લઈ, અરજદારશ્રીની માંગણી મુજબ સવાલવાળી જમીનને બિનખેતીમાં ફેરવવા અંગેની માંગણી ગ્રાહ્ય રાખતાં, અરજદારશ્રી ને સદરહું જમીનના રૂપાંતરકરની રકમ, બિનખેતીની માપણી ફી તથા અન્ય ઉપકરો સરકારશ્રીમાં જમા કરાવવા જણાવતાં, અરજદારશ્રીએ રૂપાંતરકરની રકમ રૂ.૬,૦૮૦/- (અંકે રૂપિયા છ હજાર નેતું પુરા) તથા બિનખેતી માપણી ફી રૂ.૩,૩૦૦/- (અંકે રૂપિયા ત્રણ હજાર ત્રણસો પુરા) તા.૨૦/૦૮/૧૬ ના રોજ ભરપાઈ કરેલ છે. તથા વિશેષધારો + લોકલ ફંડ રૂ.૮,૧૩૨/- (અંકે રૂપિયા નવ હજાર એકસો બત્રીસ પુરા) તથા શિક્ષણ ઉપકર રૂ.૧,૧૪૦/- (અંકે રૂપિયા એક હજાર એકસો ચાલીસ પુરા) તથા તાલુકા પંચાયત (શિક્ષણ ઉપકર) રૂ.૨,૨૮૩/- (અંકે રૂપિયા બે હજાર બસો ત્યાંસી પુરા) રૂ.૨૩/૦૮/૧૬ ના રોજ તલાટીશ્રી, ખાનપુર દ્વારા સરકારશ્રીમાં વસુલ લેવાયેલ છે, તેની અસલ પહોંચો રજુ કરેલ છે.

સબબ ઉપરોક્ત હકીકતે મુંબઈ જમીન મહેસુલ કાયદાની કલમ-૬૫ અન્વયે સવાલવાળી મોજે ખાનપુર તા.જિ.વડોદરાના બ્લોક નં.૧૫૬ (સ.નં.૨૨૬), ટી.પી.નં.૨, ફા.પ્લોટ નં.૨૧ ની ૩૦૪૫ ચો.મી. જમીનની રહેણાંકના હેતુ માટે બીનખેતીનો ઉપયોગ કરવા, નીચેની શરતોને આધીન પરવાનગી આપવામાં આવે છે.

શરતો :-

- (૧) ડીસ્ટ્રીક્ટ ઈન્સ્પેક્ટર ઓફ લેન્ડ રેકર્ડ્સ ધ્વારા ઈસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ હોવી જોઈએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાવેલ હોવો જોઈશે.
- (૨) બાંધકામ શરૂ કરતાં પહેલા બાંધકામના નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે, પરંતુ અરજદાર બિનખેતી પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચીઠ્ઠી મેળવી શકશે નહીં.
- (૩) શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનીંગ સ્કીમ મંજૂર થઈ ગઈ છે ત્યાં જી.ડી.સી. આર. અને ઝોનીંગના નિયમો અનુસાર બાંધકામ કરવાનું રહેશે.
- (૪) મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીના નિકાલની જોગવાઈ કરવાની રહેશે.
- (૫) અરજદારે રીબન ડેવલપમેન્ટ રૂલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઈ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
- (૬) ઔદ્યોગિક હેતુ માટે મંજૂરી માંગેલ હોય તો બાંધકામ કરતાં પહેલા જિલ્લા ઉદ્યોગ અધિકારીશ્રીની જરૂરી મંજૂરી મેળવ્યા બાદ જ આગળની કાર્યવાહી કરવાની રહેશે.
- (૭) સવાલવાળી જમીન જો જેલથી નજીક હોય તો ૧૮૪ મીટરનું અંતર છોડી બાંધકામ કરવાનું રહેશે.
- (૮) સવાલવાળી જમીન જો રેલ્વે હદની નજીક હોય તો રેલ્વેની હદથી ૩૦ મીટર જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
- (૯) સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વિજળી શ્રીકના તાર/ હાઈટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવાનું અને તે મુજબ બાંધકામ કરવાનું રહેશે.
- (૧૦) બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસના ૨૦ કી.મી.ની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉચાઈ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું 'ના વાંધા પ્રમાણપત્ર' સીવીલ એવીએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સીવીલ એવીએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
- (૧૧) ભારતીય વાયુસેનાના હવાઈ મથક તથા ઈન્સ્ટોલેશનથી બાંધકામ કરવાની મર્યાદા ભારત સરકારના સંરક્ષણ મંત્રાલય ધ્વારા જાહેરનામાથી વખતોવખત બહાર પાડવામાં આવે તેટલી ત્રિજ્યા બહાર બાંધકામ કરવાનું રહેશે.
- (૧૨) ઓ.એન.જી.સી.ના કુવા નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
- (૧૩) નર્મદા કેનાલ/અન્ય સિંચાઈ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાના થતાં અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
- (૧૪) અરજદારે/જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (PROTECTED MONUMENTS) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી ૧૦૦ મીટર સુધીનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૫) અરજદારે/જ્યાં જરૂરી હોય ત્યાં ભારતીય વન અધિનિયમ હેઠળ અનામત વન જમીન કે રક્ષિત વન તરીકે જાહેર કરેલ વન/જમીનથી જાળવવાના થતાં અંતર બાબતની જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૬) અરજદારે/જ્યાં જરૂરી હોય ત્યાં વન્ય જીવન સંરક્ષણ અધિનિયમ ૧૯૭૨ અન્વયે અભ્યારણ્ય અથવા રાષ્ટ્રીય ઉપવન તરીકે જાહેર કરેલ કોઈપણ વિસ્તારની હદથી જાળવવાના થતાં અંતર બાબતની જોગવાઈઓનું પાલન કરવાનું રહેશે.

અરજદારે ઉપરોક્ત સૂચનાઓનું ચુસ્તપણે પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો, શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.

વધુમાં અરજદારશ્રીએ નીચેની શરતોનું પણ પાલન કરવાનું રહેશે.

- (૧૭) બાંધકામ શરૂ કર્યા તારીખથી એક માસમાં અને બાંધકામ પુરૂ કર્યા તારીખથી એક માસમાં એમ બન્ને પ્રસંગોએ અત્રે લેખિતમાં જાણ કરવી પડશે.
- (૧૮) આ જમીન ઉપરનું મંજૂર થયા પ્રમાણે બાંધકામ આ હુકમ થયા તારીખથી છ માસમાં શરૂ કરી ત્રણ વર્ષમાં પુરૂ કરવાનું રહેશે. તેમ કરવામાં ચુક થયે કલમ-૬૭ હેઠળ કાર્યવાહી કરવામાં આવશે અને વસુલ ભરેલો વિ.ધારો વિગેરે કોઈપણ સંજોગોમાં પરત મેળવવાનો હકક રહેશે નહિ. આ અંગે અપીલનો સમય પૂરા થયા બાદ કોઈ હકક રહેશે નહિ.
- (૧૯) રજાચિદ્ધિ, લેઆઉટ પ્લાન વિરુદ્ધ બાંધકામ થયાનાં પ્રસંગે કલેક્ટરશ્રી હુકમ કરે તે સમયમાં દૂર કરવાનું રહેશે. અને તે વિરુદ્ધ વર્તન થયાનાં પ્રસંગે કબજેદારને ખર્ચે બાંધકામ દુર કરાવવામાં આવશે અને ખર્ચ જમીન મહેસુલ બાકી રાહે વસુલ કરવાપાત્ર થશે. કલેક્ટરશ્રી ઠરાવે તે દંડ ભરવો પડશે.
- (૨૦) હુકમ થયા તારીખથી છ માસની અંદર કબજેદારે જમીન મહેસુલ કાયદામાં જણાવ્યા મુજબ નમુના "એમ" માં સનદ ભરી આપવાની રહેશે. તે વિરુદ્ધ વર્તન થયાનાં પ્રસંગે કલેક્ટરશ્રી ઠરાવે તે દંડ ભરવાનો રહેશે. ઉક્ત સનદ અપીલનો સમય પુરો થયા બાદ ભરી આપવાની રહેશે.
- (૨૧) જે હેતુનું બાંધકામ પુરૂ થયેથી એક માસની અંદર તેની જાણ પરવાનગી આપનાર અધિકારીને કબજેદારે કરવાની રહેશે.
- (૨૨) આ જમીનની જે હેતુ માટે પરવાનગી આપી છે તે હેતુ સિવાય અન્ય હેતુ માટે ઉપયોગ કરતાં પહેલાં કલેક્ટરશ્રીની પરવાનગી લેવાની રહેશે. તે વિરુદ્ધ વર્તન થયાના પ્રસંગે લે. રે. કોડની કલમ-૬૭ મુજબ પગલાં લેવામાં આવશે.
- (૨૩) "વરસાદી પાણીના ભૂગભ વહન/સંચય માટે દર મકાન/બહુમાળી મકાન (નકશા મંજૂર કરવાની સત્તા ધરાવતા સત્તાતંત્રને આપેલ મંજૂરી મુજબ) દીઠ એકના દરે પરકોલેટીંગ બોરની વ્યવસ્થા અચૂક કરવાની રહેશે."
- (૨૪) જમીન ધારકશ્રીએ સક્ષમ સત્તાધિકારીશ્રી તરફથી મંજૂર થયેલ સુચિત નકશા અને રજાચિદ્ધિ મુજબ બાંધકામ કરવાનું રહેશે. તેમજ રજાચિદ્ધિ / વિકાસ પરવાનગીમાં જણાવેલ શરતોનું પાલન કરવાનું રહેશે તેમજ મંજૂર થયેલ રજાચિદ્ધિ તથા નકશાની નકલ દિન-૩૦ માં રજૂ કરવાની રહેશે.
- (૨૫) બાંધકામ પરવાનગી સંબંધી લે-આઉટ પ્લાન મંજૂર કરાવતી વખતે વુડાએ કરેલા જી.ડી.સી.આરના નિયમોનું પાલન કરવાનું રહેશે.
- (૨૬) વુડાના જી.ડી.સી.આરના ઝોનીંગ રેગ્યુલેશન મુજબ બાંધકામની પરવાનગી મેળવ્યા બાદ જ અરજદારે બાંધકામ શરૂ કરવાનું રહેશે.
- (૨૭) આ જમીનનો વિશેષધારો, લોકલ ફંડ તથા શિક્ષણ ઉપકર પ્રવર્તમાન દરે હુકમની તારીખના મહેસુલી વર્ષથી આ સાથે સામેલ પત્રક મુજબનો ભરવાનો રહેશે.
- (૨૮) સવાલવાળી જમીન અંગે અરજદારશ્રીએ રજૂ કરેલ સુચિત લે-આઉટ પ્લાનમાં દર્શાવ્યા પ્રમાણે રસ્તા પૈકીની જમીન, કોમન પ્લોટની જમીન અને સહીયારા ઉપયોગ માટે ખુલ્લી રાખેલ જમીનનું કોઈપણ રીતે વેચાણ થઈ શકશે નહીં.
- (૨૯) ઉપરની કોઈપણ શરત અગર સનદમાં જણાવેલી શરતો પૈકી કોઈપણ શરતનો ભંગ થયા પ્રસંગે જમીન મહેસુલ કાયદામાં જણાવેલી શિક્ષાને કબજેદાર પાત્ર અને તેનો બાધ લીધા સિવાય કલેક્ટરશ્રી જે પગલાં લેશે તે કબજેદારને બંધનકર્તા રહેશે.
- (૩૦) આ હુકમમાં અગર સનદમાં કોઈ કારકુનની અથવા ગણતરીની ભુલો હશે તો તેમાં સુધારો થઈ શકશે / સુધારાપાત્ર રહેશે તથા આ સુધારો અરજદારને બંધનકર્તા રહેશે.

રવાના કર્યું

મામલતદાર (બિનખેતી)
કલેક્ટર કચેરી, વડોદરા



સહી/-
(લોચન સેહરા)
કલેક્ટર વડોદરા

પ્રતિ,
શ્રી ઈલાબેન મહેશકુમાર લોઢારી
રહે. ૧૦, શ્રીનંદુડ, ગોત્રી-સેવાસી રોડ, તા. જિ. વડોદરા.

નકલ રવાના :-

- મામલતદારશ્રી, વડોદરા ગ્રામ્ય તરફ હુકમની શરતોનો નોંધમાં ઉલ્લેખ કરી નોંધ પાડવા તથા નોંધ, ૭/૧૨ ની નકલ સહ જાણ કરવા સારૂ.



૨. મુખ્ય કારોબારી અધિકારીશ્રી, વડોદરા શહેરી વિકાસ સત્તામંડળ, "લુડા સર્કલ", કારેલીબાગ, વડોદરા તરફ જાણ સારું.
૩. જિલ્લા નિરીક્ષકશ્રી, જમીન દફતર / સીટી સર્વે સુપ્રીટેન્ડન્ટશ્રી નં.૧, ૨, ૩, ૪ વડોદરા તરફ અમલ કરવા સારું.
૪. તાલુકા વિકાસ અધિકારીશ્રી વડોદરા / જિલ્લા વિકાસ અધિકારીશ્રી વડોદરા તરફ હુકમ મુજબ અમલ કરવા સારું.
૫. તલાટી કમ મંત્રીશ્રી, ખાનપુર તા.વડોદરા તરફ હુકમ મુજબ અમલવારી કરવા સારું
૬. જન સેવા કેન્દ્ર, કલેક્ટર કચેરી, વડોદરા તરફ જરૂરી કાર્યવાહી કરવા સારું.
(BAR CODE NO. VDR 66109)
૭. રેકર્ડ શાખા
૮. સિલેક્ટ ફાઇલ



મોજે ખાનપુર તા.જિ.વડોદરાના બ્લોક નં.૧૫૬ (સ.નં.૨૨૬), ટી.પી.નં.૨, ફા.પ્લોટ નં.૨૧ ની ડ્રાઇંગ, વિશેષધારો, લોકલ ફંડ, શિક્ષણ ઉપકરની વિગત દર્શાવતું પત્રક

બીનખેતીની પરવાનગી માંગેલ જમીનનો સ.નં., ક્ષેત્રફળ તથા કબજેદારનું નામ				બીનખેતીની પરવાનગી આપેલ જમીનનું ક્ષેત્રફળ તથા હેતુ	નિયમ મુજબ લેવાનો વિશેષ ધારાની રકમ	વસુલ કરવાની વિશેષ ધારાની રકમ (૦.૨૫ ચૈસા.પ્રતિ ચો.મી.)	ડ્રાઇંગ લેવાની વિગત (ર/પ્રતિ ચો.મી.)	લોકલ ફંડની વિગત (૦.૫૦ ચૈ. વિ.ધારાના)	શિક્ષણ ઉપકરની રકમ (૦.૨૫ ચૈ. વિ.ધારાના)	કોલમ-૪ નો વિ.ધારો કઈ તારીખથી લેવાનો છે તેની વિગત
૧				૨	૩	૪	૫	૬	૭	૮
મોજે ખાનપુર તા.વડોદરા				ચો.મી. ૩૦૪૫ (રહેણાંક)	૬૨ ચો.મી. ના ૦.૨૫ ચૈસા પ્રમાણે	રૂ. ૭૬૧/- (અંકે રૂપિયા સાતસો એકસઠ પુરા)	રૂ. ૬,૦૮૦/- (અંકે રૂપિયા છ હજાર નેવું પુરા)	રૂ. ૩૮૧/- (અંકે રૂપિયા ત્રણસો એકચાસી પુરા)	રૂ. ૧૮૧/- (અંકે રૂપિયા એકસો એકાશ્વ પુરા)	હુકમની તારીખના મહેસુલી વર્ષથી
કબજેદારશ્રી :-										
શ્રી ઈલાબેન મહેશકુમાર લોઢારી										
બ્લોક નંબર	સર્વે નંબર	ટી.પી નંબર	ફા.પ્લોટ નંબર	ક્ષેત્રફળ (ચો.મી.)						
૧૫૬	૨૨૬	૨	૨૧	૩૦૪૫						

નોંધ:- ડ્રાઇંગની રકમ રૂ. ૬,૦૮૦/- (અંકે રૂપિયા છ હજાર નેવું પુરા) તા. ૨૦/૦૮/૧૬ ના રોજ સ્ટેટ બેંક ઓફ ઈન્ડિયામાં "૦૦૩૫" સદરે જમા કરાવી કરાવી અસલ ચલન રજુ કરેલ છે.



રવાના કર્યું

સહી/-
(લોચન સેહરા)
ક્લેક્ટર વડોદરા

મામલતદાર (બિનખેતી)
ક્લેક્ટર કચેરી, વડોદરા



Vadodara Fire & Emergency Services
Vadodara Municipal Corporation.
1st Floor, City Command Control Centre
Badamdi Baug, Vadodara- 390209
Phone 0265-241 36 35, 241 37 54, 242 08 81, 241 37 53
E-Mail - cfo@vmc.gov.in



Fire Safety Opinion

Outward No.- 3948/2223
Date: 04/03/23

To,
Samarth Developers Partner Shri Nandubhai K.
Mulchandani,

Moje: Khanpur, Vadodara.

Subject: Fire Safety Opinion for the application made by concern person to Vadodara Fire and Emergency Services department for Building to be constructed at site details given below.

Reference: File submitted by you with Plan/Drawing Dated 24-02-2023 File No: 263.

SiteDetails: Moje: Khanpur, Vadodara, Block No.156, TP No.02, O.P No.22, FP No.21, Land to be used for construction of High-rise / Commercial / Residential Building. Height of the propose building is 15.3 Meters.

Type of Occupancy: Residential
Building usage: Resi

This is to inform the Applicant about the application made by him/her on date 24-02-2023 at the concern office with Application Letter and Plan/Drawing for issuing fire safety opinion for the place of Construction mentioned in subject. Considering your application for High-rise / Commercial / Residential Building necessary firefighting system installation and fire safety recommendation for public safety should be followed by Builder/Owner/Occupant all the time. Gujarat Fire Prevention and Life Safety Measures Act, 2013 Rules 2014/2021 and Regulations 2016/2018/2019 along with CGDCR Norms as applicable and NBC guidelines for fire safety should be strictly followed as per the nature of construction.

Building Plan/Drawing submitted by the applicant (Preferably from Registered Organization or Architect) should have all Firefighting arrangements as recommended in Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04 of National Building Code 2016 and Comprehensive General Development Control Regulations 2017 at all-time as applicable.

Note: For any Building that falls under category where public safety comes under threat as per norms and was constructed before 2017 in person inspection will be done by concern Officer and changes if required will be recommended as per Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04

of National Building Code 2016 and CGDCR, such changes must be done as suggested without any delay. (Important for TDO Department to take note of)
Details of the Plan/Drawing submitted by the applicant are found as per rules and regulations at time of application.

If in case any changes, addition or subtraction done by the Builder/Owner/Occupant in presented Plan/Drawing after getting necessary approval, the issued opinion certificate will be considered as terminated.

Site Details as per Plan/Drawing:

Type & Occupancy: Residential, Resi
Height of Building: 15.3 Meters.
Area of Construction: 2565.50 Square Mt.
Number of Towers: 01
Number of Basement/Floor: Ground+02 Floor
Building Name: ***

Name and Number will be mentioned as per TDO Letter only, in case of any changes in name and number or Dispute, Department of Vadodara Fire & Emergency Services will not take any responsibility.

Once the Construction of Building is done, inspection will be done by the concern officer if construction is found as per the proposed plan presented and satisfactory only them Fire Safety Certificate will be issued.




Parth Brahmabhatt
I/C Chief Fire Officer
Vadodara Municipal Corporation
Vadodara

(R.S.No. =Revenue Survey Number, CS No. =City Survey Number, FP=Final Plot, TP=Town Planning Scheme)
Copy to: Town Development Officer, Vadodara Municipal Corporation. Process Initiated as per.

General Requirement for Buildings:

- In reference to Chapter 4 of National Building Code of India all rules to be followed for Fire and Safety.
- Every tower should have 6 inch (150 MM) Internal Diameter (Above 18 Mtr.) GI pipe with Wet Riser system properly painted in red also Pipes which are underground should be covered and coated.
- On every floor of tower there should be proper Hose Box with Hose pipe of 63mm Diameter 1 Branch pipe with Valve on riser line. This condition should be applicable to all towers in case of multiple towers.
- Fire alarm should be placed on each and every floor, which should be audible to entire tower in case of emergency.
- 6KG Capacity ABC Stored pressure Fire Extinguisher & CO2 fire extinguisher of 4.5 KG Capacity 1 on every floor with ISI approved "Certificate" with Tower name.
- Courtyard/Margin should be as per standard and motorable road should be obstacle free for Hydraulic Elevated Platform to work in case of fire. (As per Drawing)
- Staircase should be constructed in such a way that Travel Distance should not exceed 22.5 Meters between two Staircase
- Staircase should be Positive Pressure. (Smoke Management)
- Exits staircase and Fire Tower should have a Class-I fire rating and material used for construction should have 4-hours fire resistance capacity
- Separate Fire lift, generator, and Emergency light.
- Follow all Electrical Safety Norms, Separate Generator System.

One Skip Floor mandatory above 35 meters of construction which will be used as refuse area /Duplicate Pump room on terrace with System booster pump along with this 20,000 liters water tank.

Passage road should be of 50 tons load bearing capacity.

In case of multiple wings there should be joint service floor.

Building used above 44 meters should not be done/ allowed till new Hydraulic platform is obtained

For hollow parking sprinkler system is must with Yard Hydrant.

Emergency Escape Chute from Skip floor.

Emergency Close Valve to be placed at Height of 4 Feet on Fire Hydrant Raiser line in each tower.

All Fire Fighting Instruments irrespective to size must have Buildings name engraved or painted on it.

All side of the Construction site should be clear for operation by Fire Department in case of emergency; In case if there are any Telecom Electric or Trees planted such obstacles should be cleared.

All Drain covers and flooring within premises should be of heavy duty with minimum load bearing capacity of 25 Tons if building is below 45 meters height and 50 Tons if building is above 45 Meters.

Four way collecting head should be out of premises but on front side of tower, and Two Way collecting head for each tower separately.

Proper Ventilation should be taken care of; Smoke management system should be connected with generator.

Emergency Lift, Staircases, Ramp, Water tank OH/UG (Inlet should be connected to VMC water supply line), Passage & Corridors should be kept as per guideline of NBC 2016. (Applicable to 18 Meters & above: Every Tower should have Individual Underground water tank with Capacity of 1 Lakh Liters and Overhead tank with Capacity of 20000 Liters connected to Fire Pump supported by Generator/Diesel Pump. Testing of water pressure will be done once pump is connected with GEB & Generator connection)

In case of any specific suggestion or changes guided by Chief Fire Officer should also be done on priority basis.

Fix Firefighting systems & instruments should be of ISI Standards.

GEB Transformers should not be in motorable road.

The Highest point of the tower should have approved Lightning arrester.

FSC will be issued for the purpose that is mentioned at time of application if the structure is used for other than mentioned one, the Given FSC will stand terminated

NOC Status of Buildings, Structures, or Premises that are directly or indirectly involved in legal proceedings/matter that is on-going in a court with respect to its ownership, construction type, durability or any such court matter will be terminated with immediate effect.

Entrance gate of the society should be minimum 6 Meters in width and 5Meters in height.

Side set back side area 7 meters all around the building.

In case if you are appointing Fire Safety Vendors they should Registered Fire Vendors.

If Floor area is big, than for every Staircase there should be separate Riser Line.

Isolation Valve with Two way collecting head to be placed on all Raiser Line.

3KG Flow pressure on terrace should be maintained.

Smoke management system should be installed in basement with sprinklers system in case if area if more than 200 Sq. meters.

Commercial should be auto sprinklers

Water curtain system auto operated by smoke detector in all Basements.

Basement, Semi Basement and Second Basement all should have positive air pressure.

External Staircase should be made available in case if needed or instructed.

ACP/Glass facade elevation should be properly Ventilated and Openable on every floor. Glass quality for elevation should be as per standards of NBC for which certificate need to be provided.

In case of Roof top shades be it any material are used it should be done such a way that they should not be obstacle in case of Fire Emergency.

Electric wiring/cable installed in the premises should be as per Electricity Acts & Rules and should be tested from Government approved Electrical Inspector.

Roads construction should be as it is mentioned/presented in plan. Quality of road should be of either Bituminous or Concrete.

All Fire Signage should be installed with Emergency Evacuation plan (Auto Glow).

Sky light wired Glass should be minimum of 30 minutes fire resistance as per NBC and certificate for the same to be produced.

HFL Levels should be maintained at time of Construction (D-Watering pumping System should be installed).

If construction work is not completed within 3 years from the date of Opinion certificate issued, in such case NOC will be considered as terminated.

If any wrong information if provided for the road in the given Map NOC will not be considered valid.

Other than Special Building construction like Residential Building, Commercial Building, Residence + Commercial, School/College, Hospitals, Hotel/Restaurants/Party Plot/Petrol Pump/ Classes and any others places where public gatherings are done will have to follow all above given instruction at all time in case of violation the issued NOC will be "Canceled".

As per the Norms of Vadodara Municipal Corporation at time of renewing Fire NOC, the applicant will have to pay renewal fees according to number of Risers installed.

I
Instructions.

the undersigned have read and understood all the above

Designation of Receiver:

સ્થાન: અમલક ડેવલોપર્સ જી નામ ની
અગતી ૧૨૧ જેટી સ્ટેડ અમલ વાની
૧.૪. મિનિમલ નંદુમાઈ ફાયરિંગ
F.P.NO. ૨૧, T.P.S.NO. ૨ (ખાનુર-સોમોડી)
નોંધ ખાનુર, ગેટ નં. ૧૫૬, વડોદરા.
૦૧.૦૪-૦૩-૨૦૨૩.

મિત્રો,
બગર પિમોલ્ટ-જી,
વડોદરા-૬૧૬૨૦ (વિદ્યા સંસ્થાન, ૬૪૧)
'સુશાન' મહેતાવાડી, વડોદરા.

વિષય: વિદ્યા પદ્મવતીની દોષિતા બાબત. પૂર્વે.

સંદર્ભ: નોંધ ખાનુર, બા. ગેટ નં. ૧૫૬, ફી. પોસ્ટ નં. ૨૧, ટી.પી.
સંદર્ભ નં. ૨ - (ખાનુર-સોમોડી) ની વિદ્યા પદ્મવતી
બાબત.

મે.સાહેબ, ત્રિવર્તન વિષયના સંદર્ભ ની ઓળખવાઈ + અમાર
નોંધ ખાનુર બા. ગેટ નં. ૧૫૬, ફી. પોસ્ટ નં. ૨૧, ટી.પી. નં. ૨ (ખાનુર-સોમોડી)
ની વિદ્યા પદ્મવતી ને પદ્મવતીની કાલજી તરીકે, લેવે અમાર
કાલજી સંદર્ભિત નંદુરી નોંધ છે, જે સંગ્રહ મેકિંગ ફાઈ
NOC, જે વિદ્યા પદ્મવતી દોષિતા અંગે લેવે ત્યાં ત્યાં ત્યાં
કાલજી અંગે, જે પૂર્વે અમાર પ્રોવિઝનલ ફાઈર નોંધ
નોંધ છે. જેને બધી અમાર લેવે ત્યાં છે. જે કોપી,
અમારે અમાર વિદ્યા પદ્મવતી અમાર વિદેશ.

અમાર

અમાર ફિરમ.

For Modi Srivastava & Associates. MSA.

મિ.મ
૦૩/૦૩/૨૩
રજીસ્ટર્ડ કાર્ટુન
વડોદરા શહેરી વિકાસ સંસ્થા
બેલ બોર્ડ ટી સર્કલની સામે
સુશાન, અમિલીયા,
વડોદરા - ૩૬૦ ૦૧૮.

of National Building Code 2016 and CGDCR, such changes must be done as suggested without any delay. (Important for TDO Department to take note of)
Details of the Plan/Drawing submitted by the applicant are found as per rules and regulations at time of application.

If in case any changes, addition or subtraction done by the Builder/Owner/Occupant in presented Plan/Drawing after getting necessary approval, the issued opinion certificate will be considered as terminated.

Site Details as per Plan/Drawing:

Type & Occupancy: Residential, Resi
Height of Building: 15.3 Meters.
Area of Construction: 2565.50 Square Mt.
Number of Towers: 01
Number of Basement/Floor: Ground+02 Floor
Building Name: ***

Name and Number will be mentioned as per TDO Letter only, in case of any changes in name and number or Dispute, Department of Vadodara Fire & Emergency Services will not take any responsibility.

Once the Construction of Building is done, inspection will be done by the concern officer if construction is found as per the proposed plan presented and satisfactory only them Fire Safety Certificate will be issued.



Parth Brahmhatt
I/C Chief Fire Officer
Vadodara Municipal Corporation
Vadodara

(R.S.No. =Revenue Survey Number, CS No. =City Survey Number, FP=Final Plot, TP=Town Planning Scheme)
Copy to: Town Development Officer, Vadodara Municipal Corporation. Process Initiated as per.

General Requirement for Buildings:

- In reference to Chapter 4 of National Building Code of India all rules to be followed for Fire and Safety.
- Every tower should have 6 inch (150 MM) Internal Diameter (Above 18 Mtr.) GI pipe with Wet Riser system properly painted in red also Pipes which are underground should be covered and coated.
- On every floor of tower there should be proper Hose Box with Hose pipe of 63mm Diameter 1 Branch pipe with Valve on riser line. This condition should be applicable to all towers in case of multiple towers.
- Fire alarm should be placed on each and every floor, which should be audible to entire tower in case of emergency.
- 6KG Capacity ABC Stored pressure Fire Extinguisher & CO2 fire extinguisher of 4.5 KG Capacity 1 on every floor with ISI approved "Certificate" with Tower name.
- Courtyard/Margin should be as per standard and motorable road should be obstacle free for Hydraulic Elevated Platform to work in case of fire. (As per Drawing)
- Staircase should be constructed in such a way that Travel Distance should not exceed 22.5 Meters between two Staircase
- Staircase should be Positive Pressure. (Smoke Management)
- Exits staircase and Fire Tower should have a Class-1 fire rating and material used for construction should have 4-hours fire resistance capacity
- Separate Fire lift, generator, and Emergency light.
- Follow all Electrical Safety Norms, Separate Generator System.

- One Skip Floor mandatory above 35 meters of construction which will be used as refuse area /Duplicate Pump room on terrace with System booster pump along with this 20,000 liters water tank.
- Passage road should be of 50 tons load bearing capacity.
- In case of multiple wings there should be joint service floor.
- Building used above 44 meters should not be done/ allowed till new Hydraulic platform is obtained
- For hollow parking sprinkler system is must with Yard Hydrant.
- Emergency Escape Chute from Skip floor.
- Emergency Close Valve to be placed at Height of 4 Feet on Fire Hydrant Raiser line in each tower.
- All Fire Fighting Instruments irrespective to size must have Buildings name engraved or painted on it.
- All side of the Construction site should be clear for operation by Fire Department in case of emergency; In case if there are any Telecom Electric or Trees planted such obstacles should be cleared.
- All Drain covers and flooring within premises should be of heavy duty with minimum load baring capacity of 25 Tons if building is below 45 meters height and 50 Tons if building is above 45 Meters.
- Four way collecting head should be out of premises but on front side of tower, and Two Way collecting head for each tower separately.
- Proper Ventilation should be taken care of; Smoke management system should be connected with generator.
- Emergency Lift, Staircases, Ramp, Water tank OH/UG (Inlet should be connected to VMC water supply line), Passage & Corridors should be kept as per guideline of NBC 2016. (Applicable to 18 Meters & above: Every Tower should have Individual Underground water tank with Capacity of 1 Lakh Liters and Overhead tank with Capacity of 20000 Liters connected to Fire Pump supported by Generator/Diesel Pump. Testing of water pressure will be done once pump is connected with GEB & Generator connection)
- In case of any specific suggestion or changes guided by Chief Fire Officer should also be done on priority basis.
- Fix Firefighting systems & instruments should be of ISI Standards.
- GEB Transformers should not be in motorable road.
- The Highest point of the tower should have approved Lightning arrester.
- FSC will be issued for the purpose that is mentioned at time of application if the structure is used for other than mentioned one, the Given FSC will stand terminated
- NOC Status of Buildings, Structures, or Premises that are directly or indirectly involved in legal proceedings/matter that is on-going in a court with respect to its ownership, construction type, durability or any such court matter will be terminated with immediate effect.
- Entrance gate of the society should be minimum 6 Meters in width and 5Meters in height.
- Side set back side area 7 meters all around the building.
- In case if you are appointing Fire Safety Vendors they should Registered Fire Vendors.
- If Floor area is big, than for every Staircase there should be separate Riser Line.
- Isolation Valve with Two way collecting head to be placed on all Raiser Line.
- 3KG Flow pressure on terrace should be maintained.
- Smoke management system should be installed in basement with sprinklers system in case if area if more than 200 Sq. meters.
- Commercial should be auto sprinklers
- Water curtain system auto operated by smoke detector in all Basements.
- Basement, Semi Basement and Second Basement all should have positive air pressure.
- External Staircase should be made available in case if needed or instructed.
- ACP/Glass facade elevation should be properly Ventilated and Openable on every floor. Glass quality for elevation should be as per standards of NBC for which certificate need to be provided.
- In case of Roof top shades be it any material are used it should be done such a way that they should not be obstacle in case of Fire Emergency.
- Electric wiring/cable installed in the premises should be as per Electricity Acts & Rules and should be tested from Government approved Electrical Inspector.
- Roads construction should be as it is mentioned/presented in plan. Quality of road should be of either Bituminous or Concrete.
- All Fire Signage should be installed with Emergency Evacuation plan (Auto Glow).
- Sky light wired Glass should be minimum of 30 minutes fire resistance as per NBC and certificate for the same to be produced.
- HFL Levels should be maintained at time of Construction (D-Watering pumping System should be installed).
- If construction work is not completed within 3 years from the date of Opinion certificate issued, in such case NOC will be considered as terminated.
- If any wrong information if provided for the road in the given Map NOC will not be considered valid.
- Other than Special Building construction like Residential Building, Commercial Building, Residence + Commercial, School/College, Hospitals, Hotel/Restaurants/Party Plot/Petrol Pump/ Classes and any others places where public gatherings are done will have to follow all above given instruction at all time in case of violation the issued NOC will be "Canceled".
- As per the Norms of Vadodara Municipal Corporation at time of renewing Fire NOC, the applicant will have to pay renewal fees according to number of Risers installed.

I _____
Instructions.

the undersigned have read and understood all the above

Designation of Receiver: _____

Contact Details:
Signature
TEXTAP/OUTWARD:
Date:

Receiver: