



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

(1) Sureshbhai Ambalal And Others

Sepal Elegant - 4, Chandkheda
Tragad Road, C. T. Road,
Chandkheda, Ahmedabad. C/o
Jagdish B Patel, Mo: 09426170828

Date: 20-10-2016

Valid Upto: 19-10-2021

No Objection Certificate for Height Clearance

1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations.

2. This office has no objection to the construction of the proposed structure as per the following details:

NOC ID :	AHME/WEST/B/100316/175514
Applicant Name*	Jagdish B Patel
Site Address*	TPS No 72 Tragad Zundal FP No 16 Survey No 364 2 At Zundal Taluka Gandhinagar District Gandhinagar, At Zundal Taluka Gandhinagar District Gandhinagar, Ahmedabad, Gujarat
Site Coordinates*	72 34 15.36-23 07 46.17, 72 34 15.37-23 07 47.52, 72 34 16.35-23 07 46.79, 72 34 16.86-23 07 47.41, 72 34 16.97-23 07 46.18,
Site Elevation in mtrs AMSL as submitted by Applicant*	60.624 M
Permissible Top Elevation in mtrs Above Mean Sea Level(AMSL)	159.81 M (Restricted)

*As provided by applicant

3. This NOC is subject to the terms and conditions as given below:

Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates & site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The office in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994"

b. The Structure height (including any superstructure) shall be calculated by subtracting the Site elevation in AMSL from the Permissible Top Elevation in AMSL i.e. Maximum Structure Height = Permissible Top Elevation minus (-) Site Elevation.

c. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

d. No radio/TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation of 159.81 M (Restricted), as indicated in para 2.

Page 1/2

राजीव गांधी भवन
Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003
Safdarjung Airport, New Delhi-110003

दूरभाष : 24632950

Phone: 24632950



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

- e. Only use of oil fired or electric fired furnace is permissible, within 8 KM of the Aerodrome Reference Point.
- f. The certificate is valid for a period of 5 years from the date of its issue. If the construction of structure/Chimney is not commenced within the period, a fresh 'NOC' from the Designated Officer of Airports Authority of India shall be obtained. However, if construction work has commenced, onetime revalidation request, for a period not exceeding 8 years from the date of issue of NOC in respect of building/structure and for a period not exceeding 12 years from the date of issue of NOC in respect of chimney, may be considered by AAI. The date of completion of the Structure should be intimated to this office.
- g. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights
- h. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.
- i. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in
- j. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.
- k. This NOC has been issued w.r.t. the Civil Airports. Applicant needs to seek separate NOC from Defence, if the site lies within their jurisdiction.
- l. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.
- m. In case of any dispute w.r.t site elevation and/or AGL height, top elevation in AMSL shall prevail.

Chairman NOC Committee

Region Name: WEST

Address: Jt. General Manager Airports
Authority of India, SVP
International Airport
Ahmedabad-3800003(Gujrat)

Email ID: nocahm@aai.aero

Contact No: 079-22863396

वरिष्ठ प्रबंधक (एटीएम-एन.ओ.सी.)
Sr. Manager (ATM-NOC)
सदस्य सचिव (एन.ओ.सी. कोल)
Member Secretary (NOC Coli)
स.व.प. अंतर्राष्ट्रीय हवाई अड्डा
SVP International Airport,
अहमदाबाद/Ahmedabad-3.



5-864

भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

संदर्भ संख्या: एएआई/एच/एटीसीओ-61/ J27688

दूतगामी डाक
दिनांक: 20.10.2016
21

सेवा में,

✓ श्री सुरेशभाई अम्बालाल एवं अन्य,
मारफत डोलरिया डीजाइन (जगदीश भीखाभाई पटेल)
सी/17, दूसरी मंजिल, पदमावती फ्लेट,
नारणनगर बस स्टॉप के पास, मुकेश भाजीपांव के ऊपर,
नरोडा, ता. सीटी, जिला: अहमदाबाद-382330

विषय: अनापत्ति प्रमाणपत्र जारी करने हेतु, NOC ID: AHME/WEST/B/100316/175514

महोदय,


The NOC letter for NOC ID: AHME/WEST/B/100316/175514 is enclosed.

Name of the Owner as per NOCAS Application- (1) Sureshbhai Ambalal And Others.

Site Address as per NOCAS Application- TPS No 72 Tragad Zundal FP No 16 Survey No 364

2 At Zundal Taluka Gandhinagar District Gandhinagar.

सधन्यवाद


(तपन नायक)

वरिष्ठ प्रबंधक (वा. या. नि. एन. ओ. सी.)
एवं सदस्य सचिव (एन. ओ. सी. सी.)
कृते विमानपत्तन निदेशक



AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.) AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079) 22148598.

(No.200. Dt.:19/09/2016)

(165021)

To,
Sh. Suresh Ambalal Patel
215, Ground floor, Monarch,
Satellite, Ahmedabad.

Sub: Fire safety & protection, opinion for a proposed high-rise
Building (25 metres).

Sir,

This is to intimate that, the plans submitted for high-rise Commercial cum Residential Building with Basement Parking + Ground floor HPP and shops + 1st floors shops and residence + 2nd to 6th floors residence. At F.P.no.75, T.P.no.72 (zundal), Ahmedabad have all the required line drawings and write-up required for the opinion, are as per the requirement of fire prevention and protection.

All norms as per the Fire Prevention and Life Safety Measures Act-2013, Gujarat state, have to be followed for providing Fire Prevention and Protection system, are to be followed.

Moreover, it is required that all the staircases of the building shall be ventilated above the parapet wall at each floor level and shall be 1.5 meters clear in width.

A motorable road with 40 ton load bearing capacity and minimum 4 metres wide, is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles. (Except one side ramp.)


The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

- The building should have fire Protection system as per approved plans.
- Shops at all level, Basement Parking and HPP shall be sprinklered.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.

The copies of plans are returned herewith duly signed and have to be submitted during final inspection of the fire fighting system.




(M.F. Dastoor)
Chief Fire Officer