

નાં. એન.એ-લેટેસ્ટ-૬૫-કેસ નં. ૪૪/૧૦-૧૧

જિલ્લા સેવા સદન,
કલેક્ટર કચેરી,
બિનખેતી શરતભંજ શાખા,
શ્રોક રોડ, રાજકોટ.
તા. ૩-૧૨-૨૦૧૦.

વિષય :- રાજકોટ તાલુકાના મુંજકા ગામના સર્વે નં. ૩૭ પૈકી ૮ તથા સર્વે નં. ૩૭ પૈકી ૯ ની ટી.પી. નં. ૯ એફ.પી. નં. ૨૩/૭ થી કાળવેલ જમીન એ. ૪-૨૯ ગુંડા જમીન ચો. મી. ૧૯૧૮૦-૦૦ ને રહેણાંક હેતુ માટે બિનખેતી પરવાનગી આપવા બાબત.



વંચાણ :-

1. અરજદારશ્રી બી.પી.નયંદ્રભાઈ બાવનજીભાઈ હીરપરા વિઝેરે. રહે. રાજકોટ ની તા. ૮-૯-૨૦૧૦ ની છેલ્લી અરજી.
2. સહાયક નગર નિયોજકશ્રી, રાજકોટના પત્ર નં. રૂડા/ટેક/ડેવ/મુંજકા/૪૨૪/૧૦/૨૧૯૬ તા. ૨૧-૫-૨૦૧૦.
3. નગર નિયોજકશ્રી, રાજકોટ શહેર વિકાસ સત્તામંડળ રાજકોટના પત્ર નં. રૂડા/ટેક/ડેવ/મુંજકા/૪૨૨/૧૦/૩૭૫૯ તા. ૧૮-૯-૨૦૧૦.
4. ખાસ જમીન સંપાદન અધિકારીશ્રી, રાજકોટના પત્ર નં. એલ.એફ.યુ/મુંજકા/સ.નં. ૩૭/પૈકી/૮/૩૭/પૈકી/૯/૫૨/૪૯૬/૧૦ તા. ૧૧-૬-૨૦૧૦.
5. નાયબ કલેક્ટરશ્રી, જમીન સંપાદન અને પુનઃ વસવાટ(સિયાઈ), રાજકોટના પત્ર નં. એલ.એફ.યુ-બિનખેતી/૩૫૨/૧૦ તા. ૨૯-૬-૨૦૧૦.
6. મામલતદારશ્રી, રાજકોટ તાલુકાના પત્ર નં. જમન/વશી/૯૯૮૮/૧૦ તા. ૨૬/૮/૨૦૧૦.
7. નાયબ કલેક્ટરશ્રી, રાજકોટના પત્ર નં. પ્રક/જમન/૧/એન.એ./રજી.નં. ૯૧/૨૦૧૦/વશી/૩૯૪૦/૨૫૫૦/૧૦ તા. ૩-૯-૨૦૧૦.
8. આ કચેરીની તા. ૪/૧૧/૨૦૧૦ ની નોંધ પરનો આદેશ.
9. અત્રેના અધિકારી અનામત રાખ્યાના જાહેરનામા ક્રમાંક : ડી.એ-રેવ-પાર્સ-વશી-૧૫૦૨-૧૫૩૭ તા. ૧૯-૩-૧૯૯૩.
10. સરકારશ્રીના મહેસુલ વિભાગના પરીપત્ર નં. એલ.આર.સી/૧૦/૨૦૦૨/૧૬૪૦/૬ તા. ૨૨-૪-૦૩ થી ઉપાંતર કરે તથા બિનખેતી આકારના નકડી થયેલ દર.



:- હુકમ :-

રાજકોટ તાલુકાના મુંજકા ગામના ખાતેદારશ્રી બી.પી.નયંદ્રભાઈ બાવનજીભાઈ હીરપરા વિઝેરે એ તેઓના ગામ નમુના નાં. ૮-અ ના ખાતા નાં. ૧૮૪ ની મુંજકાનાં સર્વે નં. ૩૭ પૈકી ૮ તથા સર્વે નં. ૩૭ પૈકી ૯ ની ટી.પી. નં. ૯ એફ.પી. નં. ૨૩/૭ થી કાળવેલ જમીન એ. ૪-૨૯ ગુંડા જમીન ચો. મી. ૧૯૧૮૦-૦૦ ને રહેણાંક હેતુ માટે બિનખેતી આકાર નકડી કરવા અત્રેને વંચાણ-૧ મુજબ અરજી રજુ કરવામાં આવેલ અરજદારની અરજી સંબંધમાં સંબંધિત ખાતાઓની કચેરીઓના 'ના-સાંધા પ્રમાણપત્ર' મોકલવામાં આવેલ, જે ઉપરોક્ત વંચાણ-૩ થી ૭ સુધીના દર્શાવેલ પત્રોથી આવેલ છે. તેમજ કોઈ તરફથી વાંધાજનક હકીકત રજુ થયેલ નથી. સવાલવાળી જમીનનો લે-આઉટ પ્લાન સહાયક નગર નિયોજકશ્રી, શહેરી વિકાસ સત્તામંડળ રાજકોટ તરફથી વંચાણ-૨ના પત્રથી મંજૂર કરેલ છે.

આમ ઉપરોક્ત વિગતે વંચાણ-૩ થી ૭ સુધીના દર્શાવેલ તમામ પત્રોનું અવલોકન કરતાં સવાલવાળી જમીન રહેણાંક હેતુ માટે બિનખેતી આકાર નકડી કરવા લગત કચેરીઓના અભિપ્રાયો આવેલ હોય. રહેણાંક હેતુ માટે

બિનખેતી આકાર નક્કી કરવા પરવાનગી આપવા હરકત સરખુ જણાતુ ન હોય, મુંજકા ગામના સર્વે નં. ૩૭ પૈકી ૮ તથા સર્વે નં. ૩૭ પૈકી ૯ ની ટી.પી.નં. ૯ એફ.પી.નં. ૨૩/૭ થી કાળવેલ જમીન એ.જ-૨૯ ગુંડા જમીન ચો.મી. ૧૯૧૮૦-૦૦ ને લેન્ડ રેવન્યુ કોડની કલમ-૬૫ અનુસાર તથા વંચાણ-૯ના જાહેરનામાથી અમોને મળેલ અધિકારની રૂએ નીચે જણાવેલ શરતોને આધીન રહીને રહેણાંકના હેતુ માટે બિનખેતી આકાર નક્કી કરવાની આથી પરવાનગી આપવામાં આવે છે.

સવાલવાળી આ ખેતીની જમીનને રહેણાંકના હેતુ માટે બિનખેતી આકાર નક્કી કરવાની થતી કુલ જમીન ચો.મી. ૧૯૧૮૦-૦૦ ના દર ચો.મી. એકના રૂ. ૧૦/- ની ગણતરીએ રૂપાંતર કરની રકમ રૂ. ૧,૯૧,૮૦૦/- અને રૂપિયા : એકલાખ એકાણુ હજાર આઠસો પુરા સ્ટેટ બેંક ઓફ ઈન્ડિયા, રેસકોર્ડ રોડ શાખા, રાજકોટ ખાતે ચલણ નં. ૧૧૧ તા. ૧૦-૧૧-૨૦૧૦ થી જમા કરાવીને અસલ ચલણ અંગેને રજુ કરવામાં આવેલ છે. જે કેસ કોર્ટમાં સામેલ રાખવામાં આવેલ છે. સવાલવાળી જમીન નીચેની શરતોને આધીન રહીને રહેણાંકના હેતુ માટે બિનખેતી આકાર નક્કી કરવામાં આવે છે, જે ખાતેદાર તથા ઉત્તરોત્તર જમીન કે મકાન ખરીદનારાઓને લાયુ પડશે.

સવાલવાળી જમીનમાં ટી.પી.સ્કીમ મુજબ તેમાં આવતા કેરકારો અરજદારો તથા ઉત્તરોત્તર જમીન કે મકાન ખરીદનારાઓને બંધનકર્તા રહેશે. તેમજ સહાયક નગર નિયોજકશ્રી, રાજકોટના પત્ર નં. રૂડા / ટેક / ૩૬ / મુંજકા / ૪૨૪ / ૧૦ / ૨૧૯૬ તા. ૨૧-૫-૨૦૧૦ માં જણાવેલી શરતોની અમલવારી કરવાની રહેશે. સહરુ જમીન ઉપર બાંધકામ પરવાનગી આપતા પહેલા સંબંધિત સત્તાધિકારીએ જમીનનાં રોડ, રેસ્ટા, વીજલાઈન, રેલ્વેલાઈન, કેનાલ, બાંધકામ રેખા, નિયંત્રણ રેખા, એપ્રોચ, વિગેરે પકારી તે અંગેના નિયમો ધ્યાને લઈ તે અનુસાર જ બાંધકામ / વિકાસ પરવાનગી આપવાની રહેશે. સવાલવાળી જમીન સર્વે નં. ૩૭ પૈકી ૮ તથા સર્વે નં. ૩૭ પૈકી ૯ ની ટી.પી.નં. ૯ એફ.પી.નં. ૨૩/૭ થી કાળવેલ જમીન એ.જ-૨૯ ગુંડા જમીન ચો.મી. ૧૯૧૮૦-૦૦ ખાતાં નં. ૧૮૪ ની તમામ જમીન બિનખેતી થતી હોય આ ખેતી ખાતું બંધ કરવાનું રહેશે.

—: શરતો :—

1. સવાલવાળી જમીન સર્વે નં. ૩૭ પૈકી ૮ તથા સર્વે નં. ૩૭ પૈકી ૯ ની ટી.પી.નં. ૯ એફ.પી.નં. ૨૩/૭ થી કાળવેલ જમીન એ.જ-૨૯ ગુંડા જમીન ચો.મી. ૧૯૧૮૦-૦૦ ને ફક્ત રહેણાંકના હેતુ માટે જ બિનખેતી આકાર નક્કી કરવા પરવાનગી આપવામાં આવે છે, તે શિવાય અન્ય કોઈ હેતુ માટે ઉપયોગ થઈ શકશે નહીં.
2. સવાલવાળી જમીનના મંજૂર કરેલ લે-આઉટ પ્લાનને અનુરૂપ પ્લોટવાઈઝ ડીટેઈલ્ડ બિલ્ડીંગ પ્લાન તથા સાર્ટીફિકેટેડ પ્લાન આ હુકમ મળ્યાની તારીખથી ત્રણ માસની અંદર અરજદારશ્રીએ નગર નિયોજકશ્રી, શહેરી વિકાસ સત્તામંડળ રાજકોટ પાસે મંજૂર કરાવવાના રહેશે, અને બે વર્ષમાં બાંધકામ પુર્ણ કરવાનું રહેશે.
3. આ હુકમ સાથે જોડવામાં આવેલ પરિશિષ્ટ-૧ તથા પરિશિષ્ટ-૨ની સમગ્ર શરતો તથા બાબતો આ હુકમને લાયુ પાડવામાં આવે છે. જેથી તેનો ચુસ્તપણે અમલ કરવાનો રહેશે.
4. સવાલવાળી જમીનની માપણી ઠીની રકમ રૂ. ૧,૮૦૦/- સ્ટેટ બેંક ઓફ ઈન્ડિયા, રેસકોર્ડ શાખા, રાજકોટ ખાતે ચલણ નં. ૬૮ તા. ૧૦-૧૧-૨૦૧૦ થી અરજદારશ્રીએ ભરપાઈ કરી ચલનની સેરોલ નકલ અને રજુ કરી છે, તે મુજબ દિવસ-૩૦માં અરજદારશ્રીએ જિલ્લા નિરીક્ષકશ્રી, જમીન દફતર, રાજકોટની કબેરીમાં સવાલવાળી જમીનની માપણી કરાવી માપણી શીટની નકલ અંગેને રજુ કરવાની રહેશે.

5. સાર્વજનિક પ્લોટ તરીકે અનામત સમવાયામાં આવેલ જમીનો ઉપયોગ સાર્વજનિક હેતુ માટે જ થઈ શકશે. તે સિવાય વ્યક્તિગત ઉપયોગ માટે વેચાણ, ગીરો, બીજીસ કે હરરાજ કે અન્ય કોઈપણ પ્રકારના વેચાણ વ્યવહાર થઈ શકશે નહીં, તેમજ કોમન પ્લોટ અને રસ્તાની જમીન સોસાયટીના સહીયોગી સહીયોગી માલિકીની અથવા સર્વે પ્લોટ હોલરોની સહીયોગી માલિકીની ગણાશે, તે ઉપર મુજબ માલિકીનો કોઈ હક્ક રહેશે નહીં.
6. બાંધકામના નિયમોની જોગવાઈ પ્રમાણે સોસાયટીની એટલે કે બાધાની સહીયોગી ઉપયોગ માટે ક્લબ, ઓફીસનું મકાન, સહકારી બંડાર બાંધવા કોમન પ્લોટના ૧:૬ ભાગના ક્ષેત્રફળમાં બાંધકામ કરવા પ્લોટ હોલરો ઈચ્છે તો મંજૂરી મેળવી લેવા શકી શકે છે. તે સિવાયના કોઈપણ હેતુ માટે સાર્વજનિક પ્લોટનો ઉપયોગ હોય તો પણ કોમન પ્લોટમાં બાંધકામ કરી શકાશે નહીં.
7. રસ્તા અને કોમન પ્લોટની જમીનનું હરરાજથી, બીજીસથી કે અન્ય કોઈપણ રીતે વેચાણ કે તબદીલી થઈ શકશે નહીં.
8. સવાલવાળી જમીનના આંતરીક રસ્તાઓ, ગટરો, વિજળી વિગેરે સુવિધાઓ અરજદારે પોતાના ખર્ચે નિયમાનુસાર તૈયાર કરાવી આપવાના રહેશે, અથવા તો આ અંગે ધારામોરલો નગર નિયોજકશ્રી, શહેરી વિકાસ સત્તામંડળ રાજકોટને ડેવલપમેન્ટ ગ્રાન્ટ ભરવાનો રહેશે.
9. આ હુકમની શરત નં: ૪ નું પાલન થયે તેમજ અપીલ પીરીયડ પુરો થયા બાદ સનંદ નિયત નમુનામાં તૈયાર કરી મામલતદારશ્રી, રાજકોટ તાલુકાએ અને મોકલી આપવાની રહેશે.
10. રસ્તા સહિતની સમગ્ર જમીનનો બિનખેતી આકાર પ્લોટ વેચાણ કરવામાં આવે ત્યાં સુધી મુજબ ખાતેદાર અને પ્લોટ વેચાણ કર્યેથી તમામ પ્લોટ હોલરોએ પ્રમાણસર ભરવાનો રહેશે.
11. હાલમાં નક્કી કરેલ તે દરે તથા સરકારશ્રી તરફથી વખતોવખત નક્કી થાય તે દરે બિનખેતીનો આકાર ભરવાનો રહેશે.
12. સવાલવાળી જમીનને પ્રવેશ ઉત્તરે થતા પુર્વે આવેલ ૧૨-૦૦ મીટરનાં વાઈડ ટી.પી. રોડ પરથી પ્રવેશ મળે છે, સદર રોડની હિંચાતિ, વર્ગીકરણ, બાંધકામ, રેખા, નિયંત્રણ રેખા બાબતે જે તે સંબંધિત ખાતાનો અભિપ્રાય મેળવી લેવાનો રહેશે, તેમજ અધિકૃત પ્રવેશ પણ મેળવી લેવાનો રહેશે.
13. લાગુ બિનખેતી થયેલ જમીનમાંથી પ્રવેશ મેળવેલ હોય તો તે જમીન માલિકીની પ્રવેશ અંગેની સંમતિ મેળવવાની રહેશે, તેમજ સ્થળ પર લાગુ રસ્તાઓ આવતા હોય તો પણ મેળવી લેવાના રહેશે તથા તે અરજદારોને તથા કિરોતર ખરીદનારાઓને બંધનકર્તા રહેશે.
14. નવા બનતા દરેક મકાનમાં પુરતા પ્રમાણમાં પાણીબંધ જાજર બનાવવાના રહેશે.
15. નવા બનતા દરેક મકાનમાં પીવાના પાણીની વ્યવસ્થા સાર્વજનિક ધોરણે કરવાની રહેશે.
16. નવા બનતા દરેક મકાનમાં બંદા પાણીના નિકાલની પાકી ગટરો બનાવવાની રહેશે.
17. નવા બનતા દરેક મકાનમાં નિયમીત સાફ સ્કાઈ કરવાની રહેશે.
18. અંદરના તથા બહારના રસ્તાઓ સમતલ કરવાના રહેશે.
19. સરકારશ્રીના વખતોવખતના બદલાતા નિયમો લાગુ પડશે.
20. નવા બનતા દરેક મકાનમાં હવા ઉજાસ માટે ક્રોસ વેન્ટીલેશન મુકવાના રહેશે.
21. નવા બનતા દરેક મકાનમાં આ હુકમના જાણાવા સિવાયના હેતુ માટેનો ઉપયોગ કરવો નહીં. હેતુકેર થયે કરીથી પરવાનગી લેવાની રહેશે.

22. કોમન પ્લોટ અને રસ્તાની જમીનનું રાજીનામું આપે ત્યારે બિનખેતી આકાર કમી કરવાનો થાય છે. તેમ છતાં રસ્તા અને કોમન પ્લોટનો ઉપયોગ તો સોસાયટીના રહીશોને કરવાનો રહેશે.
23. મુસદ્દાપૂર્વ નગરરચના યોજના અમલમાં આવે તો તે અંગે સરકારશ્રી દ્વારા જે ઠેરફાર સુચવવામાં આવે તો તે બંધનકર્તા રહેશે.
24. સવાલવાળી જમીનમાં એપ્રોચ જવા માટે રસ્તાઓ અંગેની વ્યવસ્થા અરજદારે પોતાના ખર્ચે કરવાની રહેશે, તથા લેઆઉટ પ્લાનની વિગતે એપ્રોચ તથા તમામ રસ્તાઓ કાયમી ધોરણે ખુલ્લા રાખવાના રહેશે, તે મુજબ રોડ રસ્તા કાયમી ધોરણે ખુલ્લા રાખવાના રહેશે.
25. સરકારશ્રીમાંથી આ બાબતે વખતો વખત સુધારા થાય તે મુજબની શરતો લાગુ પડશે.
26. સરકારશ્રીના મહેસુલ વિભાગના પરીપત્ર નાં: બપપ-૧૦૮૨-૩૨૦૧-ક, તા: ૧૨-૧૨-૮૯ થી મોકલી મળ્યા મુજબ જમીન ઉપર કરવાના સુધિત બાંધકામનો પ્લાન કેન્દ્ર સરકારના નાગરિક ઉદ્યોગ મંત્રાલયના તા.૧૫-૩-૮૯ના જાહેરનામા દ્વારા મુકવામાં આવેલ પ્રતિબંધો અને અન્ય જોગવાઈઓ સાથે સુસંગત રહેશે. આ પ્લાન તૈયાર કરી સંબંધિત સશમ સંરચા / અધિકારી પાસે મંજૂર કરાવ્યા બાદ જ પ્લાન મુજબ બાંધકામ કરવાનું રહેશે, અને આ રીતે કરવામાં આવેલ બાંધકામમાં ભવિષ્યમાં કોઈ ઠેરફારો કે સુધારો/વધારો કરવા અંગે બાંધકામનો પ્લાન મંજૂર કરાવવાના પ્રસંગે તથા તેના અનુસંધાનમાં બાંધકામ કરવાનું થાય ત્યારે કેન્દ્ર સરકારના ઉક્ત જાહેરનામાની જોગવાઈઓ અને નિયમોનું પાલન થાય તે પ્રમાણે બાંધકામ કે સુધારાવધારા કરવાના રહેશે.
27. સવાલવાળી જમીનનો રહેણાંક પ્લેટ માટેનો બિનખેતી આકાર દર ચો.મી.એકના ૦-૨૫ પૈસા મુજબ તા.૧-૮-૨૦૧૦ થી લેવાનો રહેશે અને મંજૂર કરેલ લે-આઉટ પ્લાન મુજબ વિગતવાર બિનખેતી આકાર પ્લોટવાઈઝ આ સાથેના પત્રક-૧ મુજબ મુકરર કરવામાં આવે છે. બિનખેતી આકાર નજીકનાં દશાંશમાં વસુલ કરવાનો રહેશે.
28. વરસાદી પાણીના ભુગર્ભવહન/સંચય માટે દર મકાન / બહુમાળી મકાન (નકશા મંજૂર કરવાની સત્તા ધરાવતા સત્તાતંત્રને આપેલ મંજૂરી મુજબ) એક દીઠ પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે.
29. પ્લોટદીઠ ઓછામાં ઓછા ચારની સંખ્યામાં પર્યાવરણની જાળવણી વર્ધ શકે તેવા વૃક્ષોનું કુલ મળવાની તારીખથી ૯૦ દિવસમાં વાવેતર કરી, ઉછેરી, તેની ઉતરોતર જાળવણી કરવાની રહેશે.
30. સવાલવાળી જમીન બાબતમાં કોઈપણ નામદાર કોર્ટમાં કોઈ કેસ ચાલતો હશે તો તે અરજદારોને તથા ઉતરોતર ખરીદનારાઓને બંધનકર્તા રહેશે.
31. સવાલવાળી જમીનમાં બાંધકામ સાથે ધરવાનુ થાય ત્યાં ૧૦૦ ટેકા જગ્યામાં " ફ્લાયએશ " માંથી બનાવેલ ઈટીનો વપરાશ કરવાનો રહેશે.
32. સવાલવાળી જમીનમાં બાંધકામ તુરત સળગી ઉઠે તેવા રફોટક પદાર્થ વાપરી શકાશે નહીં.
33. સવાલવાળી જમીનમાં બાંધકામ કરવામાં આવે ત્યારે સોઈલ ટેસ્ટીંગ કરવા તથા ભૂકંપપ્રુક બાંધકામ થાય તે સંબંધે સંબંધિત સ્થાનિક સંસ્થાને વિકાસ પરવાનગી આપતી વખતે જરૂરી ખરાઈ કરવાની રહેશે.
34. આ બધી કે કોઈપણ શરત અગર તે સાથેના પરિશિષ્ટોની કોઈપણ એક શરત કે બધી શરતોની ભંગ માલુમ પડે લેન્ડ રેવન્યુ કોડની જોગવાઈ હેઠળ પગલા લેવાને પાત્ર રહેશે.

ઉપરોક્ત બિનખેતી આકારની નોંધ ગામ તથા તાલુકા દરેકતરે તેમજ સનદમાં કરવાની રહેશે. સનદ નમુના 'એમ' માં મામલતદારશ્રી, રાજકોટ તાલુકાએ અપીલ પીરીયક પુરો થયા બાદ તૈયાર કરી અને મોકલી આપવાની રહેશે.

ગામ તથા તાલુકા દરેકતરે દાખલો રાખવો.

રવાના કર્યું

મામલતદાર
બિનખેતી શરતબંધ
રાજકોટ



સહી:-(એચ.એસ. પટેલ)
કલેક્ટર
રાજકોટ જિલ્લો
રાજકોટ

રજ. એ. ડી. થી

પ્રતિ :

(૧) શ્રી બી.પી.નરસિંહભાઈ બાવનજીભાઈ હીરપરા

(૨) શ્રી લલીતકુમાર બંસીભાઈ રાઠી

૧૦. સી. એમ. જાડેજા,

"ગોકુલેશ" ૨-શ્રમજીવી સોસાયટી,

શારદા વિદ્યાલય પાસે, ગુરુકુળ પાછળ,

રાજકોટ (પ્લાન સાથે)

નકલ રવાના : (તમામને પ્લાનની નકલ સાથે)

1. નાયબ કલેક્ટરશ્રી, રાજકોટ
2. નગર નિયંત્રકશ્રી, શહેરી વિકાસ સત્તામંડળ, રાજકોટ
3. જિલ્લા નિરીક્ષકશ્રી, જમીન દરેકતર, રાજકોટ - માપણી કી ભર્યાના ચલણની નકલ તથા રેવન્યુ રેકર્ડની નકલ સાથે સવાલવાળી જમીનમાં અરજદારની અરજ આપારે માપણી થયે આધારો મોકલી આપવા સારું.
4. સીટી સર્વે ઓફીસરશ્રી, રાજકોટ તાલુકા
5. મામલતદારશ્રી, રાજકોટ તાલુકા - હુકમ મુજબ અમલ કરવા તથા નોંધ પ્રમાણિત થયે તુરંત આધાર મોકલી આપવા વિનંતી છે.
6. નાયબ મામલતદારશ્રી, ઈ-ધરા ૧/૦ મામલતદાર કચેરી, રાજકોટ તાલુકા, હુકમ મુજબ ગામ દરેકતરે નોંધ કરવા સારું.
7. તલાટીશ્રી મુંજકા ૧/૦ મામલતદાર કચેરી, રાજકોટ તાલુકા હુકમ મુજબ અમલવારી કરવા તથા ગામ દરેકતરે હુકમ મુજબ નોંધ પ્રમાણિત થયે તુરંત આધાર અને મોકલી આપવા સારું.
8. પરિશિષ્ટ-૫ની ફાઈલ.
9. આ કચેરીની રેકર્ડ થાપા.

આ કચેરીના હુકમ નં. એનએ-લેરકોડ-૬૫-કેસ નં. ૪૪/૧૦-૧૧ તા. ૩-૧૨-૨૦૧૦ સાથે જોડવાનું પત્રક-૧ (આકાર રૂ.૦.૨૫ પૈસા મુજબ નજીકનાં દયાંશમાં વધુલ કરવા)		
પ્લોટ નંબર	ક્ષેત્રફળ ચો.મી.	આકાર રકમ રૂા.
1	8469.44	2117.36
2	7128.72	1782.18

પ્લોટ નંબર	ક્ષેત્રફળ ચો.મી.	આકાર રકમ રૂા.
પ્લોટનું ક્ષેત્રફળ (૨૩/૭/૧)	8469.44	2117.36
પ્લોટનું ક્ષેત્રફળ (૨૩/૭/૨)	7128.72	1782.18
કોમન પ્લોટ (૨૩/૭/૧)	941.46	235.36
કોમન પ્લોટ (૨૩/૭/૨)	792.39	198.10
આંતરિક રસ્તા	1847.99	462.00
કુલ ક્ષેત્રફળ	19180.00	4795.00



રવાના કર્યું

 મામલતદાર
 બિનામેતી શરતભંગ
 રાજકોટ



સહી:-(એચ.એસ.પટેલ)
 કલેક્ટર
 રાજકોટ જિલ્લા
 રાજકોટ

આ કચેરીના હુકમનાં એનએ-લેરેકોફ - ૬૫

કેસ નં. ૨૦૨૪/૧૬૦૦૧૬ તા. ૨૦/૧૨/૨૦૨૦ સાથેનું જોડાણ

પરિશિષ્ટ-૧

વાદગ્રસ્ત જમીનના બેતીલાયક આકાર કમી કરી બીન બેતીનો દર ચોરસ મીટરે ૦-૨૪ વેસા મુજબ પ્રતિ અરજદારે સરકારશ્રીને ભરવાનો રહેશે.

આ બીનબેતીની જમીન જિલ્લા નિરીક્ષણશ્રી જમીન, દફતરથી માપણી કરવામાં આવશે. અને માપણી થયા પછી જે જમીનના ક્ષેત્રફળની વધવટ થશે તે મુજબ બીનબેતીનો આકાર ભરવાનો રહેશે. ક્ષેત્રફળના વધવટના સુધારાનો હુકમ અત્રેથી કાઢવામાં આવશે અને તે પ્રમાણે સનંદમાં પણ સુધારો કરવામાં આવશે ઉપરાંત હિસ્સા કોર્મ ૪ પ્રમાણે સનંદમાં હિસ્સાની નોંધ કરવામાં આવશે. જો માપણી થયા બાદ કોઈ સરકારી જમીનનું દબાણ જણાશે તો તેને આ મંજૂરીની કોઈ અસર થશે નહીં. અને તે બાબતમાં લેન્ડ રેવન્યુ કોડ કલમ અને રૂલ્સ અનુસાર ધોરણસરની કાર્યવાહી થઈ શકશે.

૩. અરજદારે માપણી ફી ભરવી પડશે અને લે આઉટ મુજબ સ્થળ ઉપર હદ નિશાન ઉભા કરવા પડશે.
૪. સરકારથી તરફથી લાગુ કરવામાં આવેલ લોકલ ફંડ એજ્યુકેશન શેષ વિગેરે ઈતર વેરાની રકમ પણ સરકારશ્રીને ભરવાની રહેશે.
૫. હુકમમાં અગર સનંદમાં કોઈ કારકુની અથવા ગણતરીની ભૂલ હશે તો તેમાં સુધારો થઈ શકશે.
૬. સીરાપ્ટુ ધરબેડ ટેનન્સી સેટલમેન્ટ એન્ડ એગ્રીકલ્ચરલલેન્ડ ઓર્ડીનન્સ ૧૯૪૯ જે વિસ્તારને લાગુ છે, તેમાં કરવામાં આવેલ જોગવાઈઓને આ મંજૂરી આધીન છે.
૭. સને ૧૯૪૯ના મુંબઈના બેતીની જમીનના હુકમ પડતાં અટકાવવા અને તેનું એકત્રીકરણ કરવાની બાબતમાં અધિનિયમની જોગવાઈને આ મંજૂરી આધીન છે.
૮. આ જમીનનો ફક્ત રહેણાંક હેતુ માટે ઉપયોગ કરવાની છે આ સિવાયની કલેક્ટરશ્રીની અગાઉથી પરવાનગી લીધા સિવાય બીજા કોઈ હેતુ માટે ઉપયોગ કરવાની લેન્ડ રેવન્યુ કોડની કલમ ૪૮/૪ નીચે મનાઈ કરવામાં આવે છે.
૯. મંજૂર થયેલ લે આઉટ પ્લાનમાં બતાવ્યા પ્રમાણે સાર્વજનિક હેતુ માટે અને જાહેર રસ્તા માટે ખુલ્લી જમીન મુકવાની રહેશે અને આ જમીનમાં અરજદાર આંતરિક રસ્તા કરવા અને આ જમીનને જાહેર માર્ગ સાથે સંકળવા એપ્રોચ રોડ કરવા પડશે અને તૈયાર થયા પછી જાળવવા પડશે અને તમામ ખર્ચ અરજદારે ભોગવવાનું રહેશે. જ્યાં સુધી મ્યુનીસીપાલિટી અગર તો પંચાયત આવી જવાબદારી સંભાળી લે નહીં ત્યાં સુધી અરજદારે આ ખર્ચ ભોગવવું પડશે. આ જમીન મ્યુનીસીપાલિટી અથવા પંચાયત લે ત્યારે આ જમીનનું અરજદારને કંઈ વળતર મળશે નહીં. આ જમીનનો બીનબેતીનો આકાર ભરવો પડશે. જ્યાં સુધી મ્યુનીસીપાલિટી અથવા તો પંચાયત આ જમીન સંભાળી લે નહીં ત્યાં સુધી આકાર ભરવાનો રહેશે.
૧૦. મંજૂર થયેલ પ્લાનમાં બતાવ્યા પ્રમાણે જ જમીન ઉપર બાંધકામ કરવાનું છે, અને પ્લોટની બાકીની જમીન ખુલ્લી જગ્યા તરીકે મુકી દેવાની છે. પ્લાનમાં જણાવ્યા પ્રમાણેના માર્જન બાંધકામ કરતી વખતે રાખવાના છે.
૧૧. મંજૂર થયેલ પ્લાન મુજબ ચણતર કામ કરવાનું છે. અનેથી પ્રથમ લેખીત મંજૂરી મેળવ્યા સિવાય પ્લાનમાં તેમજ બાંધકામમાં કોઈ પ્રકારનો વધારો તથા ફેરફાર કરી શકાશે નહીં.

૧૨. જે બાંધકામ કરવામાં આવે તે રાજ્યના રેખા નિયમ (રીજન ડેવલપમેન્ટ રૂલ્સ) અને રાજ્યના મકાન બાંધકામના નિયમ (બિલ્ડિંગ રેગ્યુલેશન)ને આધીન રાખીને કરવું.
૧૩. પરવાનગી હુકમની તારીખથી છ માસની અંદર બાંધકામ શરૂ કરવું પડશે, અરજદાર જો તેમ કરવામાં નિષ્ફળ જાય તો દંડ અને બીનખેતીનો આકાર શીશા તરીકે તેમની પાસે વસુલ કરવામાં આવશે.
૧૪. બાંધકામ શરૂ કરવામાં આવે કે તરત જ અરજદારે લેખીત નિવેદનથી તલાટી મારફત મામલતદારશ્રીને એક માસની અંદર જણાવવું. અરજદાર જો તેમ કરવામાં નિષ્ફળ જાય તો દંડ અને બીનખેતી આકાર તેમની પાસેથી શીશા તરીકે વસુલ કરવામાં આવશે.
૧૫. અરજદારે સનંદ ફોર્મ 'એમ' અને 'એમએમ'માં મામલતદારશ્રી સમય નિયુક્ત કરે તે સમયમાં ભરી જવું જો અરજદાર તેમ કરવામાં નિષ્ફળ જાય તો દંડ અને બીનખેતી આકાર શીશા તરીકે તેમની પાસેથી વસુલ કરવામાં આવશે.
૧૬. પરવાનગી વિરૂદ્ધ બાંધકામ વપરાતા કોઈપણ મકાન ઈમલાને કલેક્ટરશ્રી આ અર્થે જે મુદત દરમિયાન ખસેડવાનું અથવા તેમા ફેરફાર કરવાનું કરમાવે તો તે કાયદેસર ગણાશે, અને કરાવેલ મુદત દરમિયાન એવી રીતે ખસેડવામાં અથવા તેમા ફેરફાર કરવામાં ન આવે તો કલેક્ટર તેમ કરવાને અને તેમ કરવામાં જે ખર્ચ થાય તે અરજદાર પાસેથી જમીન મહેસુલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.
૧૭. આ કચેરીના હુકમમાં જણાવ્યું છે તે સિવાય આ મંજૂરી લેન્ડ રેવન્યુ કોડની જોગવાઈ આધીન રહેશે.
૧૮. આ મંજૂરીને જે જે ઉપર જણાવ્યા પ્રમાણે શરતો લાદવામાં આવે છે તે પૈકી કોઈપણ શરતોનો અરજદાર ભંગ કરે તો લેન્ડ રેવન્યુ કોડ પ્રમાણે અરજદાર જે કોઈ શીશા પાત્ર હોય તે ઉપરાંત કલેક્ટરશ્રી જે કોઈ દંડ અને બીનખેતીનો આકાર શીશા તરીકે વસુલ લેવા કરાવે તે અરજદારે ભરવો પડશે.
૧૯. આ મંજૂરીને જે જે ઉપર જણાવ્યા પ્રમાણેની શરતો લાદવામાં આવેલ છે તે પૈકી કોઈપણ શરતોનો અરજદાર ભંગ કરે તો અરજદારને કલેક્ટરશ્રી જે કોઈ દંડ અને બીનખેતીના આકારની શીશા કરે તે ઉપરાંત મંજૂરી પણ રદ કરી શકાશે અને સનંદ જો અપાઈ ગયેલ હોય તો પણ રદ કરી શકશે.
૨૦. આ ઉપરાંત વિશેષ શરતો આ સાથે જોડેલ પરિશિષ્ટ-૨ મુજબની લાગુ પાડવામાં આવે છે.
૨૧. બીનખેતીમાં ફેરવાયેલ જમીનના જે હેતુ માટેનું બાંધકામ પુરૂ થયે તે માસની અંદર તેની જાણ પરવાનગી આપનાર અધિકારીને કબજેદારે કરવાની રહેશે.

રવાના કર્યું
રવાના કર્યું
મામલતદાર, બીનખેતી
રાજકોટ જિલ્લો



૨૦/૧૨ (૨૦૨૨-૨૩-૧૨-૨૦)
કલેક્ટર
રાજકોટ જિલ્લો, રાજકોટ.

આ કચેરીના હુકમનાં એનએ-લેરેકોફ - ૬૫

કેસ નં. ૧૦૮/૧૯૮૮-૧૯૮૯ તા. ૩/૧૨/૧૯૮૮ સાથેનું જોડાણ

પરિશિષ્ટ-૨

ખેતીની જમીન બીનખેતીના હેતુઓ માટે ઉપયોગમાં લેવા પરવાનગી જમીનના ધારણ કરનારાઓ જ્યારે માંગ ત્યારે તેઓએ પાલન કરવાનાં થતા રાજકોટ જિલ્લાના કલેક્ટરશ્રીને લેન્ડ રેવન્યુ રૂલ્સના વહીવટી હુકમ ૨૪ (એ) નીચે નક્કી કરેલ મકાન બાંધકામના નિયમો અને અનુસરવાની થતી કાર્યવાહી માટેના નિયમો.

- જ્યારે મોટા વિસ્તારમાં રહેઠાણના વસવાટ કોલોની માટે ઉપયોગમાં લેવા માટે દરખાસ્ત કરવામાં આવે ત્યારે અરજદારે જમીનના લે આઉટમાં તેની અરજ સાથે સામેલ રાખવો કરજીયાત છે નહીંતર તેની ખેતીની જમીન બીનખેતીના હેતુઓ માટે ઉપયોગમાં લેવા પરવાનગી માટેની અરજ સંબંધિતમાં આવશે નહીં.
૨. દરેક મકાનની પ્લોટ અને દરેક મુખ્ય મકાનને લગતા મકાનોવાળા પ્લોટના સેક્ટરફળ રસ્તા ૬૦ ટકા સેક્ટરફળ કરતા ઓછી નહીં તે રીતે ઓછામાં ઓછી ખુલ્લી જગ્યા રાખવાની છે.
૩. જો પ્લોટનું સેક્ટરફળ ૫૪૦૦ ચો. ફુટ કરતા ઓછું નહીં હોય તો કુલ ૩ માળી 'એક જમીન ઉપરનો અને બે ઉપરના માળ' માટેની પરવાનગી અને બે ઉપરના માળ માટેની પરવાનગી આપવામાં આવશે જો પ્લોટનું સેક્ટરફળ ૫૪૦૦ ચો. ફુટ કરતા ઓછું હશે તો કુલ બે માળ (એક જમીન ઉપરનો એક ઉપરનો માળ) માટેની પરવાનગી આપવામાં આવશે જ્યાં પ્લોટના સેક્ટરફળ ૬૦ ટકા કરતા ઓછી નહીં તેટલી જગ્યા રાખવાનું નક્કી કરેલ છે જ્યાં બે માળ માટેની પરવાનગી આપવામાં આવશે.
૪. રેલ્વે હદથી ૧૦૦ ફુટની અંદર મકાનનું ચણતર કરવાની પરવાનગી આપવામાં આવશે નહીં સિવાય કે રેલ્વે સત્તાવાળાઓ પાસેથી નો ઓબજેક્શન સર્ટીફિકેટ મેળવીને અરજી સાથે રજૂ કરવામાં આવે.
૫. એરોડ્રામની હદથી ૧ માઈલના વર્તુળમાં મકાનનું ચણતર પરવાનગી આપવામાં આવે નહીં સિવાય કે સીવીલ એવીએશન ખાતા પાસેથી (નો ઓબજેક્શન સર્ટીફિકેટ) મેળવીને અરજી સાથે રજૂ કરવામાં આવશે.
૬. જો અરજદારે તેની અરજ સાથે સાર્ટટ પ્લાન અને એવીએશન સેક્શન એવીએશન ડીટેઈલ્ડ બિલ્ડીંગ પ્લાન રહેલથી તૈયાર કરેલા મોકલશે નહીં તો જમીનનો રહેણાંકનો મકાનનો હેતુ ઉપયોગમાં લેવા સક્ષમ ગણાશે નહીં.
૭. મકાનનું બાંધકામ કરવા માટે જેવી શરતથી પરવાનગી આપવામાં આવશે કે કબજેદાર ડેવલપમેન્ટ સ્કીમ અનુસાર રસ્તો તૈયાર કરીને અથવા ચાલુ અસ્તીત્વમાં રસ્તા યોગ્ય જવા આવવાના રસ્તા માટે વ્યવસ્થા કરે.
૮. સામાન્ય રીતે બાંધવાનું દરેક મકાનનું મૂળ રસ્તા પર રહેશે.
૯. મુખ્ય રસ્તાઓ સિવાયના બીજા રસ્તાઓના હદથી ૧૫ ફુટની અંદર મકાનનું બાંધકામ કરવું નહીં.
૧૦. ચાલુ દરેક હિશામાં ૧૦૦ ફુટ કરતા વધારે માપની નથી એ રીતે બાંધવાની રહેશે.
૧૧. જે પ્લોટ રસ્તાઓ સમીપ આવેલા છે તેમાં રાજ્યના જમીન પટ્ટી વિકાસ અટકાવવા માટે બાંધકામ અને નિયંત્રણ રેખાના નિયમો (ટીબન ડેવલપમેન્ટ રૂલ્સ) માં નક્કી કરવામાં આવેલ અંતરની અંદર મકાનનું બાંધકામ કરવાની પરવાનગી આપવામાં આવશે નહીં.
૧૨. પ્લોટની હદથી (પરીમીટથી) ૧૦ ફુટની અંદર મકાનનું બાંધકામ કરવું નહીં.
૧૩. મુખ્ય મકાનને જોડેલ અને એક બાજુની પેરાપેટ દિવસ સિવાય ત્રણ બાજુથી ખુલ્લો વાહન રાખવા માટેનો ઠાંકણા વગરનો પોર્ચ, પાછળની ખુલ્લી જગ્યા સિવાય કોઈ એક જગ્યામાં કરવાની નીચેની શરતોને આધિન રહીને પરવાનગી આપવામાં આવશે.

112 - electric-lighting during the day

113 - electric-lighting during the day

114 - electric-lighting during the day

115 - electric-lighting during the day

116 - electric-lighting during the day

117 - electric-lighting during the day

118 - electric-lighting during the day

119 - electric-lighting during the day

120 - electric-lighting during the day

121 - electric-lighting during the day

122 - electric-lighting during the day

123 - electric-lighting during the day

124 - electric-lighting during the day

125 - electric-lighting during the day

126 - electric-lighting during the day

127 - electric-lighting during the day

128 - electric-lighting during the day

129 - electric-lighting during the day



- એ. મુખ્ય મકાનને પોર્ચ સમાંતર હોવો જોઈએ અને તે ૧૦ ફુટ કરતા પહોળી ૧૨ ફુટ કરતા લાંબો ઉંચાઈના એક માળ કરતા વધારે હોવો જોઈએ નહીં.
- બી. પ્લોટની તે બાજુની હદ પોર્ચ વચ્ચે ઓછામાં ઓછી ૫ ફુટની જગ્યા રાખવી જોઈએ.
- સી. પોર્ચનો ઉપલો ભાગ ટેરેસ તરીકે વાપરી શકશે નહીં.
- ડી. પ્લોટના બાંધકામ થયેલ સેનફળની ગણતરી વખતે પોર્ચથી ઠંકાયેલ વિસ્તારનું સેનફળ ગણતરીમાં લેવામાં આવશે નહીં.
૧૪. જ્યારે પ્લોટમાં એક કરતા વધારે મકાનો હોય ત્યારે દરેક મુખ્ય મકાન અલગ પ્લોટમાં છે. તેમ ગણીને દરેક મકાનને ફરતા તે જ મારજન પ્રમાણે ખુલ્લી રાખવાની છે.
૧૫. સિવાય કે પ્લોટની પાછળની બાજુમાં મુખ્ય મકાનથી અલગ અને તેના માટેના એક માળની જમીન ઉપર સંડાસ અથવા બહારના ઘર આઉટ હાઉસ એક માળની 'જમીન ઉપરના' કે જેમાં મદદરૂપ સગવડતાઓ માટેના જેવા કે મોટર ગેરેજ નોકરોના મકાન, રસોડું છે સ્ટોરરૂમ, બાંધવા માટેની પરવાનગી આપવામાં આવશે.
૧૬. રહેણાંકના મકાનોના કિસ્તામાં જમીનમાં સામાન્ય લેવલથી ઓછામાં ઓછા ૨ ફુટ ઉપરની પ્લીન્થ હોવી જોઈએ.
૧૭. રહેણાંકના ઉપયોગ માટે લેવાતા રૂમની કોઈપણ એક બાજુ ૧૦ ફુટ કરતા ઓછી હોવી જોઈએ નહીં. આવા દરેક રૂમની કોઈપણ એક બાજુ તેની પુરી લંબાઈ સાથે ફરતી ખુલ્લી જગ્યા ઉપર હોવી જોઈએ. રહેણાંકના રૂમની સપાટીનું સેનફળ ૧૪૪ ચો. ફુટ કરતા ઓછું હોવું જોઈએ નહીં.
૧૮. મુખ્ય મકાનની બાજુમાં અથવા પાછળ સંડાસ કરવા જોઈએ અને તેની ૧૦ ફુટ કરતા ઓછી નહીં તેવી અંતરે જોઈએ સંડાસ પડોશીને નુકશાનકારક હોવા જોઈએ નહીં. કુવાથી ૩૦ ફુટની અંદરની અંતરે સંડાસ હોવા જોઈએ નહીં અને જાહેર જનતાની નજરથી ઠાકેલા હોવા જોઈએ.
૧૯. જો નિયમિત અને બરાબર સાફ કરવા માટેની કોઈ વ્યવસ્થા અસ્તીત્વમાં નહીં હોય તેવા દટણ જાંજરનું (સેસપુલ)નું ચણતર કરવા માટેની પરવાનગી આપવામાં આવશે નહીં.
૨૦. કુવાથી ૧૦૦ ફુટની અંદર ડટણ જાંજર. (સેસપુલ) બનાવવું નહીં અને વાપરવું નહીં.
૨૧. મળમુત્ર એકત્રીત કરવા માટે કોઈપણ ખોળકુવો અથવા કોઠી ઉપયોગમાં લેવી નહીં.
૨૨. રહેણાંક કોઈપણ મકાનમાં ઢોર રાખવું જોઈએ નહીં તબેલો અથવા ઢોરનું છાંપડું રહેણાંકના મકાનથી ૧૦ ફુટની અંદર ચણવું નહીં.
૨૩. દરેક મકાનનું ચણતર પાર્ક હોવું જોઈએ અને તેઓના ચણતરમાં સહેલાઈથી સળગી ઉઠે તેવા પદાર્થો વાપરવા નહીં.
૨૪. જ્યાં દુકાનનું બાંધકામ કરવાનું હોય ત્યાં રસ્તાની હદ અને દુકાન વચ્ચેની જગ્યા સખ્ત પદાર્થ જેવા કે મેટલ, મોરમ, લેવલ અને શેલ કરીને અને મજબુત બનાવીને તૈયાર કરવી જોઈએ.
૨૫. કલેક્ટરશ્રીની અગાઉથી લેખીત પરવાનગી સિવાય કે મકાનના ફેરફાર અથવા વધારો કરી શકશે નહીં.
૨૬. પ્લોટના વિભાજન અથવા દુકાન પાડી શકશે નહીં, કારણ કે પ્રત્યેક પ્લોટ સરવે નંબરની પેટા વિભાગ સબ ડીવીઝન છે.
૨૭. રસ્તા તરફના મારજન વિસ્તારમાં કંપાઉન્ડની દિવાલ ૩૫ ફુટ કરતા ઉંચા હોવા જોઈએ નહીં. અને તે ખસેડવાની જરૂરીયાત ઉભી થશે ત્યારે આવી દિવાલ ખસેડી શકાશે અને તે માટે કોઈપણ જાતના વળતર માટે દાવો થઈ શકશે નહીં.
૨૮. મકાનના પ્લોટ અંદરના ચોકથી રોકાયેલ વિસ્તાર બાંધકામ નહીં થયેલી ખુલ્લી જગ્યા તરીકે ગણી શકાશે નહીં.

રવાના કયું
રવાના કયું
મામલતદાર, બીનએલી
રાજકોટ જિલ્લા



કોઈ/કોઈના નામ પર
કલેક્ટર
રાજકોટ જિલ્લા, રાજકોટ.

સા. નં. ૩૬૬૪

લિપિન સંદર્ભ બાકસાળનાર

રજીસ્ટ્રેશન નં. ૪/૨૨/૨૬

જમીન નં. ૫

સરકારી નં. ૬/૨૨/૨૬

પાણી નં. ૨૨/૨૬

મકાન નં. ૨૦

કા. ૧

બકસા ફીની રકમ રૂ. ૧૬

મુદાબરો ફીની રકમ રૂ. ૨૦

રેકર્ડ ચોખવાની ફી રૂ. ૨

કચરા ફી રૂ. ૨૨

જમીન દોષાર સંચાલકની સહી

જમીન મુદાબરો કરનારની સહી

કલેક્ટર વતી,
સરકારી કચેરી



D. T. VASAVADA, IFS
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

No. SEIAA/GUJ/EC/8(a)/ 176 /2018

Date: 28 FEB 2018

BY R.P.A.D
Time Limit

Sub: Environment Clearance for the Building Construction Project – "Malbar Bulcon" at Survey No. 37p8 & 37p9, T.P.S.No.9, O.P.No.23/7, F.P.No. 23/7, Plot No. 23/7/2, Village- Munjka, Rajkot proposed by M/s Malbar Buldcon LLP.....Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/NCP/66026/2017.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 31/07/2017, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 30/08/2017. The project proponent submitted additional information / documents vide letter dated 27/12/2017 to the SEAC.

The proposal is for Environmental Clearance for the Building Construction Project – "Malbar Bulcon" at Survey No. 37p8 & 37p9, T.P.S.No.9, O.P.No.23/7, F.P.No. 23/7, Plot No. 23/7/2, Village- Munjka, Rajkot proposed by M/s Malbar Buldcon LLP. This is a proposed building construction project having plot area of 7921.11 m² and the proposed built up area of the project is 27488.49 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 4 numbers of buildings. No. of Blocks: 4. Scope of buildings/blocks are: Basement + Hollow Plinth + 13 floors and No.& size of Residential Units are: 104 Flats.

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 14/02/2018 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 30/01/2018. The proposal was considered by SEIAA, Gujarat in its meeting held on 21/02/2018 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

1. Fresh water requirement during the construction phase shall be 30 KL/day and it shall be met through the water supply from Rajkot Urban Development Authority (RUDA). No ground water shall be tapped during the construction phase.
2. Sewage generated during the construction phase shall be disposed off through septic tank & soak pit system.

A.2 OPERATION PHASE:

A.2.1 WATER

3. Total water requirement during the operation phase shall be 63.0 KL/day, out of which 36.0 KL/day of fresh water requirement shall be met through the water supply from Rajkot Urban Development Authority (RUDA). Remaining water requirement of 27.0 KL/day for flushing and gardening shall be met by reuse of treated sewage from the proposed onsite STP. No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained.
4. The sewage generation during the operation phase shall be 50.0 KL/day, which shall be treated in the proposed sewage treatment plant (STP) of adequate capacity. The STP shall be operated regularly and efficiently so as to achieve the GPCB norms at the STP outlet.

Treated sewage conforming to GPCB norms shall be reused within the premises for gardening & flushing to the maximum extent possible. Only remaining quantity of treated sewage shall be discharged into the.

MEMBER SECRETARY
State Level Environment
Impact Assessment Authority
(SEIAA - Gujarat)
Gujarat Pollution Control Board,
"Paryavaran Bhavan"
Sector-10-A, Gandhinagar-10

Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152, 232-41514 Fax No.:- (079) 232-22784
E-mail : msseiaa@seiaa.gujarat.gov.in, Website:- www.seiaa.gujarat.gov.in

- drainage line RUDA.
6. A proper logbook of STP operation and also showing the quantity of treated sewage reused in flushing, gardening and quantity discharged into the drainage line etc. shall be maintained and furnished to the GPCB from time to time.
 7. Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.
 8. No new bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
 9. Rain water harvesting from rooftop and paved areas and ground water recharge through 3 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

10. D. G. Sets (2x82.5 KVA) proposed as backup power shall be of enclosed type and conform to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
11. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards.
12. The stack height of the DG Sets shall be equal to the height needed for the combined capacity of all proposed DG sets.

A.2.3 SOLID WASTE:

13. The solid waste generated shall be properly collected and segregated at source. The recyclable waste shall be sold to vendors whereas other garbage shall be disposed off properly as per the provisions made by the Rajkot Urban Development Authority (RUDA).

A.2.4 SAFETY:

14. All the staircases and lifts shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each building having floor area more than 500 m² on each floor.
15. Fire fighting facilities like dedicated underground & terrace water tanks for fire fighting 3 x 100 KL & 30 KL (on each building) respectively, fire extinguishers, fire alarms, hose reels, external hydrants & wet risers, automatic sprinkler system in basement, pumping arrangement system-riser with pressure pump, first aid box, displaying of important telephone numbers etc. shall be provided.
16. In basement at least two separate ramps of adequate width and slope shall be provided, located preferably at opposite ends.
17. Provision for adequate air changes per hour in the basement shall be made so as to avoid build up of CO in the area.
18. Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.

A.2.5 PARKING / TRAFFIC CONGESTION:

19. Minimum parking space of 5,879.01 m² [1,854.29 m² in hollow plinth + 2,099.72 m² in basement + 1,925.0 m² as open surface parking] shall be provided as proposed.

A.2.6 ENERGY CONSERVATION:

20. Energy conservation measures viz. Use of energy efficient electrical appliances, like CFL & PL, maximum use of natural light through proper building orientation etc. shall be implemented as proposed.

A.2.7 GREEN BELT:

21. Green belt area of 2087.71 m² comprising of 1,295.32 m² tree covered area with 130 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B. GENERAL CONDITIONS:

B1. PRE-CONSTRUCTION AND CONSTRUCTION PHASE:

22. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers (Regulation of Employment & Conditions of Service) Rules 2003.
23. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
24. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
25. Temporary wind shield shall be done to prevent dust emission spreading outside the project premises. Barricade of adequate height shall be provided on the periphery of the construction site with adequate signages. Individual building within the project site shall also be provided with barricades.

MEMBER SECRETARY
State Level Environment
Impact Assessment Authority
(G.I.A.A. - Gujarat)

26. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
27. Material shall be covered during transportation to avoid the fugitive emission.
28. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
29. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
30. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
31. The project proponent shall ensure maximum employment to the local people.
32. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
33. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
34. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
35. First Aid Box shall be made readily available in adequate quantity at all the times.
36. Training shall be given to all workers on construction safety aspects.
37. The project proponent shall strictly comply with the Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
38. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.
39. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase.
40. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
41. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
42. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
43. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.
44. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
45. Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
46. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.
47. Provisions of Construction & Demolition Waste Management Rules-2016 shall be strictly adhered to.
48. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
49. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
50. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
51. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:

52. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
53. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.

MEMBER SECRETARY
State Level Environment
Impact Assessment Authority
(SEIAA, Gujarat)
Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
"Paryavaran Bhavan"
Sector-10-A, Gandhinagar-382010
Phone No.:- (079) 232-32152, 232-41514 Fax No.:- (079) 232-22784
E-mail : msgeiaangi@gmail.com, Website:- www.seiaa.gujarat.gov.in

56. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules & regulations made there under shall be provided.
57. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
58. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
59. First Aid Box shall be made readily available in adequate quantity at all the times.
60. Main entry and exit shall be separate and clearly marked in the facility
61. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
62. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
63. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules.
64. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
65. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
66. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
67. The transformers and motors shall have minimum efficiency of 85%.
68. Only variable frequency motor drives shall be used in project.
69. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.
70. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
71. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
72. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
73. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
74. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
75. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
76. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
77. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
78. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
79. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
80. All the terms & conditions prescribed in the amendment of EIA Notification – 2006 published by the MoEF&CC vide its Notification No. S.O. 3999(E) dated 9th December, 2016 shall be complied with letter & spirit.
81. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
82. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.

MEMBER SECRETARY
State Level Environment
Impact Assessment Authority

(SEIAA, Gujarat)
Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
"Paryavaran Bhavan"
Sector-10-A, Gandhinagar-382010
Phone No.:- (079) 232-32152, 232-41514 Fax No.:- (079) 232-22784
E-mail : msscgaag@gmail.com, Website:- www.seiaa.gujarat.gov.in

Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Transboundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.

B3. OTHER:

84. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
85. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
86. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
87. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
88. The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
89. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
90. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
91. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards,
Yours sincerely,

(D. T. VASAVADA)
Member Secretary

MEMBER SECRETARY
State Level Environment
Impact Assessment Authority
(SEIAA (Gujarat))
Gujarat Pollution Control Board,
"Paryavaran Bhawan"
Sector-10-A, Gandhinagar-10

Issued to:

Shri Pramod M. Makadia (Partner)
901- Rameshwar Apartment,
Jalaram- 1, University Road,
Rajkot-360007