

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, અમદાવાદ

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, સુભાષબિજ સર્કલ પાસે, અમદાવાદ - ૩૮૦૦૨૭

ફોન નંબર : ૦૭૯-૨૭૫૬૧૯૭૦

ઇ-મેઇલ : collector-ahd@gujarat.gov.in

હુકમ નં. 267/07/17/045/2020

તા. 04/02/2020

વંચાણે લીધા :-

(૧) અરજદારશ્રી સોમાભાઈ અમથાભાઈ પ્રજાપતિ

રહે. 40, તીર્થનગર સોસાયટી વિ-1, સન એન્ડ સ્ટેપ કલબની પાછળ, સોલા, અમદાવાદ-380061 ની તા. 23/11/2019 ની ઓનલાઇન અરજી તથા સોગંદનામું

(૨) ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫(અ), ૪૮ અને આનુષંગિક નિયમ ૬૨૧ અને પરિપત્રોની જોગવાઈઓ.

હુકમ નં.

વંચાણે લીધેલ કમ (૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી સોમાભાઈ અમથાભાઈ પ્રજાપતિ એ મોજે ત્રાગડ તા.

* ઘાટલોડીયા જિ. અમદાવાદ ના સરવે/બ્લોક નં. 248/૪ ના ક્ષેત્રફળ 5,767.00 ચો.મી. પૈકી ક્ષેત્રફળ 3,460.00 ચો.મી ની જમીન અંગે ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫(અ) હેઠળ બિનખેતી હેતુકેરની પરવાનગી મેળવવાની માગણી કરેલ છે.

સવાલવાળી જમીનના ગામ નમૂના નં. ૭/૧૨ માં કબજેદારોની વિગત નીચે મુજબ છે.

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ (ખાતા નં. 477)
સરવે/બ્લોક નં. : 248/૪ જુનો સરવે/બ્લોક નં. : --- ટી.પી. નં. : - એફ.પી. નં. : -	3,460.00	સોમાભાઈ અમથાભાઈ (૨૨૧૫) શ્યામ હસમુખભાઈ પટેલ પૈકી ની ૨૮૮૩.૫૦ ચો.મી.(ટી.પી.૭૨ ફા.પ્લોટ નં.૫૦ પૈકી અડધા હિસ્સાની ૧૭૩૦ ચો.મી.)

સવાલવાળી જમીન અંગેના રજૂ થયેલ રેકર્ડની ચકાસણી કરતાં સદર જમીન હાલમાં બિનખેતી સત્તાપ્રકારે ચાલતી આવે છે. તેમજ અરજદારે સોગંદનામામાં જાહેર કરેલ હકીકત તથા અન્ય આધાર પુરાવાઓ ધ્યાને લેતા મહેસૂલી ટાઇટલ કિલચર હોવાનું જણાય છે. જેથી બિનખેતી હેતુકેરની પરવાનગી આપવાપાત્ર જણાય છે. હુકમના ઉપરોક્ત વંચાણે લીધેલ પત્રમાં જણાવેલ વિગતે અરજદારને રૂપાંતર કર, વિશેષ ધારો તથા અન્ય વેરાની રકમ સરકારશ્રીમાં ભરપાઈ કરવા ઓનલાઇન સિસ્ટમ દ્વારા તેઓને જાણ કરતાં, નીચે જણાવેલ વિગતે ઓનલાઇન સિસ્ટમ દ્વારા અરજદારે નાણા સરકારશ્રીમાં જમા કરાવેલ છે. જે નીચેની વિગતે છે.

કરની વિગત	સદર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	દર/ તફાવત દર રૂ. પ્રતિ ચો.મી.	કુલ રકમ રૂ.
રૂપાંતર કર	569-0035-00-800-01	3,460.00	40.00	1,38,400.00
વિશેષ ધારો	570-0035-00-101-01	3,460.00	0.60	2,076.00
લોકલ ફંડ	574-0029-00-103-01	3,460.00	0.30	1,038.00
શિક્ષણ ઉપકર	575-0045-00-108-01	3,460.00	0.15	519.00
દંડનીય રકમ	570-0035-00-101-01	---	---	2,76,800.00
માપણી ફી	577-0029-00-106-01	3,460.00	---	1,800.00
કુલ રૂ.				4,20,633.00

સબબ, ઉપરોક્ત હકીકત ધ્યાનમાં લેતાં નીચે દર્શાવ્યા મુજબની જમીન અંગે, જમીન મહેસૂલ કાયદાની કલમ-૬૭(ક) હેઠળ નિયમાનુસાર દંડ વસુલ લઈ હુકમમાં જણાવેલ શરતોને આધીન જમીન મહેસૂલ કાયદાની કલમ-૬૫(અ) હેઠળ કાર્યવાહી થયા બાદ સક્ષમ સત્તાધિકારી દ્વારા મળવાપાત્ર બાંધકામના પ્રમાણિત નકશા મુજબ બિનખેતી હેતુકેર કરવા પરવાનગી આપવા આથી હુકમ કરવામાં આવે છે.

-: મોજે: ત્રાગડ તાલુકા: ઘાટલોડીયા ની જમીન બિનખેતી હેતુકેર કરવાની વિગત :-

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	જમીનનું ૭/૧૨ મુજબ ક્ષેત્રફળ (ચો.મી.)	અગાઉના હુકમ મુજબ બાંધકામ સહિત બિનખેતી કરવામાં આવેલ જમીનનું ક્ષેત્રફળ (ચો.મી.)	આ હુકમથી બિનખેતી કરવામાં આવેલ જમીનનું ક્ષેત્રફળ (ચો.મી.)
સરવે/બ્લોક નં. : 248/૪ જુનો સરવે/બ્લોક નં. : --- ટી.પી. નં. : - એફ.પી. નં.: -	5,767.00	5,767.00	3,460.00

શરતો :-

- (૧) આ હુકમ મળ્યેથી બે માસમાં "એમ" નમૂનામાં સનદ પ્રાપ્ત થશે.
- (૨) જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવેલ છે. જેથી માપણી કરી / કરાવી આ હુકમ આધારે તેમજ મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું / કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલી દફતરે અમલ થયા બાદ જ પ્રશ્નવાળી બિનખેતીની જમીન / પ્લોટનું રજી. દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.
- (૩) અરજદારે પ્રતિ વર્ષે ખેતી સિવાયનો ધારો (વિશેષધારો) દર પ્રતિ ચો.મી. ના રૂ. ૦.60 પ્રમાણે રૂ. 2,076.00 તેમજ નિયમ પ્રમાણે લોકલ ફંડ તથા શિક્ષણ સેસ ભરવો પડશે જે અંગેનો દર વખતોવખત ફેરફારને પાત્ર રહેશે.
- (૪) અમદાવાદ મહાનગરપાલિકા એ મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને હુકમ થયા તારીખથી ત્રણ વર્ષમાં બાંધકામ પૂર્ણ કરવાનું રહેશે.
- (૫) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં. બખપ/૧૦૯૩/૧૦૫૨/ક તા. ૧૩/૦૯/૧૯૯૩ માં ઠરાવ્યા મુજબ સહીયારા / કોમન પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુળ માલિકનો કોઈ હકક રહેશે નહિ.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૦૭/૦૮/૧૯૯૧ ના પરિપત્ર નં. બખપ-૧૦૯૧/૧૭૫૬/ક ની જોગવાઈ મુજબ બિન અધિકૃત બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા / શહેરી વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલાં લેવાના રહેશે.
- (૭) સદર જમીનમાંથી પેટ્રોલીયમ / પાણીની કે અન્ય કોઈપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ પરવાનગી આપનાર ઓથોરિટીએ સંબંધિતો ના-વાંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૮) સરકારશ્રીનાં મહેસૂલ વિભાગનાં તા. ૦૧/૦૭/૨૦૦૮ ના ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક માં જણાવેલ નીચે મુજબની શરતોનું પાલન કરવાનું રહેશે.
 ૧. જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડ દ્વારા ઇસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ હોવી જોઈએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવી જોઈએ.
 ૨. બાંધકામ શરૂ કરતા પહેલાં બાંધકામનાં નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિનખેતી પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચિઠ્ઠી મેળવી શકશે નહિ.
 ૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનિંગ સ્કીમ મંજૂર થઈ ગઈ છે ત્યાં જી.ડી.સી.આર. અને ઝોનિંગના નિયમો અનુસાર બાંધકામ કરવાનું રહેશે.
 ૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
 ૫. અરજદારે રિબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઈ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
 ૬. ફ્લોર, મિલ, સિનેમા/ ટુરિંગ સિનેમા/ થિયેટર માટે બિનખેતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ કરતાં પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.



૯. ઇન્ડિયન એક્સપ્લોઝિવ એક્ટ અન્વયે મેગેનિઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલા જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
૯. સવાલવાળી જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી નિયમ મુજબ જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રિડના તાર/ હાઇટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.
૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસ નિયમ મુજબની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સિવિલ એવિએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સિવિલ એવિએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
૧૨. ઓ.એન.જી.સી. ના કુવાની નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
૧૩. નર્મદા કેનાલ/ અન્ય સિંચાઇ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાના થતાં અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
૧૪. અરજદારે/ જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી નિયમ મુજબનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૯) જો આ જમીન પર કોઇ બેંક/ મંડળીનો બોજો બાકી હોય તો, તે ભરપાઇ કર્યા સિવાય આ મિલકત કોઇપણ પ્રકારે વેચાણ, ભેટ, વસિયત, બાનાખત, ગિરો કરી શકાશે નહિ અને કોઇપણ અન્યને પ્રત્યક્ષ કે પરોક્ષ રીતે માલિકી કે કબજો ભોગવતો તબદીલ કરી શકાશે નહિ.
- (૧૦) પ્રશ્નવાળી જમીનમાં નગરપાલિકા/ મહાનગરપાલિકા/ શહેરી વિકાસ સત્તા મંડળ દ્વારા જે શરતોએ પરવાનગી આપવામાં આવશે તે શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.
- (૧૧) આ જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન/ સંચય માટે દર મકાન/ બહુમાળી મકાન દીઠ એકના દરે આ જમીનમાં ઉપર પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.
- (૧૨) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.
- (૧૩) ઉપરોક્ત શરતોમાં ગમે તે મજફૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલા અથવા વધારાના કોઇપણ મકાન અથવા ઇમલાને કલેક્ટરશ્રીએ, આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સૂચવ્યા મુજબ ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.
- (૧૪) મંજૂરી હેઠળની જમીન પરત્વે અલગ અલગ હિસ્સા (સબ પ્લોટ) ના કિસ્સામાં સંબંધિત ડી.ઇ.લે.રે. કચેરીમાં માપણી ફી અલગ અલગ ભરપાઇ કરવાની રહેશે.

વધુમાં ઉપર્યુક્ત શરતોને આધિન અરજદાર દ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ દ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે. તદઅનુસાર સંબંધિત મામલતદારશ્રીએ આ હુકમની ગામના તથા તાલુકાના સંબંધિત રેકર્ડમાં નોંધ રાખી પ્રતિ વર્ષ વિશેષધારો તથા અન્ય ઉપકર વસુલ કરવાના રહેશે.



(કે. કે. નિરાલા)
કલેક્ટર, અમદાવાદ

આર.પી.એ.ડી.
પ્રતિ,
સોમાભાઇ અમથાભાઇ પ્રજાપતિ

40, તીર્થનગર સોસાયટી લિ-1
સન એન્ડ સ્ટેપ કલબની પાછળ
સોલા
અમદાવાદ-380061

નકલ રવાના:-

૧. નાયબ કલેક્ટરશ્રી, અમદાવાદ સીટી (પશ્ચિમ) પ્રાંત, જિ. અમદાવાદ તરફ.
૨. મામલતદારશ્રી તા. ઘાટલોડીયા જિ. અમદાવાદ તરફ.
૩. જિલ્લા ઇન્સ્પેક્ટરશ્રી જમીન રેકર્ડ અમદાવાદ તરફ.
૪. તલાટીશ્રી ત્રાગડ તા. ઘાટલોડીયા જિ. અમદાવાદ તરફ.
૫. રેકર્ડ શાખા, કલેક્ટર કચેરી અમદાવાદ
૬. સીલેક્ટ ફાઇલ, કલેક્ટર કચેરી અમદાવાદ

* આ હુકમની ઇ-ધરા કેન્દ્ર, ઘાટલોડીયા માં નોંધ નંબર 4667 થી મોજે.- ત્રાગડ તા.- ઘાટલોડીયા જિ.- અમદાવાદ માં નોંધ થયેલ છે.



AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.)AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079)

No. - OPN276616032020 Dt.:16/03/2020

To,

A,B+C,

106, ABHISHEK COMPLEX, USHMANPURA, AHMEDABAD

106, ABHISHEK COMPLEX, USHMANPURA, AHMEDABAD

Sub: Fire safety & protection, opinion for a proposed high-rise building / Low-Rise Building - High Rise Building

Sir,

This is to intimate that , the plans submitted for, High Rise Building , have all the required line drawings and write-up are as per the requirement of fire prevention and protection.

All norms as per the GDCR (2021) & CBD by AUDA have to be followed as far as the construction and Fire Prevention and Protection system, are to be followed.

1.5 Meters for - 18 to 25 meters building heights,

2.00 meters for 25 meters to above height, clear in width.

The staircase and lift shafts shall not go to the basement but if they go they have to be protected by 2 hours fire resistant construction including the doors.

A motorable road with 45 ton load bearing capacity and minimum as metion in table; is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles.

Any transformer to be installed shall be away from the building & leaving open Space required around the building and below building height wise open space required around the building.

Margin for different types of building;

1) 8 to 25 Meters building - 3 meters

Plot area more than 750 sq. mt. : 4 Meters

2) Up to 45 Meters building : 6 Meters

3) Up to 70 Meters building : 8 Meters

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The Fire Protection system shall be as mentioned in the approved plans.

1. All basements parking and HPP shall be fully sprinklered.

2. All lower basements should have positive pressure ventilation.

3. Electric Cable Shaft should have fire resistant doors.

In this Filed we can write what system they required in building So whatever here we write that can be mention in

final opinion letters

Builder name	A,B+C			
Address	106, ABHISHEK COMPLEX, USHMANPURA, AHMEDABAD			
T.P.No.	72 TRAGAD			
F.P.No.	50			
R.S.No.	248/4			
Sub Plot No.	00			
Surrounding Margin from building				
Common Plot Margin from building				
Building Types	High Rise Building			
	A		B+C	
Fire Opinion Remarks	BASEMENT PARKING, HPP & SHOPS AT ALL LEVEL SHALL BE FULLY SPRINKLERED.		BASEMENT PARKING, HPP & SHOPS AT ALL LEVEL SHALL BE FULLY SPRINKLERED. COMMON PLOT SHOULD HAVE ONE METER MORE OPEN SPACE FOR MOVEMENT OF FIRE AND RESCUE VEHICLES.	
Block Height From Ground Level to Top Slab(In Meter)	37.05		25	
	Use	Height(In Meter)	Use	Height(In Meter)
Basement 1	PARKING	3.8000	PARKING	3.8000
Hollow Plinth/Ground Floor	SHOP + PARKING	3.5000	SHOP + PARKING	3.5000
Floor 1	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 2	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 3	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 4	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 5	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 6	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 7	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 8	RESIDENCE	3.0500		
Floor 9	RESIDENCE	3.0500		
Floor 10	RESIDENCE	3.0500		
Floor 11	RESIDENCE	3.0500		

Ramp only permitted for 18 to 25 meters building in margin.

Basic Fire Requirement Notes on plan

Take online print of approved opinion and submitted plan copy .The copies of plans are provide during final inspection of the fire fighting system.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.

Note : if plans are submitted for only industrial building approval, Industrial Building - Information about all processes, raw material and finished material shall be mentioned in plan.



M.F. Dastoor

(M.F.Dastoor)

Chief Fire Officer



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Shyam H. Patel

Date: 19-03-2020

F.P.NO. 50, B/H. Sakat Valley,
Nr. S.P.Ring Road, Tragad,
Ahmedabad.

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	AHME/WEST/B/030820/451490
Applicant Name*	Tushar Mory
Site Address*	T.P.S.No.-72 (Tragad-Zundal), F.P. NO – 50, R.S.NO – 248/4, At – Tragad, Taluka – Ghatlodia, Dist-Ahmedabad.
Site Coordinates*	23 07 40.42N 72 34 02.88E, 23 07 39.08N 72 34 02.89E, 23 07 40.43N 72 34 06.07E, 23 07 39.10N 72 34 06.11E
Site Elevation in mtrs AMSL as submitted by Applicant*	63.93 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 8717 mts from ARP and lies in the grid H10 of the published CCZM of Ahmedabad airport. The Permitted top elevation for this grid is 115 mts.

Since the requested top elevation 113.93 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.)AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079)

No. - OPN276616032020 Dt.:16/03/2020

To,

A,B+C,

106, ABHISHEK COMPLEX, USHMANPURA, AHMEDABAD

106, ABHISHEK COMPLEX, USHMANPURA, AHMEDABAD

Sub: Fire safety & protection, opinion for a proposed high-rise building / Low-Rise Building - High Rise Building

Sir,

This is to intimate that , the plans submitted for, High Rise Building , have all the required line drawings and write-up are as per the requirement of fire prevention and protection.

All norms as per the GDCR (2021) & CBD by AUDA have to be followed as far as the construction and Fire Prevention and Protection system, are to be followed.

1.5 Meters for - 18 to 25 meters building heights,

2.00 meters for 25 meters to above height, clear in width.

The staircase and lift shafts shall not go to the basement but if they go they have to be protected by 2 hours fire resistant construction including the doors.

A motorable road with 45 ton load bearing capacity and minimum as mention in table; is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles.

Any transformer to be installed shall be away from the building & leaving open Space required around the building and below building height wise open space required around the building.

Margin for different types of building;

1) 8 to 25 Meters building - 3 meters

Plot area more than 750 sq. mt. : 4 Meters

2) Up to 45 Meters building : 6 Meters

3) Up to 70 Meters building : 8 Meters

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The Fire Protection system shall be as mentioned in the approved plans.

1. All basements parking and HPP shall be fully sprinklered.

2. All lower basements should have positive pressure ventilation.

3. Electric Cable Shaft should have fire resistant doors.

In this Filed we can write what system they required in building So whatever here we write that can be mention in

Builder name	A,B+C			
Address	106, ABHISHEK COMPLEX, USHMANPURA, AHMEDABAD			
T.P.No.	72 TRAGAD			
F.P.No.	50			
R.S.No.	248/4			
Sub Plot No.	00			
Surrounding Margin from building				
Common Plot Margin from building				
Building Types	High Rise Building			
	A		B+C	
Fire Opinion Remarks	BASEMENT PARKING, HPP & SHOPS AT ALL LEVEL SHALL BE FULLY SPRINKLERED.		BASEMENT PARKING, HPP & SHOPS AT ALL LEVEL SHALL BE FULLY SPRINKLERED. COMMON PLOT SHOULD HAVE ONE METER MORE OPEN SPACE FOR MOVEMENT OF FIRE AND RESCUE VEHICLES.	
Block Height From Ground Level to Top Storey (In Meter)	37.05		25	
	Use	Height(In Meter)	Use	Height(In Meter)
Basement 1	PARKING	3.8000	PARKING	3.8000
Hollow Plinth/Ground Floor	SHOP + PARKING	3.5000	SHOP + PARKING	3.5000
Floor 1	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 2	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 3	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 4	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 5	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 6	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 7	RESIDENCE	3.0500	RESIDENCE	3.0500
Floor 8	RESIDENCE	3.0500		
Floor 9	RESIDENCE	3.0500		
Floor 10	RESIDENCE	3.0500		
Floor 11	RESIDENCE	3.0500		

Ramp only permitted for 18 to 25 meters building in margin.

Basic Fire Requirement Notes on plan

Take online print of approved opinion and submitted plan copy .The copies of plans are provide during final inspection of the fire fighting system.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.

Note : if plans are submitted for only industrial building approval, Industrial Building -
Information about all processes, raw material and finished material shall be mentioned in plan.