

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, વડોદરા

કલેક્ટર કચેરી, કોઠી બિલ્ડિંગ, રાવપુરા, વડોદરા - ૩૯૦૦૦૧

ફોન નંબર : ૦૨૬૫-૨૪૩૩૦૦૦

ઇ-મેઇલ : collector-vad@gujarat.gov.in

ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ

ફાઇલ નં. 754/19/17/045/2019

તા. 27/08/2019

વચાણે લીધા :-

(૧) અરજદારશ્રી jagdishbhai chunilal patel

રહે. vaghodiya road, kapurai, vadodara, Vadodara-390025 ની તા.18/06/2019 ની ઓનલાઇન અરજી

(નં.3191704503017) તથા સોગંદનામું

(૨) મુંબઈ જમીન મહેસૂલ કાયદો ૧૯૭૯ ની કલમ - ૪૮, ૬૫, ૬૬ તથા ૬૭

(૩) ગુજરાત જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ ૮૧, ૧૦૦, ૧૦૧, ૧૦૨

(૪) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/૬ તા.૦૧/૦૩/૨૦૦૮

(૫) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૩૨૭/૬ તા.૦૮/૦૫/૨૦૧૮

(૬) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ ક્રમાંક: એસ/ટીપી/૧૨૨૦૯/૭૬૯/૧૧/૬.૧ તા.૩૧/૦૩/૨૦૧૧

(૭) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/૬ તા.૦૯/૦૧/૨૦૧૯

(૮) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/૬ તા.૧૨/૦૨/૨૦૧૯

મુસલતદાર અને કૃષિપંચ શ્રી (ALT) નો તા.29/06/2019 નો અભિપ્રાય

સરકારનાં SCMS પોર્ટલ પરની કેસ વિગત

વચાણે લીધેલ કમ (૧) ની અરજી તથા સોગંદનામું થી અરજદારશ્રી jagdishbhai chunilal patel એ મોજે કપરાઇ તા. વડોદરા (પૂર્વ) જિ. વડોદરા ના સરવે/બ્લોક નં. 240 ના સેક્ટર 16, 693.00 ચો.મી. પૈકી સેક્ટર 9, 358.00 ચો.મી ની જમીન અંગે ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતીના હેતુ માટે પરવાનગી આપવા વિનંતી કરેલ છે.



૨. સવાલવાળી જમીનના ગામ નમૂના નં. ૩/૧૨ માં કબજેદારોની વિગત નીચે મુજબ છે.

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	મોંગણીનું ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ (ખાતા નં. 41)	જમીનનો સહાયક (૩/૧૨ મુજબ)
સરવે/બ્લોક નં. : 240 જુનો સરવે/બ્લોક નં. : --- ટી.પી. નં. : 40 એફ.પી. નં. : 141 - 128 - 1	9,358.00	જગદીશભાઈ યુનીલાલ પટેલ ચંદ્રકાંત યુનીલાલ પટેલ ચંદિકાબેન ઉર્ફ સુકેતુબેન છગનભાઈ પટેલ હરીકૃષ્ણ છગનભાઈ પટેલ દેવેન્દ્ર નગીનભાઈ પટેલ શીલ્પા ઉર્ફ જાગૃતિબેન નગીનભાઈ પટેલ ઉપેન્દ્ર નગીનભાઈ પટેલ આત્મીય બાલકૃષ્ણ પટેલ મોનીકાબેન ભુપેન્દ્રભાઈ પટેલ આત્મીય ભુપેન્દ્રભાઈ પટેલ ઇસીતા ભુપેન્દ્રભાઈ પટેલ દમચંતીબેન વિનોદભાઈ પટેલ ભરતભાઈ વિનોદભાઈ પટેલ કિરણબેન વિનોદભાઈ પટેલ નયનભાઈ વિનોદભાઈ પટેલ પટેલ કિષ્કાંતભાઈ ભાઈલાલભાઈ પટેલ પુષ્પાબેન ભાઈલાલભાઈ પટેલ કુમુદબેન ભાઈલાલભાઈ પટેલ ગોપાલભાઈ ભાઈલાલભાઈ પટેલ હંસાબેન ભાઈલાલભાઈ પટેલ યોગેશભાઈ ભાઈલાલભાઈ	જુની શરત (જુ.શ.)

૩. વસુલ કરવામાં આવેલ કરવેરાની વિગત નીચે મુજબ છે.

બેંકમાં ચલન ભર્યા તા.16/08/2019 નં.57000013551003513081968141

કરની વિગત	સદર	મોંગણીનું ક્ષેત્રફળ (ચો.મી.)	દર રૂ. પ્રતિ ચો.મી.	કુલ રકમ રૂ.
રૂપાંતર કર	569-0035-00-800-01	9,358.00	40.00	3,74,320.00
વિશેષ ધારો	570-0035-00-101-01	9,358.00	0.60	5,615.00
લોકલ ફંડ	574-0029-00-103-01	9,358.00	1.80	16,844.00
શિક્ષણ ઉપકર	575-0045-00-108-01	9,358.00	0.45	4,211.00
માપણી ફી	577-0029-00-106-01	9,358.00	---	3,600.00
			કુલ રૂ.	4,04,590.00

૪. ઉપર્યુક્ત તમામ હકીકતો ધ્યાને લઈ મોજે કપુરાઈ તા. વડોદરા શહેર (પૂર્વ) જિ. વડોદરા ના સરવે/બ્લોક નં. 240 ના ક્ષેત્રફળ 16,693.00 ચો.મી. પૈકી ક્ષેત્રફળ 9,358.00 ચો.મી ની જમીનને નીચે જણાવેલ શરતોને આધિન ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતી હેતુ (બહુહેતુક ઉપયોગ) માટે પરવાનગી આપવા આથી હુકમ કરવામાં આવે છે.

શરતો :-

- (૧) આ હુકમ મળ્યેથી બે માસમાં "એમ" નમૂનામાં સનદ પ્રાપ્ત થશે.
- (૨) જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવેલ છે. જેથી માપણી કરી / કરાવી આ હુકમ આધારે તેમજ મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું / કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલી દફતરે અમલ થયા બાદ જ પ્રશ્નવાળી બિનખેતીની જમીન / પ્લોટનું રજી. દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.



- (૩) અરજદારે પ્રતિ વર્ષે ખેતી સિવાયનો ધારો (વિશેષધારો) દર પ્રતિ ચો.મી. ના રૂ. ૦.૬૦ પ્રમાણે રૂ. ૬.૬૧૫.૦૦ તેમજ નિયમ પ્રમાણે લોકલ ફંડ તથા શિક્ષણ સેસ ભરવો પડશે જે અંગેનો દર વખતોવખત ફેરફારને પાત્ર રહેશે.
- (૪) વકીદાર મહાનગરપાલિકા એ મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને હુકમ થયા તારીખથી ત્રણ વર્ષમાં બાંધકામ પૂર્ણ કરવાનું રહેશે.
- (૫) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં. બખપ/૧૦૯૩/૧૦૫૨/૬ તા. ૧૩/૦૯/૧૯૯૩ માં ઠરાવ્યા મુજબ સહીયારા / કોમન પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુજબ માલિકનો કોઇ હકક રહેશે નહિ.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૦૭/૦૮/૧૯૯૧ ના પરિપત્ર નં. બખપ-૧૦૯૧/૧૭૫૬/૬ ની જોગવાઈ મુજબ બિન અધિકૃત બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા / શહેરી વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલાં લેવાના રહેશે.
- (૭) સદર જમીનમાંથી પેટ્રોલીયમ / પાણીની કે અન્ય કોઇપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ પરવાનગી આપનાર ઓથોરિટીએ સંબંધિતોનું ના-વાંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૮) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૧૨/૦૨/૨૦૧૯ ના પરિપત્ર નં. બખપ/૧૦૨૦૧૮/૪૨૫/૬ મુજબની નીચેની શરતોનું પાલન કરવાનું રહેશે.
૧. જો અગાઉ ચોક્કસ હેતુ માટે પ્રિમિયમ ભરપાઇ થયેલ હોય અને અન્ય હેતુ માટે વિકાસ પરવાનગી માંગેલ હોય/ નકશા મંજૂર કરવાના થતા હોય તો વિકાસ પરવાનગી આપતાં પહેલાં પ્રિમિયમ તકાવત ભરાયેલા સંબંધિત સત્તામંડળે ખાતરી કરવાની રહેશે અને ત્યારબાદ જ વિકાસ પરવાનગી આપવાની રહેશે.
 ૨. જીડીસીઆર મુજબ જે તે હેતુ/ ઉપયોગ માટે પરવાનગી મળવાપાત્ર નહિં હોય તો તે ઉપયોગ કરી શકાશે નહિં.
 ૩. ખેતી ઝોનમાં જીડીસીઆર મુજબ જેટલું બાંધકામ મળવાપાત્ર હશે તેટલા જ ક્ષેત્રફળ માટે વિકાસ પરવાનગી આપવાની રહેશે.
 ૪. બિનખેતી પરવાનગી મળ્યા બાદ જો ખાસ મંજૂરી વિના ધાર્મિક ઉપયોગ માટે બાંધકામ કરેલ હશે તો તે શરતભંગ ગણાશે અને તે બાંધકામ દૂર કરવાપાત્ર થશે.
- (૯) સરકારશ્રીના મહેસૂલ વિભાગનાં તા. ૦૧/૦૭/૨૦૦૮ ના ઠરાવ નં. બખપ/૧૦૦૫/૪૨૫/૬ માં જણાવેલ નીચે મુજબની શરતોનું પાલન કરવાનું રહેશે.
૧. જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડ તરફ હસ્ત કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ હોવી જોઇએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવી જોઇએ.
 ૨. બાંધકામ શરૂ કરતા પહેલાં બાંધકામનાં નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિનખેતી પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચિઠ્ઠી મેળવી શકશે નહિ.
 ૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનિંગ સ્કીમ મંજૂર થઇ ગઇ છે ત્યાં જી.ડી.સી.આર. અને ઝોનિંગના નિયમો અનુસાર બાંધકામ કરવાનું રહેશે.
 ૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
 ૫. અરજદારે રિબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઇ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
 ૬. ફ્લોર, મિલ, સિનેમા/ દુકાન સિનેમા/ થિયેટર માટે બિનખેતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ કરતાં પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૮. ઇન્ડિયન એક્સપ્લોઝિવ એક્ટ અન્વયે મેગેનિઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૯. સવાલવાળી જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી નિયમ મુજબ જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
 ૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રિડના તાર/ હાઇટેન્શન પાવર અગર ચાલતા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.
 ૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસ નિયમ મુજબની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સિવિલ એવિએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સિવિલ એવિએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
 ૧૨. ઓ.એન.જી.સી. ના કુવાની નજીકમાં આવેલ જમીનના ડિસ્તામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.



૧૩. નર્મદા કેનાલ/ અન્ય સિંચાઈ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાની થતા અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
૧૪. અરજદારે/ જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી નિયમ મુજબનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૦) પ્રમવાણી જમીનમાં નગરપાલિકા/ મહાનગરપાલિકા/ શહેરી વિકાસ સત્તા મંડળ દ્વારા જે શરતોએ પરવાનગી આપવામાં આવશે તે શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.
- (૧૧) આ જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન/ સંચય માટે દર મકાન/ બહુમાળી મકાન દીઠ એકના દરે આ જમીનમાં ઉપર પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.
- (૧૨) પ્રમવાણી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહિ.
- અરજદારે ઉપરોક્ત શરતોનું પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.
- (૧૩) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું ચોક્કસ લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.
- (૧૪) ઉપરોક્ત શરતોમાં ગમે તે મજદૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલા અથવા વધારાના કોઇપણ મકાન અથવા ઇમલારને કલેક્ટરશ્રીએ, આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સુચવ્યા મુજબ કેરકાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.
- (૧૫) સવાલવાળી જમીન સંબંધે ભવિષ્યમાં તૈયાર થનાર વિકાસ યોજના અને નગર રચના યોજના સંબંધે સરકારશ્રી / સત્તામંડળ/ નગર રચના અધિકારીશ્રી દ્વારા જે કોઈ દરખાસ્ત આખરી કરવામાં આવે તો તે અરજદારશ્રી / જમીન માલિક / મિલકતધારકોને બંધનકર્તા રહેશે.
- ૧૫ મહેસૂલ વિભાગના પરીપત્ર ક્રમાંક બખપ/૧૦૨૦૧૮/૩૨૩/ક તા.૦૮/૦૫/૨૦૧૮ ની સુચના મુજબ શહેરી વિકાસ વિભાગના લાગુ પડતા સક્ષમ સત્તાધિકારીશ્રીઓ જમીનના ઉપયોગ પ્રમાણે પ્લાન રજુ થતા જે તે વિસ્તારના અમલી નિયમો પ્રમાણે નિર્ણય કરશે અને ભવિષ્યમાં જ્યારે મંજૂર થયેલ પ્લાન વિરુદ્ધ કોઇપણ બાંધકામ થાય અથવા તો કોઇપણ રીતે મંજૂરીનું ઉલ્લંઘન થાય તો નિયમોનુસારની કાર્યવાહી સક્ષમ સત્તાધિકારી કરશે.
- ૧૬ ભારતીય વાયુસેનાના હવાઈમથક તથા ઇન્સ્ટોલેશનથી બાંધકામ કરવાની મર્યાદા ભારત સરકારના સંરક્ષણ મંત્રાલય દ્વારા જાહેરનામાથી વખતો વખત બહાર પાડવામાં આવે તેટલી ત્રિજ્યા બહાર બાંધકામ કરવાનું રહેશે.
- ૧૭ સવાલવાળી જમીન જો જેલથી નજીક હોય તો ૧૮૪ મીટર છોડીને બાંધકામ કરવાનું રહેશે.
- ૧૮ જો અગાઉ કોઇ ચોક્કસ હેતુ માટે પ્રિમીયમ ભરપાઇ થયેલ હોય અને અન્ય હેતુ માટે વિકાસ પરવાનગી માંગેલ હોય / નકશા મંજૂર કરવાના થતા હોય તો વિકાસ પરવાનગી આપતાં પહેલાં પ્રિમીયમ તફાવત ભરાયેલી સંબંધિત સત્તામંડળે ખાતરી કરવાની રહેશે અને ત્યારબાદ જ વિકાસ પરવાનગી આપવાની રહેશે.
- ૧૯ જી.ડી.સી.આર મુજબ જે તે હેતુ / ઉપયોગ માટે પરવાનગી મળવાપાત્ર નહી હોય તો તે ઉપયોગ કરી શકાશે નહી.
- ૨૦ ખેતી ઝોનમાં જીડીસીઆર મુજબ જેટલું બાંધકામ મળવાપાત્ર હશે તેટલા જ ક્ષેત્રફળ માટે વિકાસ પરવાનગી આપવાની રહેશે.
- ૨૧ બિનખેતી પરવાનગી મળ્યા બાદ જો ખાસ મંજૂરી વિના ધાર્મિક ઉપયોગ માટે બાંધકામ કરેલ હશે તો તે શરતભંગ ગણાશે અને તે બાંધકામ દુર કરવાપાત્ર થશે.
- ૨૨ સવાલવાળી જમીનનો ટી.પી.સ્કીમમાં સમાવેશ થયેલ હોય ટી.પી.સ્કીમના પુનર્વહેચણીપત્રક મુજબ અમલ કરવાનો રહેશે.
- વધુમાં ઉપર્યુક્ત શરતોને આધીન અરજદાર દ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ દ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે.

રવાનગી કર્યું :

(Signature)
કામલેશ્વરી બીનખેતી
વડોદરા.



(Signature)
(SHALINI AGARWAL)
કલેક્ટર, વડોદરા

આર.પી.એ.ડી.
પ્રતિ,

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, વડોદરા

કલેક્ટર કચેરી, કોઠી બિલ્ડિંગ, રાવપુરા, વડોદરા - ૩૯૦૦૦૧

ફોન નંબર : ૦૨૬૫-૨૪૩૩૦૦૦

ઇ-મેઇલ : collector-vad@gujarat.gov.in

ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ [બિનખેતી - બહુહેતુક ઉપયોગ]

હુકમ નં. 1105/19/17/045/2022

તા. 14/07/2022

વંચાણે લીધા :-

- (૧) અરજદારશ્રી જગદીશભાઈ યુનીલાલ પટેલ
રહે. ૨૮, કલ્યાણ બંગ્લો, સોમા તળાવ, વાઘોડીયા રોડ, વડોદરા-૩૯૦૦૨૫ ની તા.26/05/2022 ની ઓનલાઇન અરજી
(નં.31917202202729) તથા સોગંદનામું
- (૨) મુંબઈ જમીન મહેસૂલ કાયદો ૧૯૭૯ ની કલમ - ૪૮, ૬૫, ૬૬ તથા ૬૭
- (૩) ગુજરાત જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ ૮૧, ૧૦૦, ૧૦૧, ૧૦૨
- (૪) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક તા.૦૧/૦૭/૨૦૦૮
- (૫) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૩૨૭/ક તા.૦૮/૦૫/૨૦૧૮
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ ક્રમાંક: એસ/ટીપી/૧૨૨૦૯/૭૬૯/૧૧/હ.૧ તા.૩૧/૦૩/૨૦૧૧
- (૭) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૦૮/૦૧/૨૦૧૯
- (૮) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૧૨/૦૨/૨૦૧૯
- (૯) iRCMS પોર્ટલ પરની કેસ વિગત

હુકમ :-

વંચાણે લીધેલ કમ (૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી જગદીશભાઈ યુનીલાલ પટેલ એ મોજે કપુરાઈ તા. વડોદરા શહેર (પૂર્વ) જિ. વડોદરા ના સરવે/બ્લોક નં. 240 ના ક્ષેત્રફળ 16,693.00 ચો.મી. પૈકી ક્ષેત્રફળ 658.00 ચો.મી ની જમીન અંગે ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતીના હેતુ માટે પરવાનગી આપવા વિનંતી કરેલ છે.

૨. સવાલવાળી જમીનના ગામ નમૂના નં. ૭/૧૨ માં કબજેદારોની વિગત નીચે મુજબ છે.

સરવે/બ્લોક નંબરટી.પી. નંબરએફ.પી. નંબર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ (ખાતા નં. 1203)	જમીનનો સત્તાપ્રકાર (૭/૧૨ મુજબ)
સરવે/બ્લોક નં. : 240 ટી.પી. નં. : 40 એફ.પી. નં.: 128	658.00	જગદીશભાઈ યુનીલાલ પટેલ ચંદ્રકાંત યુનીલાલ પટેલ આત્મીય બાલકૃષ્ણ પટેલ મોનીકાબેન ભુપેન્દ્રભાઈ પટેલ આત્મીય ભુપેન્દ્રભાઈ પટેલ ઇસીતાબેન ભુપેન્દ્રભાઈ પટેલ	જુની શરત (જુ.શ)

૩. વસુલ કરવામાં આવેલ કરવેરાની વિગત નીચે મુજબ છે.

બેંકમાં ચલન ભર્યા તા.13/07/2022 નં.57000013551003513072225149

કરની વિગત	સદર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	દર રૂ. પ્રતિ ચો.મી.	કુલ રકમ રૂ.
રૂપાંતર કર	569-0035-00-800-01	658.00	40.00	26,320.00
વિશેષ ધારો	570-0035-00-101-01	658.00	0.65	428.00
લોકલ ફંડ	574-0029-00-103-01	658.00	1.95	1,283.00
શિક્ષણ ઉપકર	575-0045-00-108-01	658.00	0.49	322.00
માપણી ફી	577-0029-00-106-01	658.00	---	1,800.00
કુલ રૂ.				30,153.00

૪. ઉપર્યુક્ત તમામ હકીકતો ધ્યાને લઈ મોજે કપુરાઈ તા. વડોદરા શહેર (પૂર્વ) જિ. વડોદરા ના સરવે/બ્લોક નં. 240 ના ક્ષેત્રફળ 16,693.00 ચો.મી. પૈકી ક્ષેત્રફળ 658.00 ચો.મી ની જમીનને નીચે જણાવેલ શરતોને આધિન ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતી હેતુ (બહુહેતુક ઉપયોગ) માટે પરવાનગી આપવા આથી હુકમ કરવામાં આવે છે.

શરતો :-

- (૧) આ હુકમ મળ્યેથી બે માસમાં "એમ" નમૂનામાં સનદ પ્રાપ્ત થશે.
- (૨) જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવેલ છે. જેથી માપણી કરી/ કરાવી આ હુકમ આધારે તેમજ મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું/ કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલી દફતરે અમલ થયા બાદ જ પ્રશ્નવાળી બિનખેતીની જમીન/ પ્લોટનું રજી. દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.
- (૩) અરજદારે પ્રતિ વર્ષે ખેતી સિવાયનો ધારો (વિશેષધારો) દર પ્રતિ ચો.મી. ના રૂ. ૦.૬૫ પ્રમાણે રૂ. ૪૨૮.૦૦ તેમજ નિયમ પ્રમાણે લોકલ ફંડ તથા શિક્ષણ સેસ ભરવો પડશે જે અંગેનો દર વખતોવખત ફેરફારને પાત્ર રહેશે.
- (૪) વડોદરા મહાનગરપાલિકા એ મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે.
- (૫) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં.બખપ/૧૦૯૩/૧૦૫૨/ક તા.૧૩/૦૮/૧૯૯૩ માં ઠરાવ્યા મુજબ સહીયારા/ કોમન પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુજબ માલિકનો કોઈ હકક રહેશે નહિ.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના તા.૦૭/૦૮/૧૯૯૧ ના પરિપત્ર નં.બખપ-૧૦૯૧/૧૭૫૬/ક ની જોગવાઈ મુજબ બિન અધિકૃત બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા/ શહેરી વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલાં લેવાના રહેશે.
- (૭) સદર જમીનમાંથી પેટ્રોલીયમ/ પાણીની કે અન્ય કોઈપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ પરવાનગી આપનાર ઓથોરિટીએ સંબંધિતોનું ના-વાંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૮) સરકારશ્રીના મહેસૂલ વિભાગના તા.૧૨/૦૨/૨૦૧૯ ના પરિપત્ર નં.બખપ/૧૦૨૦૧૮/૪૨૫/ક મુજબની નીચેની શરતોનું પાલન કરવાનું રહેશે.
 ૧. જો અગાઉ ચોક્કસ હેતુ માટે પ્રિમિયમ ભરપાઇ થયેલ હોય અને અન્ય હેતુ માટે વિકાસ પરવાનગી માંગેલ હોય/ નકશા મંજૂર કરવાના થતા હોય તો વિકાસ પરવાનગી આપતાં પહેલાં પ્રિમિયમ તફાવત ભરાયો સંબંધિત સત્તામંડળે ખાતરી કરવાની રહેશે અને ત્યારબાદ જ વિકાસ પરવાનગી આપવાની રહેશે.
 ૨. જીડીસીઆર મુજબ જે તે હેતુ/ ઉપયોગ માટે પરવાનગી મળવાપાત્ર નહિં હોય તો તે ઉપયોગ કરી શકાશે નહિં.
 ૩. ખેતી ઝોનમાં જીડીસીઆર મુજબ જેટલું બાંધકામ મળવાપાત્ર હશે તેટલા જ ક્ષેત્રફળ માટે વિકાસ પરવાનગી આપવાની રહેશે.
 ૪. બિનખેતી પરવાનગી મળ્યા બાદ જો ખાસ મંજૂરી વિના ધાર્મિક ઉપયોગ માટે બાંધકામ કરેલ હશે તો તે શરતભંગ ગણાશે અને તે બાંધકામ દૂર કરવાપાત્ર થશે.
- (૯) સરકારશ્રીનાં મહેસૂલ વિભાગનાં તા.૦૧/૦૭/૨૦૦૮ ના ઠરાવ નં.બખપ/૧૦૦૬/૪૨૫/ક માં જણાવેલ નીચે મુજબની શરતોનું પાલન કરવાનું રહેશે.
 ૧. જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડ દ્વારા ઇસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ હોવી જોઈએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવી જોઈએ.
 ૨. બાંધકામ શરૂ કરતા પહેલાં બાંધકામનાં નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિનખેતી પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચિઠ્ઠી મેળવી શકશે નહિ.
 ૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનિંગ સ્કીમ મંજૂર થઈ ગઈ છે ત્યાં જી.ડી.સી.આર. અને ઝોનિંગના નિયમો અનુસાર બાંધકામ કરવાનું રહેશે.
 ૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
 ૫. અરજદારે રિબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઈ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
 ૬. ફ્લોર, મિલ, સિનેમા/ ટુરિંગ સિનેમા/ થિયેટર માટે બિનખેતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ કરતાં પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૮. ઇન્ડિયન એક્સપ્લોઝિવ એક્ટ અન્વયે મેગેનિઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૯. સવાલવાળી જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી નિયમ મુજબ જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
 ૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રિડના તાર/ હાઇટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.

૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસ નિયમ મુજબની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સિવિલ એવિએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સિવિલ એવિએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
૧૨. ઓ.એન.જી.સી. ના કુવાની નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
૧૩. નર્મદા કેનાલ/ અન્ય સિંચાઇ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાના થતાં અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
૧૪. અરજદારે/ જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી નિયમ મુજબનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૦) જો આ જમીન પર કોઇ બેંક/ મંડળીનો બોજો બાકી હોય તો, તે ભરપાઇ કર્યા સિવાય આ મિલકત કોઇપણ પ્રકારે વેચાણ, ભેટ, વસિયત, બાનાખત, ગિરો કરી શકાશે નહિ અને કોઇપણ અન્યને પ્રત્યક્ષ કે પરોક્ષ રીતે માલિકી કે કબજો ભોગવટો તબદીલ કરી શકાશે નહિ.
- (૧૧) પ્રશ્નવાળી જમીનમાં નગરપાલિકા/ મહાનગરપાલિકા/ શહેરી વિકાસ સત્તા મંડળ દ્વારા જે શરતોએ પરવાનગી આપવામાં આવશે તે શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.
- (૧૨) આ જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન/ સંચય માટે દર મકાન/ બહુમાળી મકાન દીઠ એકના દરે આ જમીનમાં ઉપર પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.
- (૧૩) પ્રશ્નવાળી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહિ.
- અરજદારે ઉપરોક્ત શરતોનું પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.
- (૧૪) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.
- (૧૫) ઉપરોક્ત શરતોમાં ગમે તે મજફૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલા અથવા વધારાના કોઇપણ મકાન અથવા ઇમલોને કલેક્ટરશ્રીએ, આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સૂચવ્યા મુજબ ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.

- (૧૬) સવાલવાળી જમીન સંબંધે ભવિષ્યમાં તૈયાર થનાર વિકાસ યોજના અને નગર રચના યોજના સંબંધે સરકારશ્રી / સત્તામંડળ / નગર રચના અધિકારીશ્રી દ્વારા જે કોઈ દરખાસ્ત આખરી કરવામાં આવે તો તે અરજદારશ્રી / જમીન માલિક / મિલકતધારકોને બંધનકર્તા રહેશે.
૧૭. મહેસુલ વિભાગના પરીપત્ર ક્રમાંક બખપ/૧૦૨૦૧૮/૩૨૭/ક તા.૦૮/૦૫/૨૦૧૮ ની સુચના મુજબ શહેરી વિકાસ વિભાગના લાગુ પડતા સક્ષમ સત્તાધિકારીશ્રીઓ જમીનના ઉપયોગ પ્રમાણે પ્લાન રજુ થતા જે તે વિસ્તારના અમલી નિયમો પ્રમાણે નિર્ણય કરશે અને ભવિષ્યમાં જ્યારે મંજૂર થયેલ પ્લાન વિરુદ્ધ કોઈપણ બાંધકામ થાય અથવા તો કોઈપણ રીતે મંજૂરીનું ઉલ્લંઘન થાય તો નિયમોનુસારની કાર્યવાહી સક્ષમ સત્તાધિકારી કરશે.
૧૮. ભારતીય વાયુસેનાના હવાઈમથક તથા ઇન્સ્ટોલેશનથી બાંધકામ કરવાની મર્યાદા ભારત સરકારના સંરક્ષણ મંત્રાલય દ્વારા જાહેરનામાથી વખતો વખત બહાર પાડવામાં આવે તેટલી ત્રિજ્યા બહાર બાંધકામ કરવાનું રહેશે.
૧૯. સવાલવાળી જમીન જો જેલથી નજીક હોય તો ૧૮૪ મીટર છોડીને બાંધકામ કરવાનું રહેશે.
૨૦. જો અગાઉ કોઈ ચોક્કસ હેતુ માટે પ્રિમીયમ ભરપાઈ થયેલ હોય અને અન્ય હેતુ માટે વિકાસ પરવાનગી માંગેલ હોય / નકશા મંજૂર કરવાના થતા હોય તો વિકાસ પરવાનગી આપતાં પહેલાં પ્રિમીયમ તફાવત ભરાયાની સંબંધિત સત્તામંડળે ખાતરી કરવાની રહેશે અને ત્યારબાદ જ વિકાસ પરવાનગી આપવાની રહેશે.
૨૧. જી.ડી.સી.આર મુજબ જે તે હેતુ / ઉપયોગ માટે પરવાનગી મળવાપાત્ર નહીં હોય તો તે ઉપયોગ કરી શકાશે નહીં.
૨૨. ખેતી ઝોનમાં જીડીસીઆર મુજબ જેટલું બાંધકામ મળવાપાત્ર હશે તેટલા જ ક્ષેત્રફળ માટે વિકાસ પરવાનગી આપવાની રહેશે.
૨૩. બિનખેતી પરવાનગી મળ્યા બાદ જો ખાસ મંજૂરી વિના ધાર્મિક ઉપયોગ માટે બાંધકામ કરેલ હશે તો તે શરતભંગ ગણાશે અને તે બાંધકામ દુર કરવાપાત્ર થશે.
૨૪. સવાલવાળી જમીનનો ટી.પી.સ્કીમમાં સમાવેશ થયેલ હોય ટી.પી.સ્કીમના પુનવહેયણીપત્રક મુજબ અમલ કરવાનો રહેશે.
૨૫. સવાલવાળી જમીનમાં ટી.પી. કપાતની જમીનમાં અરજદાર નો કોઈ માલીકી હકક રહેશે નહીં તથા તેમાં કોઈ તબદીલી કરી શકાશે નહીં.
૨૬. સવાલવાળી જમીનમાં નગરરચના યોજનાને અંતિમ કરતી વખતે નગરરચના અધિકારીશ્રી દ્વારા જમીનની હદ, ક્ષેત્રફળ કે દરખાસ્ત બાબતે જે નિર્ણયો લઈ ફેરફાર કરી અંતિમ કરવામાં આવે તે તમામ ફેરફારો જમીન માલિકો/હિત સંબંધ ધરાવનાર વ્યક્તિઓને બંધનકર્તા રહેશે.

વધુમાં ઉપર્યુક્ત શરતોને આધીન અરજદાર દ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ દ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે.

(એ. બી. ગોર)
કલેક્ટર, વડોદરા

આર.પી.એ.ડી.

પ્રતિ,

જગદીશભાઈ યુનીલાલ પટેલ

૨૮

કલ્યાણ બંગ્લો, સોમા તળાવ

વાઘોડીયા રોડ

વડોદરા-૩૯૦૦૨૫

નકલ રવાના:-

૧. મુખ્ય અધિકારીશ્રી, વડોદરા મહાનગરપાલિકા

૨. મામલતદારશ્રી તા. વડોદરા શહેર (પૂર્વ) જિ. વડોદરા (હુકમનો અમલ ગામ દફતરે રેકર્ડ ઓફ રાઈટ્સ મુજબ કરાવવા સારું.)

૩. જિલ્લા ઇન્સ્પેક્ટરશ્રી જમીન રેકર્ડ જિ. વડોદરા

૪. તલાટીશ્રી કપુરાઈ તા. વડોદરા શહેર (પૂર્વ) જિ. વડોદરા તરફ.

* આ હુકમની ઇ-ધરા કેન્દ્ર, વડોદરા શહેર (પૂર્વ) માં નોંધ નંબર 5605 થી મોજે.- કપુરાઈ તા.- વડોદરા શહેર (પૂર્વ) જિ.- વડોદરા માં નોંધ થયેલ છે.



Vadodara Fire & Emergency Services

Vadodara Municipal Corporation.

1st Floor, City Command Control Centre

Badamdi Baug, Vadodara- 390209

Phone 0265-241 36 35, 241 37 54, 242 08 81, 241 37 53

E-Mail - cfo@vmc.gov.in



Fire Safety Opinion

Outward No.- 1875/22-23
Date: 02/09/22

To,

Shri Jagdishbhai Chunilal Patel & Others,

Moje: Kapurai, Vadodara.



Subject: Fire Safety Opinion for the application made by concern person to Vadodara Fire and Emergency Services department for Building to be constructed at site details given below.

Reference: File submitted by you with Plan/Drawing Dated 29-08-2022 File No: 164.

SiteDetails: Moje: Kapurai, Vadodara, FP No.-128, TP No.-40, RS No.-240, Land to be used for construction of High-rise / Commercial / Residential Building. Height of the propose building is 34.30 Meters.

Type of Occupancy: Residential

Building usage: Flats

This is to inform the Applicant about the application made by him/her on date 29-08-2022 at the concern office with Application Letter and Plan/Drawing for issuing fire safety opinion for the place of Construction mentioned in subject. Considering your application for High-rise / Commercial / Residential Building necessary firefighting system installation and fire safety recommendation for public safety should be followed by Builder/Owner/Occupant all the time. Gujarat Fire Prevention and Life Safety Measures Act, 2013 Rules 2014/2021 and Regulations 2016/2018/2019 along with CGDCR Norms as applicable and NBC guidelines for fire safety should be strictly followed as per the nature of construction.

Building Plan/Drawing submitted by the applicant (Preferably from Registered Organization or Architect) should have all Firefighting arrangements as recommended in Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04 of National Building Code 2016 and Comprehensive General Development Control Regulations 2017 at all-time as applicable.

Note: For any Building that falls under category where public safety comes under threat as per norms and was constructed before 2017 in person inspection will be done by concern Officer and changes if required will be recommended as per Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04

of National Building Code 2016 and CGDCR, such changes must be done as suggested without any delay. (Important for TDO Department to take note of)

Details of the Plan/Drawing submitted by the applicant are found as per rules and regulations at time of application.


If in case any changes, addition or subtraction done by the Builder/Owner/Occupant in presented Plan/Drawing after getting necessary approval, the issued opinion certificate will be considered as terminated.

Site Details as per Plan/Drawing:

Type & Occupancy:	<u>Residential, Flats</u>
Height of Building:	<u>34.30 Meters.</u>
Area of Construction:	<u>24510.29 Square Mt.</u>
Number of Towers:	<u>01</u>
Number of Basement/Floor:	<u>B+G+10 Floor</u>
Building Name:	***

Name and Number will be mentioned as per TDO Letter only, in case of any changes in name and number or Dispute, Department of Vadodara Fire & Emergency Services will not take any responsibility.

Once the construction of Building is done, inspection will be done by the concern officer if construction is found as per the proposed plan presented and satisfactory only then Fire Safety Certificate will be issued.


Parth Brahmabhatt
I/C Chief Fire Officer
Vadodara Municipal Corporation
Vadodara

(R.S.No.=Revenue Survey Number, CS No.=City Survey Number, FP=Final Plot, TP=Town Planning Scheme)
Copy to: Town Development Officer, Vadodara Municipal Corporation. Process initiated as per the law at our end.

General Requirement for Buildings:

- In reference to Chapter 4 of National Building Code of India all rules to be followed for Fire and Safety.
- Every tower should have 6 inch (150 MM) Internal Diameter (Above 18 Mtr.) GI pipe with Wet Riser system properly painted in red also Pipes which are underground should be covered and coated.
- On every floor of tower there should be proper Hose Box with Hose pipe of 63mm Diameter 1 Branch pipe with Valve on riser line. This condition should be applicable to all towers in case of multiple towers.
- Fire alarm should be placed on each and every floor, which should be audible to entire tower in case of emergency.
- 6KG Capacity ABC Stored pressure Fire Extinguisher & CO2 fire extinguisher of 4.5 KG Capacity 1 on every floor with ISI approved "Certificate" with Tower name.

- Courtyard/Margin should be as per standard and motorable road should be obstacle free for Hydraulic Elevated Platform to work in case of fire. (As per Drawing)
- Staircase should be constructed in such a way that Travel Distance should not exceed 22.5 Meters between two Staircase
- For hollow parking sprinkler system is must with Yard Hydrant.
- Emergency Close Valve to be placed at Height of 4 Feet on Fire Hydrant Raiser line in each tower.
- All Fire Fighting Instruments irrespective to size must have Buildings name engraved or painted on it.
- All side of the Construction site should be clear for operation by Fire Department in case of emergency, In case if there are any Telecom Electric or Trees planted such obstacles should be cleared.
- All Drain covers and flooring within premises should be of heavy duty with minimum load bearing capacity of 25 Tons if building is below 45 meters height and 50 Tons if building is above 45 Meters.
- Four way collecting head should be out of premises but on front side of tower, and Two Way collecting head for each tower separately.
- Proper Ventilation should be taken care of, Smoke management system should be connected with generator.
- Emergency Lift, Staircases, Ramp, Water tank OH/UG (Inlet should be connected to VMC water supply line), Passage & Corridors should be kept as per guideline of NBC 2016. (Applicable to 18 Meters & above: Every Tower should have Individual Underground water tank with Capacity of 1 Lakh Liters and Overhead tank with Capacity of 20000 Liters connected to Fire Pump supported by Generator/Diesel Pump. Testing of water pressure will be done once pump is connected with GEB & Generator connection)
- In case of any specific suggestion or changes guided by Chief Fire Officer should also be done on priority basis.
- Fix Firefighting systems & instruments should be of ISI Standards.
- GEB Transformers should not be in motorable road.
- The Highest point of the tower should have approved Lightning arrester.
- FSC will be issued for the purpose that is mentioned at time of application if the structure is used for other then mentioned one, the Given FSC will stand terminated
- Entrance gate of the society should be minimum 6 Meters in width and 5Meters in height.
- In case if you are appointing Fire Safety Vendors they should Registered Fire Vendors.
- If Floor area is big, than for every Staircase there should be separate Riser Line.
- Isolation Valve with Two way collecting head to be placed on all Raiser Line.
- 3KG Flow pressure on terrace should be maintained.
- Smoke management system should be installed in basement with sprinklers system in case if area if more than 200 Sq. meters.
- Basement, Semi Basement and Second Basement all should have positive air pressure.
- External Staircase should be made available in case if needed or instructed.
- ACP/Glass facade elevation should be properly Ventilated and Openable on every floor. Glass quality for elevation should be as per standards of NBC for which certificate need to be provided.
- In case of Roof top shades be it any material are used it should be done such a way that they should not be obstacle in case of Fire Emergency.
- Electric wiring/cable installed in the premises should be as per Electricity Acts & Rules and should be tested from Government approved Electrical Inspector.
- Roads construction should be as it is mentioned/presented in plan. Quality of road should be of either Bituminous or Concrete.
- All Fire Signage should be installed with Emergency Evacuation plan (Auto Glow).
- Sky light wired Glass should be minimum of 30 minutes fire resistance as per NBC and certificate for the same to be produced.
- HFL Levels should be maintained at time of Construction (D-Watering pumping System should be installed).
- If construction work is not completed within 3 years from the date of Opinion certificate issued, in such case NOC will be considered as terminated.
- If any wrong information if provided for the road in the given Map NOC will not be considered valid.
- Other than Special Building construction like Residential Building, Commercial Building, Residence + Commercial, School/College, Hospitals, Hotel/Restaurants/Party Plot/Petrol Pump/ Classes and any others places where public gatherings are done will have to follow all above given instruction at all time in case of violation the issued NOC will be "Canceled".
- As per the Norms of Vadodara Municipal Corporation at time of renewing Fire NOC, the applicant will have to pay renewal fees according to number of Risers installed.

I _____ the undersigned have read and understood all the above instructions.

Designation of Receiver: _____
 Contact details: _____
 Signature _____
 VFES/FSAP/OUTWARD:
 Date: _____

Receivers



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Jagdishbhai.C.Patel

Date: 26-08-2022

Hayosha Infratech, Samruddhi
Hayosha, At - Kapurai,
Vadodara.

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	VADO/WEST/B/082522/694745
Applicant Name*	Baldev K Patel
Site Address*	Samruddhi Saffron, R.S.NO-240, O.P.NO-128, F.P.NO-128, T.P.NO-40, At- Kapurai, Vadodara.
Site Coordinates*	22 16 26.79N 73 14 05.57E, 22 16 29.37N 73 14 07.98E, 22 16 25.37N 73 14 08.24E, 22 16 28.31N 73 14 10.55E
Site Elevation in mtrs AMSL as submitted by Applicant*	32.15 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 6401 mts from ARP and lies in the grid O14 of the published CCZM of Vadodara airport. The Permitted top elevation for this grid is 100 mts.

Since the requested top elevation 87.15 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

- The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.
- The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void
- Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.
- The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

राजीव गांधी भवन
Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003
Safdarjung Airport, New Delhi-110003

दूरभाष : 24632950
Phone: 24632950



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.

g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

This assessment is system auto generated and thus does not require any signature

Designated Officer

Region Name: WEST

Address: General Manager Airports
Authority of India, Regional
Headquarter, Western Region,
Opp. Parsiwada, Sahar Road,
Vale Parle (E)

Email ID: nocwr@aai.aero

Contact No: 022-28300656



PARIVESH

परिवेश

“Pro Active and Responsive facilitation by Interactive, Virtuous and Environmental Singlewindow Hub”

State Environment Impact Assessment
Authority
Gujarat



Home Services Blog Contact Us

S.No	Proposal Details	Location	Important Dates	Category	Company/Proponent	Current status	Attached Files	View TimeLine Details
1	Proposal No : SIA/GJ/INFRA2/404318/2022 File No : SIA/GJ/INFRA2/175211/2022 Proposal Name : Samruddhi Saffron	State : Gujarat District : Vadodara Tehsil :	Date of Submission for TOR : 27 Oct 2022 Date of Submission for EC :	INFRA-2	JAGADISHBHAI PATEL	Accepted By SEAC		



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Regd. No. 1706
Date: 24/11/2022

Certificate No. : IN-GJ65044056862245U
Certificate Issued Date : 24-Nov-2022 05:45 PM
Account Reference : IMPACC (AC)/ gj13273311/ BARODA/ GJ-BA
Unique Doc. Reference : SUBIN-GJGJ1327331158528931452800U
Purchased by : PARTH PATEL
Description of Document : Article 5(h) Agreement (not otherwise provided for)
Description : Not Applicable
Consideration Price (Rs.) : 0
(Zero)
First Party : HAYOSHA INFRATECH
Second Party : Not Applicable
Stamp Duty Paid By : HAYOSHA INFRATECH
Stamp Duty Amount(Rs.) : 300
(Three Hundred only)



IN-GJ65044056862245U

JD 0023383580

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.



The contents of this e-stamp certificate can be verified at www.shcilestamp.com, Stock Holding mobile application "EStamping" or at Stock Holding Branch/ Centre (the details of which are available at www.stockholding.com).

- Any alteration to this certificate renders it invalid and would constitute a criminal offence.
- Kindly contact Stock Holding Branch / Centre in case of discrepancy.
- For information related to e-Stamping you may write to us on our email id estamp.ahmedabad@stockholding.com or visit our Branch/Centre.

સૂચના

- આ ઈ-સ્ટેમ્પ પ્રમાણપત્રની વિગતો www.shcilestamp.com દ્વારા અથવા સ્ટોક હોલ્ડિંગની "ઈસ્ટેમ્પિંગ" મોબાઈલ એપ્લિકેશન અથવા સ્ટોક હોલ્ડિંગની શાખા / કેન્દ્ર (જેની વિગતો www.stockholding.com પર ઉપલબ્ધ છે) પર જઈ ને ચકાસી શકાય છે.
- આ પ્રમાણપત્રમાં કરેલ કોઈપણ ફેરફાર અમાન્ય છે અને તે ફોજદારી ગુનો બને છે.
- આ ઈ-સ્ટેમ્પ પ્રમાણપત્રમાં કોઈપણ વિસંગતતા જણાય તો સ્ટોક હોલ્ડિંગની શાખા / કેન્દ્ર પર સંપર્ક કરવો.
- ઈ-સ્ટેમ્પિંગ સંબંધિત જાણકારી માટે અમને estamp.ahmedabad@stockholding.com પર ઈ-મેઈલ કરવો અથવા અમારી શાખા / કેન્દ્ર ની મુલાકાત લેવી.



AFFIDAVIT

Affidavit cum declaration of Mr. Manojbhai Mangalbhai Patel authorized Promoter/Duly for Signatory of Hayosha Infratech Project Samruddhi Saffron being developed on Revenue Survey No. 240 F.P No 128 of T.P Scheme No 40 of Village Kapurai, Taluka/District Vadodara PIN 390004.

I Manojbhai Mangalbhai Patel authorized Signatory by the promoter of project Samruddhi Saffron do hereby solemnly declare, undertake and state that,

I have submitted an application for RERA registration vide acknowledgment No: PR/GJ/VADODARA/VADODARA/GUJRERA/221103/013633 for my above mentioned project.

For the above mentioned project we have applied for Environmental Clearance Certificate having proposal no. SIA/GJ/INFRA2/404318/2022. We will provide GUJRERA authority with Environmental Clearance Certificate as we get approval from Gujarat Pollution Control Board.

I am aware and are bound to provide the same.

Promoter

Patel. Manoj .M

Manojbhai Mangalbhai Patel

Authorized Signatory Hayosha Infratech



Solemnly Affirmed/Declared
Sworn Before me by *Manojbhai*

M. Patel

D.B.
D. B. BAROT
NOTARY (Govt. of India)

24/11/2022





Vadodara Fire & Emergency Services

Vadodara Municipal Corporation.

1st Floor, City Command Control Centre

Badamdi Baug, Vadodara- 390209

Phone 0265-241 36 35, 241 37 54, 242 08 81, 241 37 53

E-Mail - cfo@vmc.gov.in



Fire Safety Opinion

Outward No.- 2940/22-23
Date: 22/12/22

To,

Shri Jagdishbhai Chunilal Patel & Others,

Moje: Kapurai.



Subject: Fire Safety Opinion for the application made by concern person to Vadodara Fire and Emergency Services department for Building to be constructed at site details given below.

Reference: File submitted by you with Plan/Drawing Dated 07-12-2022 File No: 246.

SiteDetails:Moje: Kapurai,FP No.128,TP No.40,RS No.240, Land to be used for construction of High-rise / Commercial / Residential Building. Height of the propose building is 34.30 Meters.

Type of Occupancy: Mix Occupancy

Building usage: Resi+ Com

This is to inform the Applicant about the application made by him/her on date 07-12-2022 at the concern office with Application Letter and Plan/Drawing for issuing fire safety opinion for the place of Construction mentioned in subject. Considering your application for High-rise / Commercial / Residential Building necessary firefighting system installation and fire safety recommendation for public safety should be followed by Builder/Owner/Occupant all the time. Gujarat Fire Prevention and Life Safety Measures Act, 2013 Rules 2014/2021 and Regulations 2016/2018/2019 along with CGDCR Norms as applicable and NBC guidelines for fire safety should be strictly followed as per the nature of construction.

Building Plan/Drawing submitted by the applicant (Preferably from Registered Organization or Architect) should have all Firefighting arrangements as recommended in Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04 of National Building Code 2016 and Comprehensive General Development Control Regulations 2017 at all-time as applicable.

Note: For any Building that falls under category where public safety comes under threat as per norms and was constructed before 2017 in person inspection will be done by concern Officer and changes if required will be recommended as per Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04 of National Building Code 2016 and CGDCR, such changes must be done as suggested without any delay. (Important for TDO Department to take note of)

Details of the Plan/Drawing submitted by the applicant are found as per rules and regulations at time of application.

If in case any changes, addition or subtraction done by the Builder/Owner/Occupant in presented Plan/Drawing after getting necessary approval, the issued opinion certificate will be considered as terminated.

Site Details as per Plan/Drawing:

Type & Occupancy: Mix Occupancy, Resi+ Com
Height of Building: 34.30 Meters.
Area of Construction: 23802.81 Square Mt.
Number of Towers: 01
Number of Basement/Floor: B+G+10 Floor
Building Name: ***

Name and Number will be mentioned as per TDO Letter only, in case of any changes in name and number or Dispute, Department of Vadodara Fire & Emergency Services will not take any responsibility.

Once the Construction of Building is done, inspection will be done by the concern officer if construction is found as per the proposed plan presented and satisfactory only then Fire Safety Certificate will be issued.



Parth Brahmbhatt
I/C Chief Fire Officer
Vadodara Municipal Corporation
Vadodara

(R.S.No.=Revenue Survey Number, CS No.=City Survey Number, FP=Final Plot, TP=Town Planning Scheme)

Copy to: Town Development Officer, Vadodara Municipal Corporation. Process Initiated as per.

General Requirement for Buildings:

- In reference to Chapter 4 of National Building Code of India all rules to be followed for Fire and Safety.
- Every tower should have 6 inch (150 MM) Internal Diameter (Above 18 Mtr.) GI pipe with Wet Riser system properly painted in red also Pipes which are underground should be covered and coated.
- On every floor of tower there should be proper Hose Box with Hose pipe of 63mm Diameter 1 Branch pipe with Valve on riser line. This condition should be applicable to all towers in case of multiple towers.
- Fire alarm should be placed on each and every floor, which should be audible to entire tower in case of emergency.
- 6KG Capacity ABC Stored pressure Fire Extinguisher & CO2 fire extinguisher of 4.5 KG Capacity 1 on every floor with ISI approved "Certificate" with Tower name.
- Courtyard/Margin should be as per standard and motorable road should be obstacle free for Hydraulic Elevated Platform to work in case of fire. (As per Drawing)
- Staircase should be constructed in such a way that Travel Distance should not exceed 22.5 Meters between two Staircase
- Staircase should be Positive Pressure. (Smoke Management)
- Exits staircase and Fire Tower should have a Class-1 fire rating and material used for construction should have 4-hours fire resistance capacity
- Separate Fire lift, generator, and Emergency light.
- Follow all Electrical Safety Norms, Separate Generator System.

- One Skip Floor mandatory above 35 meters of construction which will be used as refuse area /Duplicate Pump room on terrace with System booster pump along with this 20,000 liters water tank.
- Passage road should be of 50 tons load bearing capacity.
- In case of multiple wings there should be joint service floor.
- Building used above 44 meters should not be done/ allowed till new Hydraulic platform is obtained
- For hollow parking sprinkler system is must with Yard Hydrant.
- Emergency Escape Chute from Skip floor.
- Emergency Close Valve to be placed at Height of 4 Feet on Fire Hydrant Raiser line in each tower.
- All Fire Fighting Instruments irrespective to size must have Buildings name engraved or painted on it.
- All side of the Construction site should be clear for operation by Fire Department in case of emergency; In case if there are any Telecom Electric or Trees planted such obstacles should be cleared.
- All Drain covers and flooring within premises should be of heavy duty with minimum load bearing capacity of 25 Tons if building is below 45 meters height and 50 Tons if building is above 45 Meters.
- Four way collecting head should be out of premises but on front side of tower, and Two Way collecting head for each tower separately.
- Proper Ventilation should be taken care of; Smoke management system should be connected with generator.
- Emergency Lift, Staircases, Ramp, Water tank OH/UG (Inlet should be connected to VMC water supply line), Passage & Corridors should be kept as per guideline of NBC 2016. (Applicable to 18 Meters & above: Every Tower should have Individual Underground water tank with Capacity of 1 Lakh Liters and Overhead tank with Capacity of 20000 Liters connected to Fire Pump supported by Generator/Diesel Pump. Testing of water pressure will be done once pump is connected with GEB & Generator connection)
- In case of any specific suggestion or changes guided by Chief Fire Officer should also be done on priority basis.
- Fix Firefighting systems & instruments should be of ISI Standards.
- GEB Transformers should not be in morotable road.
- The Highest point of the tower should have approved Lightning arrester.
- FSC will be issued for the purpose that is mentioned at time of application if the structure is used for other than mentioned one, the Given FSC will stand terminated
- Entrance gate of the society should be minimum 6 Meters in width and 5Meters in height.
- Side set back side area 7 meters all around the building.
- In case if you are appointing Fire Safety Vendors they should Registered Fire Vendors.
- If Floor area is big, than for every Staircase there should be separate Riser Line.
- Isolation Valve with Two way collecting head to be placed on all Raiser Line.
- 3KG Flow pressure on terrace should be maintained.
- Smoke management system should be installed in basement with sprinklers system in case if area if more than 200 Sq. meters.
- Commercial should be auto sprinklers
- Water curtain system auto operated by smoke detector in all Basements.
- Basement, Semi Basement and Second Basement all should have positive air pressure.
- External Staircase should be made available in case if needed or instructed.
- ACP/Glass facade elevation should be properly Ventilated and Openable on every floor. Glass quality for elevation should be as per standards of NBC for which certificate need to be provided.
- In case of Roof top shades be it any material are used it should be done such a way that they should not be obstacle in case of Fire Emergency.
- Electric wiring/cable installed in the premises should be as per Electricity Acts & Rules and should be tested from Government approved Electrical Inspector.
- Roads construction should be as it is mentioned/presented in plan. Quality of road should be of either Bituminous or Concrete.
- All Fire Signage should be installed with Emergency Evacuation plan (Auto Glow).
- Sky light wired Glass should be minimum of 30 minutes fire resistance as per NBC and certificate for the same to be produced.
- HFL Levels should be maintained at time of Construction (D-Watering pumping System should be installed).
- If construction work is not completed within 3 years from the date of Opinion certificate issued, in such case NOC will be considered as terminated.
- If any wrong information if provided for the road in the given Map NOC will not be considered valid.
- Other than Special Building construction like Residential Building, Commercial Building, Residence + Commercial, School/College, Hospitals, Hotel/Restaurants/Party Plot/Petrol Pump/ Classes and any others places where public gatherings are done will have to follow all above given instruction at all time in case of violation the issued NOC will be "Canceled".
- As per the Norms of Vadodara Municipal Corporation at time of renewing Fire NOC, the applicant will have to pay renewal fees according to number of Risers installed.

I _____ the undersigned have read and understood all the above instructions.

Designation of Receiver: _____
 Contact details: _____
 Signature _____
 VFES/FSAP/OUTWARD:

Receivers