



Vadodara Fire & Emergency Services

Vadodara Municipal Corporation.

1st Floor, City Command Control Centre

Badamdi Baug, Vadodara- 390209

Phone 0265-241 36 35, 241 37 54, 242 08 81, 241 37 53

E-Mail - cfo@vmc.gov.in



Fire Safety Opinion

Outward No.- 86/22-23
Date: 08/04/22

To,

Aayam Infra Partner Shri Dilipbhai

Laxmanbhai Mojidara & Others,

Moje: Saiyad-Vasna, Vadodara.



Subject: Fire Safety Opinion for the application made by concern person to Vadodara Fire and Emergency Services department for Building to be constructed at site details given below.

Reference: File submitted by you with Plan/Drawing Dated 44649 File No: 350

Site Details: Moje: Saiyad-Vasna, Vadodara, RS No.-293/1, FP No.-154, CS No.-1219, TP No.-15, Land to be used for construction of High-rise / Commercial / Residential Building. Height of the propose building is 23.80 Meters.

Type of Occupancy: Residential

Building usage: Flats

This is to inform the Applicant about the application made by him/her on date 44649 at the concern office with Application Letter and Plan/Drawing for issuing fire safety opinion for the place of Construction mentioned in subject. Considering your application for High-rise / Commercial / Residential Building necessary firefighting system installation and fire safety recommendation for public safety should be followed by Builder/Owner/Occupant all the time. Gujarat Fire Prevention and Life Safety Measures Act, 2013 Rules 2014/2021 and Regulations 2016/2018/2019 along with CGDCR Norms as applicable and NBC guidelines for fire safety should be strictly followed as per the nature of construction.

Building Plan/Drawing submitted by the applicant (Preferably from Registered Organization or Architect) should have all Firefighting arrangements as recommended in Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04 of National Building Code 2016 and Comprehensive General Development Control Regulations 2017 at all-time as applicable.

Note: For any Building that falls under category where public safety comes under threat as per norms and was constructed before 2017 in person inspection will be done by concern Officer and changes if required will be recommended as per Gujarat Fire Prevention and Life Safety Measures Act, 2013, Rules 2014/2021, Regulations 2016/2018/2019, Chapter 04

of National Building Code 2016 and CGDCR, such changes must be done as suggested without any delay. **(Important for TDO Department to take note of)**

Details of the Plan/Drawing submitted by the applicant are found as per rules and regulations at time of application.


If in case any changes, addition or subtraction done by the Builder/Owner/Occupant in presented Plan/Drawing after getting necessary approval, the issued opinion certificate will be considered as terminated.

Site Details as per Plan/Drawing:

Type & Occupancy:	<u>Residential, Flats</u>
Height of Building:	<u>23.80</u> Meters.
Area of Construction:	<u>6922.89</u> Square Mt.
Number of Towers:	<u>01</u>
Number of Basement/Floor:	<u>B+G+07 Floor</u>
Building Name:	<u>***</u>

Name and Number will be mentioned as per TDO Letter only, in case of any changes in name and number or Dispute, Department of Vadodara Fire & Emergency Services will not take any responsibility.

Once the construction of Building is done, inspection will be done by the concern officer if construction is found as per the proposed plan presented and satisfactory only then Fire Safety Certificate will be issued.



Parth Brahmbhatt
I/C Chief Fire Officer
Vadodara Municipal Corporation
Vadodara

(R.S.No.=Revenue Survey Number, CS No.=City Survey Number, FP=Final Plot, TP=Town Planning Scheme)

Copy to: Town Development Officer, Vadodara Municipal Corporation. Process initiated as per the law at our end.

General Requirement for Buildings:

- In reference to Chapter 4 of National Building Code of India all rules to be followed for Fire and Safety.
- Every tower should have 6 inch (150 MM) Internal Diameter (Above 18 Mtr.) GI pipe with Wet Riser system properly painted in red also Pipes which are underground should be covered and coated.
- On every floor of tower there should be proper Hose Box with Hose pipe of 63mm Diameter 1 Branch pipe with Valve on riser line. This condition should be applicable to all towers in case of multiple towers.
- Fire alarm should be placed on each and every floor, which should be audible to entire tower in case of emergency.
- 6KG Capacity ABC Stored pressure Fire Extinguisher & CO2 fire extinguisher of 4.5 KG Capacity 1 on every floor with ISI approved "Certificate" with Tower name.
- Courtyard/Margin should be as per standard and motorable road should be obstacle free for Hydraulic Elevated Platform to work in case of fire. (As per Drawing)

- Staircase should be constructed in such a way that Travel Distance should not exceed 22.5 Meters between two Staircase
- For hollow parking sprinkler system is must with Yard Hydrant.
- Emergency Close Valve to be placed at Height of 4 Feet on Fire Hydrant Raiser line in each tower.
- All Fire Fighting Instruments irrespective to size must have Buildings name engraved or painted on it.
- All side of the Construction site should be clear for operation by Fire Department in case of emergency, In case if there are any Telecom Electric or Trees planted such obstacles should be cleared.
- All Drain covers and flooring within premises should be of heavy duty with minimum load bearing capacity of 25 Tons if building is below 45 meters height and 50 Tons if building is above 45 Meters.
- Four way collecting head should be out of premises but on front side of tower, and Two Way collecting head for each tower separately.
- Proper Ventilation should be taken care of, Smoke management system should be connected with generator.
- Emergency Lift, Staircases, Ramp, Water tank OH/UG (Inlet should be connected to VMC water supply line), Passage & Corridors should be kept as per guideline of NBC 2016. (Applicable to 18 Meters & above: Every Tower should have Individual Underground water tank with Capacity of 1 Lakh Liters and Overhead tank with Capacity of 20000 Liters connected to Fire Pump supported by Generator/Diesel Pump. Testing of water pressure will be done once pump is connected with GEB & Generator connection)
- In case of any specific suggestion or changes guided by Chief Fire Officer should also be done on priority basis.
- Fix Firefighting systems & instruments should be of ISI Standards.
- GEB Transformers should not be in morotable road.
- The Highest point of the tower should have approved Lightning arrester.
- FSC will be issued for the purpose that is mentioned at time of application if the structure is used for other then mentioned one, the Given FSC will stand terminated
- Entrance gate of the society should be minimum 6 Meters in width and 5Meters in height.
- In case if you are appointing Fire Safety Vendors they should Registered Fire Vendors.
- If Floor area is big, than for every Staircase there should be separate Riser Line.
- Isolation Valve with Two way collecting head to be placed on all Raiser Line.
- 3KG Flow pressure on terrace should be maintained.
- Smoke management system should be installed in basement with sprinklers system in case if area if more than 200 Sq. meters.
- Basement, Semi Basement and Second Basement all should have positive air pressure.
- External Staircase should be made available in case if needed or instructed.
- ACP/Glass facade elevation should be properly Ventilated and Openable on every floor. Glass quality for elevation should be as per standards of NBC for which certificate need to be provided.
- In case of Roof top shades be it any material are used it should be done such a way that they should not be obstacle in case of Fire Emergency.
- Electric wiring/cable installed in the premises should be as per Electricity Acts & Rules and should be tested from Government approved Electrical Inspector.
- Roads construction should be as it is mentioned/presented in plan. Quality of road should be of either Bituminous or Concrete.
- All Fire Signage should be installed with Emergency Evacuation plan (Auto Glow).
- Sky light wired Glass should be minimum of 30 minutes fire resistance as per NBC and certificate for the same to be produced.
- HFL Levels should be maintained at time of Construction (D-Watering pumping System should be installed).
- If construction work is not completed within 3 years from the date of Opinion certificate issued, in such case NOC will be considered as terminated.
- If any wrong information if provided for the road in the given Map NOC will not be considered valid.
- Other than Special Building construction like Residential Building, Commercial Building, Residence + Commercial, School/College, Hospitals, Hotel/Restaurants/Party Plot/Petrol Pump/ Classes and any others places where public gatherings are done will have to follow all above given instruction at all time in case of violation the issued NOC will be "Canceled".
- As per the Norms of Vadodara Municipal Corporation at time of renewing Fire NOC, the applicant will have to pay renewal fees according to number of Risers installed.

I _____ the undersigned have read and understood all the above instructions.

Designation of Receiver: _____

Contact details: _____

Signature _____

VFES/FSAP/OUTWARD: _____

Date: _____

Receivers

ક્રમાંક: મેનમે: મેસમાર: ૨૧૭/૯૧-૯૨



જે.એસ.માર: ૭-ડી-વશી-૧૨૦૫૨ થી ૧૨૦૬૨/૧૯૬૨
કલેક્ટર કચેરી, વડોદરા.

તારીખ :- ૧૮-૮-૧૯૬૨.

વાંચ્યા:-

- ૧: મામલ્લાદારશ્રી વડોદરા (શહેર) માટે દરખાસ્તના કાગળો.
- ૨: ખીન મહેસુલ કાયદાની કલમ-૬૫ તથા ૬૭-અ.
- ૩: ખીન મહેસુલ નિયમોના નિયમ-૮૧(૨).

:: હુ હ મ ::
:::~::~:

- ૧: વડોદરા તાલુકાના વાસઝા સૈયદ ગામના સ.નં. ૨૬૩/૧ ની ટી.પી. સ્કીમ નં. ૧૫ માં મળતા કા.પ્લોટ નં. ૧૫૪ ની પત્રકમાં જ્ઞાવ્યા મુજબની ૧૮૨૭ ચો.મી. ખીન શ્રી લાલીબેન હીરાભાઈ શાણાભાઈની વિધવાના ખાતે ચાલે છે.
- ૨: સરકારી અધિકારીશ્રીએ નાયબ કલેક્ટર વડોદરાએ તેમના હુકમ નં. યુએલસી/ડે.નં. ૮૧/૧. સૈયદ/૪૬૭૨/૮૮ તા. ૨૩-૩-૮૮ થી શહેરના ખીન ટોચમચાદા ધારાની કલમ-૬(૧) હેઠળ ભરેલ ડેકલેરેશન ફોર્મ ફાઈલ કરેલ છે અને સરકાર ખાતેદારને ૧૮૨૭ ચો.મી. ખીન રાખવાપાત્ર આપેલ છે.
- ૩: કલેક્ટર કચેરી વડોદરાના હુકમ નં. વતન/વશી/૨૧૯૦/૯૨ તા. ૪-૬-૬૨ થી વાસઝા સૈયદ તા. વડોદરાના સ.નં. ૨૬૩/૧ ટી.પી. સ્કીમ નં. ૧૫ ના કા.પ્લોટ નં. ૧૫૪ પેકી ૧૮૨૭ ચો.મી. વાળી ખીનને બીનખેતીના ઉપયોગ માટે નવી શરતોના નિયંત્રણમાંથી મુક્તિ આપવામાં આવેલ છે.
- ૪: વડોદરા મ્યુનિ. કોર્પો. ની રજાચોટી નં. સ-૬, સેલ-૫૨/૬૨-૬૩ તા. ૨૬-૫-૬૨ લખત મંજૂર થયેલ લેખાહત પ્લાન મુજબ બાંધકામની બીનખેતીની પરવાનગી મળવા કબજેદારે તા. -૬-૬૨ના રોજ સરકારી કરી છે. જેની પછી તા. ૨-૭-૬૨ ના રોજ સ્વિકારવામાં આવી છે. જમુજ
- ૫: મામલ્લાદારશ્રી વડોદરાએ તપાસ કરતા આ ખીન ઉપર બીન પરવાનગીનું બાંધકામ કે બીનખેતીનો ઉપયોગ થયો નથી. કબજેદારે પરવાનગી માપતા ઠરાવવામાં આવે તે શરતો મુજબ વર્તવા તથા ઠરાવે તે વિ.ધારો ભરવા સંમતી જવાબ આપેલો છે. તથા દર ચો.મી.ટરે ૦૦-૧૨ પૈસા થતા પ્રવર્તમાન દરે લોકલફંડ તથા શિક્ષણ ઉપર અને રૂપાંતરકર ભરવાની શરતે બીનખેતી પરવાનગી આપવા ભલામણ કરેલ છે.
- ૬: આ ખીન ખીન સંપાદનની કાર્યવાહી હેઠળ નથી હેતુ ખીન સંપાદન અધિકારીશ્રીઓએ જાહેર છે.
- ૭: ખાતેદાર દર ચો.મી.ટરે રૂ. ૨-૦૦ (અંકે બે રૂ.) પૈસાના દરે ચો.મી.ટરે ૧૮૨૭ ના રૂપાંતર -કરની રકમ રૂ. ૩૬૫૪-૦૦ તા. ૧૨-૮-૬૨ ના રોજ સ્ટેટ બેંક ઓફ ઈન્ડિયામાં ૦૦૨૯ ખીન મહેસુલ (૬) ક-વરજનટેના (મ્યુનિ. મેરીયા) સદરે જમા કરાવી મસલ ચલન રજુ કરેલ છે.



૮: સખ મોઝે વા.સેલ તા.વડોદરાના સ.ન.૨૯૩/૧ ના કા.પ્લોટ નં. ૧૫૪ ના આ ૧૮૨૭ ના દર ચેક ચો.મી.ના ૦૦-૧૨ પેસા પ્રમાણે વિ.ધારો તથા મ્યુનિ.કોર્પો.ની તા.૧૨-૮-૯૨ થી બીજો હુકમ થતા સુધી દર વર્ષે બરવાની શરતે તથા મ્યુનિ.કોર્પો.ની રજાચીટી નં.સ-૬, મેલ-૫૨/૯૨-૯૩ તા.૨૬-૫-૯૨ માં જાહેલી અને તે લગત મંજૂર થયેલા લેમાઉટ પ્લાન મુજબ બાંધકામ કરવાની બીનખેતીના રહેઠાણના હેતુ માટે પરવાનગી માપવા નીચેની વધુ શરતોને માધીન હુકમ કરવામાં આવે છે.

:: શરતો ::
: : : : : : : : :

- ૧: વડોદરા મ્યુનિ.કોર્પો. તરફથી અપાયેલ રજાચીટી નં.સ-૬, મેલ-૫૨/૯૨-૯૩, તારીખ: ૨૬-૫-૯૨ મુજબની શરતો અને તે લગત મંજૂર થયેલ લેમાઉટ પ્લાનમાં જાહેલા મુજબ બાંધકામ કરવાનું થાય છે. કોઈપણ જાતનું પુલ્લી જમીનમાં અંગેર વધારાનું બાંધકામ અગાધી મ્યુનિ.કોર્પો.ની પરવાનગી મેળવ્યા સિવાય થઈ શકશે નહીં તથા અંગેથી મંજૂર કરવામાં આવેલ નકશા મુજબ બાંધકામ કરવાનું રહેશે.
- ૨: ટી.પી.સ્કીમ કાયમલ થયા બાદ અને મ્યુનિ.કોર્પો.દ્વારા કબજો મળ્યા બાદ કાયમલ પ્લોટમાં મળતી જમીન બાંધકામ કરવાનું રહેશે.
- ૩: અ-ય પ્રક્રિયાન ધારાઓ અંગે પરવાનગી લેવાની થતી હશે તો તે કબજેદારે લેવાની રહેશે.
- ૪: કબજેદારે સોગદનામું તથા ન દાવાની કબુલાત લખી સામી શહેરો જમીન ટોચમચદિા અને નિયમ અધિનિયમ ૧૯૭૬ મુજબ આ જમીન કેતેનો કોઈપણ માત્ર કે પ્લોટ સરકારને પ્રાપ્ત કરવાનો થાય તો તે પ્રમાણે કરવા સક્ષમ અધિકારીશ્રીના હુકમ મુજબ કરવાનું રહેશે અને ન દાવાની કબુલાત મુજબ બાંધકામની કિંમતના વખતરનો હકક થઈ શકે નહીં કે સરકાર સામે તે અંગે કોઈ વાંધો કે તકરાર લાવી શકાશે નહીં કે સરકારને હુકમના કારણે સઘળી જવાબદારીમાંથી મુક્ત રાખવાની રહેશે.
- ૫: બાંધકામ શરુ કર્યા તારીખથી ચેક માસમાં અને બાંધકામ પુરુ કર્યા તારીખથી ચેકમાસમાં એમ બન્ને પ્રજ્ઞોએ અંગે લેખિત જાણ કરવો પડશે.
- ૬: આ જમીન ઉપરનું મંજૂર થયા પ્રમાણે બાંધકામ આ હુકમ થયા તારીખથી છ માસમાં શરુ કરી ત્રણ વર્ષમાં પુરુ કરવાનું રહેશે તેમ કરવા ચુક થયે પરવાનગી માપોમાપ રદ થયેલી જણાશે અને વસુલ થયેલો વિ.ધારા અંગે વગેરે કોઈપણ પરત મેળવવાનો હકક રહેશે નહીં. આ અંગે અપીલનોસમય પુરો થયા બાદ કોઈ હકક રહેશે નહીં.
- ૭: રજાચીટી લેમાઉટ પ્લાન વિરુધ્ધ બાંધકામ થયાના પ્રસંગે કલેક્ટરશ્રી હુકમ કરે તે સમયમાં દુર કરવાનું રહેશે અને વિરુધ્ધ વર્તન થયાના પ્રસંગે કબજેદારને ખર્ચે દુર કરાવવા અને ખર્ચ જમીન મહેસુલ બાકી રાહે વસુલ કરવાપાત્ર થશે અને કલેક્ટરશ્રી ઠરાવે તે દડ બરવો પડશે.



હુકમ થયા તારીખથી ૭ માસની મંદર કબજેદારે જમીન મહેસુલ કાયદામાં જણાવ્યા મુજબ નમુના 'એમ' માં સંદ ભરી માપવાની રહેશે તે વિરુદ્ધ વર્તન થયાના પ્રસંગે કલેક્ટરશ્રી ઠરાવે તે દંડ ભરવાનો રહેશે. ઉક્ત સંદ અપીલનો સમય પુરો થયા બાદ ભરી માપવાની રહેશે.

૯: હુકમ થયા તારીખથી બે માસમાં બીનખેતીનો પ્લોટ મપાવી લેવા ઠરાવેલા ધોરણે માપણ કી ભરી પીલ્લા નિરોદાકર્ત્રી, જમીન દફતર, સીટીસર્વે સુપ્રિ.શ્રી વડોદરાને મરજી કરી મામલ્લાદારશ્રીને જાણ કરવાની રહેશે તે વિરુદ્ધ વર્તન થયાના પ્રસંગે કલેક્ટરશ્રી ઠરાવે તે દંડ ભરવો પડશે.

૧૦:૦ જે બાંધકામ કરવામાં આવે તેમાં તુર્ત સજાની ઉઠે તેવો સ્કોટક પદાર્થ રાખી મકાસે નહીં.

૧૧: આ પરવાનગી સોસાયટીના કોઈપણ સભ્ય પાસે શહેરી જમીન ટોચમચદા અને નિયમન અધિનિયમ ૧૯૭૬ મુજબ વધારાની જમીન તથા તેવી સ્પષ્ટ કબુલાત મળે એ માપવામાં આવી છે એકોઈપણ સમયે વધારાની જમીન હોય તેવી વ્યક્તિએની સોસાયટી પ્લોટ કાબલી મકાસે નહીં અને તે વિરુદ્ધ વર્તન થયાના પ્રસંગે આ પરવાનગી આપોઆપ રદ થશે તથા કલેક્ટરશ્રી જે પગલાં લેશે તે સોસાયટીને બંધનકર્તા રહેશે.

૧૨: સદામ અધિકારીશ્રી વડોદરાના હુકમ નં.યુ.સેલસી/ડે.નં/વા.સેવદ/૪૬૭૨/૮૮ તારીખ : ૨૩-૩-૮૮ માં જણાવેલી શરતોનું પાલન કરવાનું રહેશે અને આ હુકમથી શરત નં.૩ મુજબ બાંધકામ પુરુ થતા સુધી જમીનના પ્લોટ કે તેના કોઈપણ ભાગ કોઈપણ રીતે તબદીલ થઈ શકશે નહીં.

૧૩: કોમન પ્લોટ તથા મુલ્લી જમીન રાખવાની જગ્યામાં બાંધકામ થઈ શકશે નહીં.

૧૪: સોસાયટીને મંદરના રસ્તાઓની પરવાનગીની તારીખથી ચાર વર્ષમાં પુરા પાડી બાંધવા પડશે તે વિરુદ્ધ વર્તન થયાના પ્રસંગે કલેક્ટરશ્રી ઠરાવે તે દંડ ભરવો પડશે.

૧૫: આ જમીનનો રહેઠાણના હેતુ સિવાય અન્ય કોઈપણ અપ્રાપ્તિ કલેક્ટરશ્રીની પરવાનગી મેળવ્યા સિવાય થઈ શકશે નહીં તે વિરુદ્ધ વર્તન થયાના પ્રસંગે લે.રે.કો.ની કલમ-૬૬ મુજબ પગલાં લેવામાં આવશે.

૧૬: જમીન ઉપર કરવાના સુચિત બાંધકામનો પ્લાન કે-૬ સરકારની નાગરીક હાઈયન મંત્રાલયના તા.૧૫-૩-૭૯ ના જાહેરનામા દ્વારા મુકવામાં આવેલ પ્રતિબંધો અને જોગવાઈ -ઓ સાથે સુસંગત રહીને તૈયાર કરી સંબંધિત સદામ સંસ્થા, સદામ અધિકારી પાસે તે મંજૂર કરાવ્યા બાદ મંજૂર કરેલા બાંધકામના પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને આ રીતે કરવામાં આવેલા બાંધકામમાં ભવિષ્યમાં કોઈ ફેરફારો કે સુધારો વધારો કરવા અને બાંધકામનો પ્લાન મંજૂર કરવાના પ્રસંગે તથા તેનાં અનુસંધાનમાં બાંધકામ કરવાનું થાય ત્યારે કે-૬ સરકારના ઉક્ત જાહેરનામાની જોગવાઈઓ અને નિયમોનું પાલન થાય તે પ્રમાણે બાંધકામ કે સુધારા વધારા કરવાના રહેશે.

Handwritten signature and initials.

૧૭: મા અમીનનો વિ.ધારો રહેતાજના હેતુના ઉપયોગના દરે દર ચા.મી.ટરે ૧૦૦-૧૨ પી. પ્રમાણે ચો.મી. ૧૮૨૭ નો રુ.૨૧૬-૩૦ તા.૧-૮-૬૧ થી બીજો હુકમમાંથી ચા.મી.ટર ૧૦૦-૧૨ પ્રમાણે દરે લોકલકડ રુ.૧૦૬-૭૦ પેસા તથા શિક્ષણ ઉપકર રુ.૫૪-૬૦ XXXXX વિ.ધારો ઉપર તિ ભરવાનો રહેશે તે અંગે કોઠારુપે પત્રક સામેલ છે તે મુજબ અમલ કરવાનો રહેશે.

૧૮: માપણી ઘચેથી અમીનમાં વધ-ઘટ થશે તો તે ઉપરનો વિ.ધારો તથા અ-ગ કરો નિયમોનુસાર ભરવો પડશે.

૧૯: ઉપરની કોઈપણ શરત અગર સંદર્ભમાં જણાવેલીશરતો પેકી કોઈપણ શરતોનો ભંગ થયા પ્રત્યે અમીન મહેસુલ કાયદામાં જણાવેલી શિક્ષાને કબજેદાર પાઠ્ર બને તેનો ખાધ લીધા સિવાય કલેક્ટરશો ને પગલાં લેશે તે કબજેદારનો બંધનસ્થિતિ રહેશે.

રવાના કર્યું,
કલેક્ટર, વડોદરા.



સહી : તપન રાય
કલેક્ટર, વડોદરા

રજી.પો.એ.ડી.ધી.

પ્રતિ,

શ્રી લાલીબેન તે હીરાબાઈ બાણાબાઈની વિધવા
રહે.વાસઃ સૈયદ તા.વડોદરા તરફ..

નકલ રવાના સદામ અધિકારીશ્રી અને અધિક કલેક્ટરશ્રી (ચ.જ.ટો.મ) વડોદરા તરફ..

નકલ બે પ્રતમાં કામના કાગળો સાથે રવાના મામલતદારશ્રી વડોદરા શહેર તરફ..

એક પ્રત તાલુકા નમુના નં.૪ માં જખમીનોંધ કરાવી ગ્રામ દફતરે રાખવા મોકલવા ત વિ.ધારનની રકમ અને ૧૯૬૧-૬૨ ના હીસાબોમાં સાધવા ગામ તા.ન.નં.૨ તથા ૭/૧૨ માં વિ.ધારાની નોંધ કરાવવા અને નિયમ પ્રમાણે માગણી તજવીજ કરવા સારું..

નકલ રવાના ડી.ઈ.લે.રે.શ્રી વડોદરા તરફ..

નકલરવાના સીટીસર્વે સુપ્રો.શ્રી વડોદરા યુનિટ નું.૧ તરફ કામના કાગળોસહ રેકર્ડ મોકલ રાઈટ્સ અ-વચે માગણી કાર્યવાહી થવા સારું અને માપણી કરી વધ ઘટ હોય તો જણાવવા સારું..

નકલ રવાના બીનબેતી મામલતદારશ્રી, વડોદરા તરફ..

નકલ નાયબ નગર માયોજન અધિકારીશ્રી, નર્મદાબુવન, વડોદરા તરફ..

મોટે : વાસા સેલ ના.વડોદરા ના.૨૬૩/૧ વાળી ગામની બીનબીની પરવાનો પદ...

બીનબીની પરવાનો મંજૂર ગામની સરકાર, કોલેક્ટર ના. ૨૫૮૯૨ ના.૧૫.	બીનબીની પરવાનો મંજૂર કોલેક્ટર	નિયમનુસાર લેવાની વિશોધારના દર	વચ્ચે પરવાની વિશોધારની રકમ.	રૂપનિરૂપર લેવાની વિગત.	ગ્રાહકોના રકમ.	બીનબીની વિગત.	કોલેક્ટરની સહી (સહી અને લેવાનો ઉ ના. વિગત.)
---	-------------------------------------	-------------------------------------	-----------------------------------	------------------------------	-------------------	------------------	--

મોટે : વાસા સેલ, ૧૮૨૭ રહેણિતમ લેન ૨૧૬-૩૦ ૩૬૫૪-૦૦ ૫૪-૬૦ ૧૦૮-૧૦ ૧-૮-૬૧ બી
ના.વડોદરા. ચો.બી. દરે દર ચો.બી. દુધા ચોખીસ (દરેક જગર (ચોખીસ નવને સોનેરે પેસા)

સ.ન. કા.લોટ ચો.બી.
૨૬૩/૧ ૧૫૪ ૧૮૨૭

લાલિયે ને લીસાઈ બાણિયાઈની વિધવા

નોંધ :- રૂપનિરૂપરની રકમ રૂ.૩૬૫૪-૦૦ (ચંડે રૂ.૩૬૫૪-૦૦) અને રૂ.૫૪-૬૦ (ચોખીસ) અને રૂ.૧૦૮-૧૦ (ચોખીસ) ના.૧૨-૮-૬૨ ના રોગ ગા. પરવાનો મંજૂર છે.

રવાના કર્યું,

સહી : નયમ રાધ
અલેક્ટર, વડોદરા

સહી
અલેક્ટર, વડોદરા



Project Name:


RISHIKESH REVIVE

A project by Aayam Infra

FP: 154 (RS no 293/1)

Tp: 15 (Saiyad Vasna)

We ensure that details given above does not require
AirPort NOC



STUDIO IMAGINE ARCHITECT & INTERIORS

504 - Upscale, B/h, New Nyay Mandir, Paris Nagar, Diwalipura, Vadodara - 390007.
studioimage19@gmail.com | +91 99985 08007