



AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.) AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079) 22148598.

(No.438 Dt.: 31/12/2018)

To,
Sh. Dipak Baldevbhai Patel
Siddhi Developers
1st floor, Aarohi Complex,
Nr. Aarohi Homes,
Bopal, Ahmedabad.

Sub: Fire safety & protection, opinion for a proposed high-rise Building
(19 meters).

Sir,

This is to intimate that, the plans submitted for high-rise Commercial Building Block: A with basement parking + ground to 2nd floors shops/showrooms + 3rd to 5th floors offices, Block: B, C, D with basement parking + ground to 2nd floors shops/showrooms + 3rd & 4th floors offices. At F.P.no.167, Sur.no.501, T.P.no.3 (Bopal), Ahmedabad have all the required line drawings and write-up required for the opinion, are as per the requirement of fire prevention and protection.

All norms as per the Fire Prevention and Life Safety Measures Act-2013, Gujarat state, have to be followed for providing Fire Prevention and Protection system, are to be followed.

Moreover, it is required that all the staircases of the building shall be ventilated above the parapet wall at each floor level and shall be 1.5 meters clear in width.

A motorable road with 40 ton load bearing capacity and minimum 4 meters wide including common plot is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles.

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The building should have fire Protection system as per approved plans.

- Basement parking & shops/showrooms at all level shall be fully sprinklered.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.

The copies of plans are returned herewith duly signed and have to be submitted during final inspection of the fire fighting system.

(M.F.Dastoor)
Chief Fire Officer



revised N.A.

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, AHMEDABAD

સરનામુ:- કલેક્ટર ઓફીસ અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, સુભાષ બ્રિજ સર્કલ, આશ્રમ રોડ, અમદાવાદ, ગુજરાત - ૩૮૦૦૨૭

ફોન:- 27561970 ફેક્સ નંબર 27552144

ઇ-મેઇલ:- chitnish-ahd@gujarat.gov.in

હુકમ નંબર:- CB/NA/AHMEDABAD/BOPAL/501/997519/2019

તારીખ:- 21/02/2019

વંચાણે લીધા:-

(૧) અરજદારશ્રી PATANJALI JYOTINDRA TRIVEDI ની તારીખ: '14/12/2018' ની અરજી તથા તારીખ: '08/12/2018' નું સોગંદનામુ.

(૨) મુંબઇ જમીન મહેસૂલ કાયદો ૧૮૭૯ ની કલમ- ૪૮, ૬૫, ૬૬, તથા ૬૭.

(૩) ગુજરાત જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ-૮૧, ૧૦૦, ૧૦૧, ૧૦૨.

સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ ક્રમાંક: બખપ/૧૦૦૬/૪૨૫/ક તા.૧/૭/૦૮.

(૪) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૩૨૭/ક તા.૮/૫/૧૮.

(૬) નં. Revenue/997519/AHMEDABAD/Daskroi/BOPAL, તા 24/01/2019

(૭) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૧૬/૮/૧૮.

(૮) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૫/૧૨૦૮/ક તા. ૬/૮/૧૮.

હુકમ:-

વંચાણે લીધેલ કમ-(૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી PATANJALI JYOTINDRA TRIVEDI , રહે B/003, ELANZA CREST, B/H HOF, SINDHUBHAVAN ROAD, BODAKDEV, Bopal, Daskroi, Ahmedabad Gujarat INDIA એ મોજે: BOPAL , તા Daskroi જિ AHMEDABAD ના સર્વે નંબર 501 , ટીપી સ્કીમ નં BOPAL - 3 , એફપી નં 167 ના ક્ષેત્રફળ: 9712.00 ચો.મી. પૈકી સબ પ્લોટ નં N.A. નું ક્ષેત્રફળ 7770.00 ચો.મી. જમીન અંગે મહેસૂલ કાયદાની હેઠળ બિનખેતી પરવાનગી મેળવવાની માંગણી કરેલ છે. ર સવાલવાળી જમીન અંગેના નમુના નં. ૭-૧૨ કબજેદારની વિગત નીચે મુજબ છે.

સર્વે નંબર/ બ્લોક નંબર/ રી-સર્વે નંબર	ટીપી સ્કીમ નંબર	ફા. પ્લોટ નંબર	ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ
501 /	BOPAL - 3	167	7770.00	Gunsaiji co.op.ho.so.ltd & Other

૩. સવાલવાળી જમીન અંગેના રજુ થયેલ રેકર્ડ ની ચકાસણી કરતાં સદર જમીન હાલમાં જુની શરત સત્તાપ્રકારે ચાલતી આવે છે. તેમજ અરજદારે સોગંદનામામાં જાહેર કરેલ હકીકત તથા અન્ય આધાર પુરાવાઓ જોતાં મહેસૂલી ટાઇટલ ક્લીયર હોવાનું જણાતું હોય, બિનખેતી પરવાનગી આપવામાં વાંધાસરખું જણાતું ન હોય, હુકમના વંચાણે લીધેલ કમ નં. ૬માં જણાવેલ વિગતે અરજદારને રૂપાંતર કર, વિશેષધારો તથા અન્ય વેરાની રકમ સરકારશ્રીમાં ભરપાઇ કરવા ઓનલાઇન સિસ્ટમ દ્વારા તેઓને અરજીમાં દર્શાવેલ ઇલેક્ટ્રોનિક માધ્યમ દ્વારા ઓનલાઇન ચુકવણું કરવા જણા કરતાં, નીચે જણાવેલ વિગતેની રકમ ઓનલાઇન સિસ્ટમ દ્વારા અરજદારે સરકારશ્રીમાં જમા કરાવેલ હોવાનું જણાય છે.

બિનખેતી કરવાની થતી જમીનનું ક્ષેત્રફળ: : 7770.00

વિગત	રૂપાંતર કર/ બિનખેતી આકાર (દર ચો.મી.દીઠ)	વિગત			
		ચલણ/પહોંચ નંબર- તારીખ	પેમેન્ટ ની તારીખ	રકમ રૂ.	રકમ ભરપાઇ કર્યાનું સ્થળ
Vishesh Dharo	7770.00 X 280.60 = 2180262.00	100001032282	11/02/2019	2180262.00	ONLINE
Local Fund	7770.00 X 0.30 = 2331.00	100001032282	11/02/2019	2331.00	ONLINE
Shukhan Upkar	7770.00 X 0.15 = 1165.50	100001032282	11/02/2019	1165.50	ONLINE
Accountant	7770.00 X 40.00 = 310800.00	100001032282	11/02/2019	310800.00	

માટે

[illegible]

(૧૨) અરજદાર ધ્વારા બિનખેતી પરવાનગીની માંગણીવાળી જમીનને નગરપાલિકાના હયાત રોડથી ઓછામાં ઓછા ૧૨ મી. નો. એપ્રોપ રોડ મળે છે તે મુજબની ખાતરી આપવાની રહેશે.

(૧૩) પ્રશ્નવાળી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહીં.

અરજદારે ઉપરોક્ત શરતોનું ચુસ્તપણે પાલન કરવાનું રહેશે. જો તેમાં ગિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.

(૧૪) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસુલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બમ્મ આણ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.

(૧૫) ઉપરોક્ત શરતોમાં ગમે તે મજદૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલ. અથવા વધારાના કોઇપણ મકાન અથવા ઈમલાને કલેક્ટરશ્રીએ આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સુચવ્યા મુજબ ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસુલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.

(૧૬) આ પરવાનગી અરજદારે રજુ કરેલ વિગતોને આધારે આપવામાં આવેલ છે. રજુ થયેલ કોઇ વિગત ખોટી હોવાનું જાહેર થયેથી કે ઉપરની કોઇપણ શરતોનો ભંગ થયેથી આ પરવાનગી આપો આપ રદ થયેલી ગણાશે તથા સોગંદનામામાં દર્શાવેલ કાયદા હેઠળની જોગવાઇ હેઠળ પગલાં લેવાને પાત્ર રહેશે અને તત્કાલિન અમલમાં હોય તેવા બીજા કોઇપણ કાયદાની જોગવાઇઓના બાધ વિના ઇન્ડિયન પીનલ કોડ હેઠળ ફોજદારી ગુના માટે શિક્ષાત્મક પગલા લેવાને પાત્ર બનશે તથા જમીન મહેસુલ કાયદો તથા નિયમોની જોગવાઇ અનુસાર યોગ્ય તે શિક્ષાત્મક કાર્યવાહી કરવામાં આવશે અને બાંધકામ દુર કરવા કે સરકાર સંપ્રાપ્ત સહીતના એક કે વધુ પગલાં લેવાશે.

(૧૭) પ્રકરણે રજુ થયેલ ગામ નમુના નં. ૭/૧૨ના રેકર્ડ ચાલતાં ખાતેદારને તેણે ધારણ કરેલ હુકમમાં દર્શાવેલ જમીનમાં ફક્ત ખેતી સિવાયના ઉપયોગ કરવાની પરવાનગી આપતો સદર હુકમ કરેલ છે જેનાથી ટાઇટલ / માલિકીપણાના હક્ક પ્રસ્થાપિત થતાં નથી કે સદર હુકમથી આ કાયદો કે તેને અંતર્ગત નિયમો કે અન્ય કોઇ પ્રવર્તમાન કાયદા હેઠળ ચાલતાં કે ભવિષ્યમાં ઉપસ્થિત થનાર લીટીગેશનનો બાધ રહેશે નહીં.


(૧૮) પ્રકરણે રજુ થયેલ હકીકત. દસ્તાવેજી પુરાવાને આધારે પરવાનગી આપવામાં આવેલ છે. ભવિષ્યમાં કોઇ પુરાવો કે અન્ય કોઇ વિપરીત બાબત ધ્યાનમાં લેશે તો મુંબઇ જનરલ ક્લોઝીઝ એક્ટની જોગવાઇઓ હેઠળ આપમેળે સદર પરવાનગી રદ કરી શકાશે.

વધુમાં, ઉપર્યુક્ત શરતોને આધિન અરજદાર ધ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ ધ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે.

તારીખ:- 21/02/2019

રવાના કરવા પ્રમાણિત

જિલ્લા કલેક્ટર, અમદાવાદ વતી



સહી/-

(ડો. વિકાંત પાંડે)

કલેક્ટર, AHMEDABAD

RPAD

પ્રતિ,

૧. અરજદારશ્રી PATANJALI JYOTINDRA TRIVEDI

રહે. B/003, ELANZA CREST, B/H HOF, SINDHUBHAVAN ROAD, BODAKDEV, Bopal, Daskroi, Ahmedabad Gujarat INDIA

રવાના.

અવતરદારશ્રી. Daskroi

જિલ્લા જમીન નિરીક્ષકશ્રી AHMEDABAD

તલાટી કમ મન્ત્રીશ્રી. Bopal

સિલેક્ટ ફાઇલ

ડીસ્ટ્રીક્ટ ઇન્સ્પેક્ટરશ્રી, લેન્ડ રેકર્ડઝ, મોજણી ભવન, ભીમજીપુરા, નવા વાડજ, અમદાવાદ તરફ.

મ્યુનિસિપલ કમિશનરશ્રી (એસ્ટેટ) દાણાપીઠ, અમદાવાદ / મુખ્ય કારોબારી અધિકારીશ્રી, ઔડા, ઉસ્માનપુરા, અમદાવાદ તરફ.

૨/- જાણ તથા ઘટતી કાર્યવાહી કરવા સારુ.

વિત્રેના ડે. ૨૦/૦૨/૨૦૧૯. દકવડ તરફ.

૩/- રવાનામાં પુરી નોંધ પાડવા સારુ.

૪/- રવાનામાં પુરી નોંધ પાડવા સારુ.

૫/- રવાનામાં પુરી નોંધ પાડવા સારુ.

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, AHMEDABAD

સરનામું:- કલેક્ટર ઓફીસ અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, સુભાષ બ્રિજ સર્કલ, આશ્રમ રોડ, અમદાવાદ, ગુજરાત - ૩૮૦૦૨૭

ફોન:- 27561970 ફેક્સ નંબર 27552144

ઇ-મેઇલ:- chitnish-ahd@gujarat.gov.in

ડોકુમેન્ટ નંબર:- CB/NA/AHMEDABAD/BOPAL/502+૫૦૩બ/1004775/2019

તારીખ:- 28/03/2019

વંચાણે લીધા:-

(૧) અરજદારશ્રી PATANJALI JYOTINDRA TRIVEDI ની તારીખ: '02/02/2019' ની અરજી તથા તારીખ: '02/02/2019' નું સોગંદનામું.

(૨) મુંબઇ જમીન મહેસૂલ કાયદો ૧૮૭૯ ની કલમ- ૪૮, ૬૫, ૬૬, તથા ૬૭.

(૩) ગુજરાત જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ-૮૧, ૧૦૦, ૧૦૧, ૧૦૨.

(૪) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ ક્રમાંક: બખપ/૧૦૦૬/૪૨૫/ક તા.૧/૭/૦૮.

(૫) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૩૨૭/ક તા.૮/૫/૧૮.

(૬) નં. Revenue/1004775/AHMEDABAD/Daskroi/BOPAL, તા 20/03/2019

(૭) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૧૬/૮/૧૮.

(૮) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૫/૧૨૦૮/ક તા. ૬/૮/૧૮.



વંચાણે લીધેલ કમ-(૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી PATANJALI JYOTINDRA TRIVEDI , રહે B/003, ELANZA CREST, SINDHUBHAVAN ROAD, BODAKDEV, Ahmadabad (Part), Ahmedabad City, Ahmedabad Gujarat INDIA એ મોજે: BOPAL , તા. Daskroi જિલ્લા AHMEDABAD ના સર્વે નંબર 502+૫૦૩બ , ટીપી સ્કીમ નં BOPAL-3 , એકર પ્લોટ નં 167 ના ક્ષેત્રફળ: 2934.00 ચો.મી. પૈકી સબ પ્લોટ નં N.A. નું ક્ષેત્રફળ 2347.00 ચો.મી. જમીન અંગે મહેસૂલ કાયદાની હેઠળ બિનખેતી પરવાનગી મેળવવાની માંગણી કરેલ છે.

૨. સવાલવાળી જમીન અંગેના નમુના નં. ૭-૧૨ કબજેદારની વિગત નીચે મુજબ છે.

સર્વે નંબર/ બ્લોક નંબર/ રી-સર્વે નંબર	ટીપી સ્કીમ નંબર	ફા. પ્લોટ નંબર	ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ
502+503B /	3	167	2347.00	Shri Gusaiji Co.Op.Ho.So.Ltd

૩. સવાલવાળી જમીન અંગેના રજુ થયેલ રેકર્ડ ની ચકાસણી કરતાં સદર જમીન હાલમાં જુની શરત સત્તાપ્રકારે ચાલતી આવે છે. તેમજ અરજદારે સોગંદનામામાં જાહેર કરેલ હકીકત તથા અન્ય આધાર પુરાવાઓ જોતાં મહેસૂલી ટાઇટલ ક્લીયર હોવાનું જણાતું હોય, બિનખેતી પરવાનગી આપવામાં વાંધાસરખું જણાતું ન હોય, હુકમના વંચાણે લીધેલ કમ નં. ૬માં જણાવેલ વિગતે અરજદારને રૂપાંતર કર, વિશેષધારો તથા અન્ય વેરાની રકમ સરકારશ્રીમાં ભરપાઇ કરવા ઓનલાઇન સિસ્ટમ દ્વારા તેઓને અરજીમાં દર્શાવેલ ઇલેક્ટ્રોનિક માધ્યમ દ્વારા ઓનલાઇન ચુકવણું કરવા જાણ કરતાં, નીચે જણાવેલ વિગતેની રકમ ઓનલાઇન સિસ્ટમ દ્વારા અરજદારે સરકારશ્રીમાં જમા કરાવેલ હોવાનું જણાય છે.

બિનખેતી કરવાની થતી જમીનનું ક્ષેત્રફળ : 2347.00

ક્રમ	વિગત	રૂપાંતર કર/ બિનખેતી આકાર (દર ચો.મી.દીઠ)	વિગત			
			ચલણ/પહોંચ નંબર- તારીખ	પેમેન્ટ ની તારીખ	રકમ રૂ.	રકમ ભરપાઇ કર્યાનું સ્થળ
1	Rupantar Kar	2347.00 X 40.00 = 93880.00	100001046489	20/03/2019	93880.00	ONLINE
2	Vishesh Dharo	2347.00 X 350.63 = 822928.61	100001046489	20/03/2019	822928.61	ONLINE
3	Local Fund	2347.00 X 0.30 = 704.10	100001046489	20/03/2019	704.10	ONLINE
4	Shikshan Upkar	2347.00 X 0.15 = 352.05	100001046489	20/03/2019	352.05	ONLINE

૪. ઉપરોક્ત તમામ હકીકતો ધ્યાને લેતાં પેરા નં. ૨માં દર્શાવેલ જમીન સબંધે નીચે જણાવેલ શરતોને આધીન જમીન મહેસૂલ કાયદા તથા હુકમના વંચાણે લીધેલ ક્રમ નં. ૪ તથા પમાં દર્શાવેલ સરકારશ્રીના વખતો વખતના ઠરાવ તથા પરિપત્રમાં જણાવેલ જોગવાઈઓને આધીન મલ્ટીપરપઝ / બહુ હેતુક હેતુ માટે બિનખેતી પરવાનગી આપવા આથી હુકમ કરવામાં આવે છે.

શરતો:-

- (૧) આ હુકમ મળ્યેથી બે માસમાં (પરંતુ અપીલ પીરીયડ પુરો થયા બાદ) “એમ” નમુનામાં સનદ કરી આપવી પડશે.
- (૨) જીલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવવાની રહેશે. જેથી માપણી કરી/કરાવી આ હુકમ આધારે તેમજ મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું / કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલી દફતરે અમલ થયા બાદ જ પ્રશ્નવાળી બિનખેતીની જમીન/પ્લોટનું રજી.દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.
- (૩). અરજદારે પ્રતિ વર્ષે ખેતી સિવાયનો ધારો (બિનખેતી દર) હેતુ માટે દર ચો.મી.ના પૈસા પ્રમાણે રૂ. તેમજ નિયમ પ્રમાણે લોકલ ફંડ તથા શિક્ષણ ઉપકરણરવો પડશે જે અંગેનો દર વખતોવખત ફેરફારને પાત્ર રહેશે.
- (૪) સંબંધિત નગરપાલિકા/ મહાનગરપાલિકા/શહેરી વિકાસ વિસ્તાર સત્તા મંડળ ધ્વારા મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને હુકમ થયા તારીખથી ત્રણ વર્ષમાં બાંધકામ પૂર્ણ કરવાનું રહેશે.
- (૫) આ હુકમ જમીન મહેસૂલ કાયદાની કલમ-૬૭ તથા નિયમ-૧૦૦ ની જોગવાઈઓને આધારે કરેલ છે. તે સિવાય કબજેદારે અન્ય સંબંધિત કાયદાકીય પરવાનગી લેવાની થતી હશે તે તેમણે અલાયદી મેળવી લેવાની રહેશે.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં.બખપ/૧૦૮૩/૧૦૫૨/ક તા.૧૩/૮/૮૩ માં ઠરાવ્યા મુજબ સહીયારા/કોમન પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુળ માલિકનો કોઇ હક્ક રહેશે નહીં.
- (૭) સરકારશ્રીના મહેસૂલ વિભાગના તા.૭/૮/૮૧ ના પરિપત્ર નં. બખપ-૧૦૮૧-૧૭૫૬-ક ની જોગવાઈ મુજબ બિન અધિકૃત બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા/શહેરી વિકાસ વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલા લેવાનાં રહેશે.
- (૮) સદર જમીનમાંથી પેટ્રોલીયમ/પાણીની કે અન્ય કોઇપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ પરવાનગી આપનાર ઓથોરીટાએ સંબંધિતોનું ના-વાંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૯) સરકારશ્રીનાં મહેસૂલ વિભાગનાં તા.૧/૭/૨૦૦૮ ના ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક માં જણાવેલ નીચે મુજબની શરતોનું પાલન કરવાનું રહેશે.
 ૧. ડીસ્ટ્રીક્ટ ઇન્સ્પેક્ટર ઓફ લેન્ડ રેકર્ડ્સ ધ્વારા ઇસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણીના હદ પણ દર્શાવેલ હોવી જોઇએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવો જોઇએ.
 ૨. બાંધકામ શરૂ કરતા પહેલા બાંધકામનાં નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિનખેતી પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજાચિઠ્ઠી મેળવી શકશે નહીં.
 ૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનીંગ સ્કીમ મંજૂર થઇ ગઇ છે ત્યાં જી.ડી.સી.આર. અને ઝોનીંગના નિયમો અનુસાર બાંધકામ કરવાનું રહેશે.
 ૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
 ૫. અરજદારે રીબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઇ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
 ૬. ફ્લોર મીલ, સિનેમા/ટુરીંગ સિનેમા/થીયેટર માટે બિનખેતી પરવાનગીના કામે જીલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ કરતાં પહેલા જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૮. ઇન્ડિયન એક્ષપ્લોઝીવ એક્ટ અન્વયે મેગેનીઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલા જીલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૯. સવાલવાળી જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી (ત્રીસ)૩૦ મીટર જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
 ૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રીડના તાર/ હાઇટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.
 ૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસના ૨૦ કિ.મી. ની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સીવીલ એવીએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સીવીલ એવીએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
 ૧૨. ઓ.એન.જી.સી. ના કુવા નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
 ૧૩. નર્મદા કેનાલ/અન્ય સિંચાઇ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાના થતાં અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
 ૧૪. અરજદારે / જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી ૧૦૦ મીટર સુધીનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૦) પ્રશ્નવાળી જમીનમાં નગરપાલિકા/મહાનગરપાલિકા/શહેરી વિકાસ વિસ્તાર સત્તા મંડળ ધ્વારા જે શરતોએ પરવાનગી આપવામાં આવશે તે શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.
- (૧૧) આ જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન એટલે કે સંચય માટે દર મકાન/બહુમાળી મકાન દીઠ એકના દરે આ જમીનમાં ઉપર પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.

(૧૨) અરજદાર ધ્વારા બિનખેતી પરવાનગીની માંગણીવાળી જમીનને નગરપાલિકાના હયાત રોડથી ઓછામાં ઓછા ૧૨ મી. નો. એપ્રોચ રોડ મળે છે તે મુજબની ખાતરી આપવાની રહેશે.

(૧૩) પ્રશ્નવાળી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહીં.

અરજદારે ઉપરોક્ત શરતોનું ચુસ્તપણે પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.

(૧૪) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.

(૧૫) ઉપરોક્ત શરતોમાં ગમે તે મજફૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલ. અથવા વધારાના કોઇપણ મકાન અથવા ઇમલાને કલેક્ટરશ્રીએ આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સુચવ્યા મુજબ ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.

(૧૬) આ પરવાનગી અરજદારે રજુ કરેલ વિગતોને આધારે આપવામાં આવેલ છે. રજુ થયેલ કોઇ વિગત ખોટી હોવાનું જાહેર થયેથી કે ઉપરની કોઇપણ શરતોનો ભંગ થયેથી આ પરવાનગી આપો આપ રદ થયેલી ગણાશે તથા સોગંદનામામાં દર્શાવેલ કાયદા હેઠળની જોગવાઇ હેઠળ પગલાં લેવાને પાત્ર રહેશે અને તત્કાલિન અમલમાં હોય તેવા બીજા કોઇપણ કાયદાની જોગવાઇઓના બાધ વિના ઇન્ડિયન પીનલ કોડ હેઠળ ફોજદારી ગુના માટે શિક્ષાત્મક પગલા લેવાને પાત્ર બનશે તથા જમીન મહેસૂલ કાયદો તથા નિયમોની જોગવાઇ અનુસાર યોગ્ય તે શિક્ષાત્મક કાર્યવાહી કરવામાં આવશે અને બાંધકામ દુર કરવા કે સરકાર સંપ્રાપ્ત સહીતના એક કે વધુ પગલાં લેવાશે.

(૧૭) પ્રકરણે રજુ થયેલ ગામ નમુના નં. ૭/૧૨ના રેકર્ડ ચાલતાં ખાતેદારને તેણે ધારણ કરેલ હુકમમાં દર્શાવેલ જમીનમાં ફક્ત ખેતી સિવાયના ઉપયોગ કરવાની પરવાનગી આપતો સદર હુકમ કરેલ છે જેનાથી ટાઇટલ / માલિકીપણાના હક્ક પ્રસ્થાપિત થતાં નથી કે સદર હુકમથી આ કાયદો કે તેને અંતર્ગત નિયમો કે અન્ય કોઇ પ્રવર્તમાન કાયદા હેઠળ ચાલતાં કે ભવિષ્યમાં ઉપસ્થિત થનાર લીટીગેશનનો બાધ રહેશે નહીં.

(૧૮) પ્રકરણે રજુ થયેલ હકીકત. દસ્તાવેજી પુરાવાને આધારે પરવાનગી આપવામાં આવેલ છે. ભવિષ્યમાં કોઇ પુરાવો કે અન્ય કોઇ વિપરીત બાબત ધ્યાનમાં આવશે તો મુંબઇ જનરલ ક્લોઝીઝ એક્ટની જોગવાઇઓ હેઠળ આપમેળે સદર પરવાનગી રદ કરી શકાશે.

વધુમાં, ઉપર્યુક્ત શરતોને આધિન અરજદાર ધ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ ધ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે.

તારીખ:- 28/03/2019

રવાના કરવા પ્રમાણિત

જિલ્લા કલેક્ટર, અમદાવાદ વતી



સહી/-

(ડો. વિકાંત પાંડે)

કલેક્ટર, AHMEDABAD

RPAD

પ્રતિ,

૧. અરજદારશ્રી PATANJALI JYOTINDRA TRIVEDI

રહે. B/003, ELANZA CREST, SINDHUBHAVAN ROAD, BODAKDEV, Ahmadabad (Part), Ahmedabad City, Ahmedabad Gujarat INDIA

નકલ રવાના.

મામલતદારશ્રી. Daskroi

જિલ્લા જમીન નિરીક્ષકશ્રી AHMEDABAD

તલાટી કમ મન્ત્રીશ્રી. Bopal

સિલેક્ટ ફાઇલ

ડિસ્ટ્રીક્ટ ઇન્સ્પેક્ટરશ્રી, લેન્ડ રેકર્ડઝ, મોજણી ભવન, ભીમજીપુરા, નવા વાડજ, અમદાવાદ તરફ.

મ્યુનિસિપલ કમિશ્નરશ્રી (એસ્ટેટ) દાણાપીઠ, અમદાવાદ / મુખ્ય કારોબારી અધિકારીશ્રી, ઔડા, ઉસ્માનપુરા, અમદાવાદ તરફ.

૨/- જાણ તથા ઘટતી કાર્યવાહી કરવા સારુ.

અત્રેના એ.ડી.એમ. દફતર તરફ.

૨/- રેકર્ડમાં જરૂરી નોંધ પાડવા સારુ.

અત્રેની રેકર્ડ શાખા તરફ.

૨/- જાણ તથા અરજદારની અરજી આવે પ્રમાણિત નકલ આપવા સારુ.

S. M. SAIYAD, IFS
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

No. SEIAA/GUJ/EC/8(a)/ 571/2019

Date: 10 APR 2019

BY R.P.A.D
Time Limit

Sub: Environment Clearance for the Building Construction Project at Sr. No. 501, 502 + 503/B, F.P. No. 167, T.P.S. No. 3, Bopal, Ahmedabad proposed by M/s. Gusaiji Co. Op. Ho. Soc. Ltd. & M/s. Mahaprabhuji Co. Op. Ho. Soc. Ltd. Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/NCP/93421/2019.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 12/02/2019, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 26/02/2019.

The proposal is for Environmental Clearance for the Building Construction Project at Sr. No. 501, 502 + 503/B, F.P. No. 167, T.P.S. No. 3, Bopal, Ahmedabad proposed by M/s. Gusaiji Co. Op. Ho. Soc. Ltd. & M/s. Mahaprabhuji Co. Op. Ho. Soc. Ltd. This is a proposed building construction project having plot area of 10,117.0 m² and the proposed FSI area of the project is 18,209.44 m² with proposed built up area of 38,526.07 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 04 numbers of buildings. No. of Blocks: 04. Scope of buildings/blocks are: 2 level Basement + Ground floor + 3 floors and No. & size of Commercial Units are: 313 shops & 92 offices

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 11/03/2019 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 26/02/2019. The proposal was considered by SEIAA, Gujarat in its meeting held on 13/03/2019 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

1. No any kind of manufacturing activity shall be allowed in the proposed commercial project.
2. The project proponent shall not sell / allot any commercial unit for storage of chemicals, flammable substances, explosives, fire crackers or any other material of hazardous characteristics.
3. Adequate common amenities like drinking water facility, sanitation blocks separate for male & female, first aid facility etc. shall be provided in consonance to the concerned bye-laws.
4. Necessary prior permission shall be obtained from the concerned competent authority for cutting the trees within premises and all the conditions stipulated in the permission shall be fulfilled in true spirit.

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

5. Fresh water requirement during the construction phase shall be 19.50 KL/day and it shall be met through the local water tankers. No ground water shall be tapped during the construction phase.
6. Sewage generated during the construction phase shall be disposed off through septic tank and soak pit.

A.2 OPERATION PHASE:

A.2.1 WATER

Total water requirement during the operation phase shall be 100.30 KL/day, out of which fresh water requirement of 41.0 KL/day shall be met through water supply system of Ahmedabad Urban Development

Authority (AUDA) and the remaining 59.30 KL/day of water requirement shall be met through treated sewage. No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained.

8. Sewage generation during operation phase shall be 76.80 KL/day which shall be treated in the proposed onsite Sewage Treatment Plant.
9. The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the GPCB norms at the STP outlet. Treated sewage conforming to GPCB norms shall be utilized within premises for gardening & flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed off through drainage line of Ahmedabad Urban Development Authority (AUDA).
10. A proper logbook of STP operation and also showing the quantity of treated sewage utilization within premises & quantity of treated sewage discharged into the drainage line shall be maintained and furnished to the GPCB from time to time.
11. Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.
12. No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
13. Rain water harvesting from rooftop and paved areas and ground water recharge through 3 no. of percolation wells shall be carried out as per the details submitted. Before recharging the run off, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

14. A D. G. set (1 x 62.5 KVA) proposed as backup power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
15. The exhaust of the D. G. Set shall be at least 3 m above roof top.
16. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards.

A.2.3 SOLID WASTE:

17. The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be converted into useful end product by treating it into the proposed onsite Organic Waste Converter and the recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by the Ahmedabad Urban Development Authority (AUDA).

A.2.4 SAFETY:

18. Fire fighting facilities like fire extinguishers, hose reel, wet riser, yard hydrant, manually operated electric fire alarm system, automatic sprinkler system in basement, underground static water storage tank-200 KL capacity, terrace tank -60 KL capacity (total capacity), pump near underground static water storage tank (fire pump) with minimum pressure of 3.5 kg/cm² at terrace level etc. shall be provided as proposed.
19. All the staircases and lifts shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each building having floor area more than 500 m² on each floor.
20. In basement at least two separate ramps of adequate width and slope shall be provided, located preferably at opposite ends.
21. Provision for adequate air changes per hour in the basement shall be made so as to avoid build up of CO in the area.
22. Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.
23. Clear peripheral margin space of atleast 4 m, excluding the width for tree plantation, shall be provided for unobstructed & easy movement of vehicles in case of emergency.

A.2.5 PARKING / TRAFFIC CONGESTION:

24. Minimum parking space of 25,173.0 m² [16,396.0 m² in basement + 579.0 m² as open surface + 8,198.0 m² as mechanical parking in basement] shall be provided as proposed.

25. No public space including the service road shall be used or blocked for the parking and the trained staff shall be deployed to guide the visitors for parking and helping the senior citizens and physically challenged people to park their vehicles at appropriate parking places (valet parking).
26. Necessary signage including continuous display of status of parking availability at entry, exit and all other appropriate places shall be provided which should have appropriate size of letters and shall be visible from the at least 50 meter distance.

A 2.6 ENERGY CONSERVATION:

27. Energy conservation measures viz. maximum use of natural lighting through architectural design, energy efficient motors & pumps, maximum use of RMC & aerated blocks, use of LED lighting fixtures and low voltage lighting, 100 KW roof top solar panel, solar lighting in open and landscape areas- 30 numbers of solar lights, roof-top thermal insulation etc. shall be implemented as proposed.
28. The energy audit shall be conducted at regular interval for the project and the recommendations of the Audit Report shall be implemented with spirit.


A 2.7 GREEN BELT :

29. Green belt area of 965.80 m² comprising of 460.0 m² tree covered area with 152 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B. GENERAL CONDITIONS :

B1. PRE -CONSTRUCTION AND CONSTRUCTION PHASE:

30. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Rules 2003.
31. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
32. Temporary wind shield shall be done to prevent dust emission spreading outside the project premises. Barricade of adequate height shall be provided on the periphery of the construction site with adequate signages. Individual building within the project site shall also be provided with barricades.
34. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
35. Material shall be covered during transportation to avoid the fugitive emission.
36. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
37. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
38. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
39. The project proponent shall ensure maximum employment to the local people.
40. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
41. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
42. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
43. First Aid Box shall be made readily available in adequate quantity at all the times.
44. Training shall be given to all workers on construction safety aspects.
45. The project proponent shall strictly comply with the Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
46. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers



- etc. on all sources of noise generation.
47. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase
 48. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
 49. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
 50. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
 51. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.
 52. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
 53. Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
 54. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.
 55. Provisions of Construction & Demolition Waste Management Rules-2016 shall be strictly adhered to.
 56. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
 57. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
 58. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the Environment Protection Act, 1986 and its subsequent amendments from time to time.
 59. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:

60. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
61. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
62. Used oil shall be sold only to the registered recycler.
63. Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.
64. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules & regulations made there under shall be provided.
65. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
66. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
67. First Aid Box shall be made readily available in adequate quantity at all the times.
68. Main entry and exit shall be separate and clearly marked in the facility
69. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
70. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
71. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall confirm to the

standards prescribed under the Environment (Protection) Act and Rules.

72. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
73. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
74. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
75. The transformers and motors shall have minimum efficiency of 85%.
76. Only variable frequency motor drives shall be used in project.
77. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.
78. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
79. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
80. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
81. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
82. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
83. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
84. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
85. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
86. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
87. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
88. All the terms & conditions prescribed in the amendment of EIA Notification – 2006 published by the MoEF&CC vide its Notification No. S.O. 3999(E) dated 9th December, 2016 shall be complied with letter & spirit.
89. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
90. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
91. The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.

B3. OTHER:


92. The project proponent shall allocate separate fund of Rs. 1.10 crores for activities like road side plantation & solar light provision on adjacent road of 18 m, AUDA public park, other need based activities in nearby areas in consultation with AUDA etc. in accordance to the MoEF&CC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly compliance report and to district collector. The monitoring report shall be



- posted on the website of the project proponent.
93. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
 94. The project proponent shall adhere to provisions made for Corporate Environment Responsibility "CER" in Office Memorandum dated 01/05/2018 by Ministry of Environment, Forests & Climate Change and its amendments from time to time in a letter and spirit.
 95. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
 96. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned and shall be uploaded on website of Gujarat Real Estate Regulatory Authority, on 1st June and 1st December of each calendar year.
 97. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
 98. The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
 99. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
 100. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
 101. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards,

Yours sincerely,



(S. M. SAIYAD)

Member Secretary

Issued to:

**Mr. Mahesh Donga,
C/o. Siddhi Developers,
B-003, Elenaza Crest,
Behind HOF Living,
Sindhu Bhuvan Road,
Bodakdev, Ahmedabad-380052**

