

c. No radio/TV Antenna, lighting arresters, staircase, Muntree, Overhead water tank and other aerials or fixtures of any kind shall project above the Permissible Top Elevation 57.40 Mtrs. indicated in para 2.

d. The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.

e. The certificate is valid for a period of 5 years from the date of its issue. If the building/structure/Chimney is not constructed & completed within the period, the applicant will be required to obtain a fresh 'NOC' from the Designated Officer of Airports Authority of India. The date of completion of Building/Structure/Chimney should be intimated to this office of AAI. Request for revalidation of NOC will not be entertained after the expiry of its validity period.

f. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.


g. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

h. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in

i. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of the construction and regular aircraft operations and shall not be used as document for any other purpose or claim whatsoever, including ownership of land etc

j. This NOC has been issued w.r.t. the Civil Airports as notified in SO 84(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation 57.40 Mtrs.


 13/03/2015
 (Ibrahim Chittoria)
 DGM (ATM/ NOC), WR
 For GM (Aero), WR
 Airports Authority Of India

Copy to :

1. The Executive Director(ATM), AAI, Rajiv Gandhi Bhavan, Safdarjung Airport, New Delhi-110003

2. GM(NOC)/Airport Director(Bundle).

3. Guard File

4. Asstt. Town Planner, Surat Urban Development Authority, Surat

5. Airport Director, Airport Authority of India, Surat Airport, Dumas Road, Surat- 394550.

6. The Dy. General Manager (Vigilance)