



Vishwa Developers Partner Jayant M. Patel

Date: 18-03-2020

F.P.No.19, , Monapark, Opp.
Memnagar Lake, Memnagar,
Ahmedabad.

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	AHME/WEST/B/031420/451812
Applicant Name*	Bhargav Savaliya
Site Address*	F.P.No. 19, T.P.S. No. 1 (Memnagar), At. Memnagar, Ta. Ghatlodiya, Dist. Ahmedabad.
Site Coordinates*	23 02 59.23N 72 32 35.71E, 23 02 58.94N 72 32 33.86E, 23 03 01.49N 72 32 33.39E, 23 03 01.59N 72 32 35.28E
Site Elevation in mtrs AMSL as submitted by Applicant*	51.39 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 8848 mts from ARP and lies in the grid L8 of the published CCZM of Ahmedabad airport. The Permitted top elevation for this grid is 115 mts.

Since the requested top elevation 111.39 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

- e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.
- f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.
- g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

This assessment is system auto generated and thus does not require any signature

Designated Officer

Region Name: WEST

Address: General Manager (ATM)

Email ID: vaah.noc@aai.aero

Contact No: 079-22858111

AHMEDABAD MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICE

DANAPITH FIRE STATION, (H. Q.)AHMEDABAD - 380 001

PH. : (079) 22148466 / 67 / 68, 32981178, 32981500 FAX : (079)

No. - OPN154406112019 Dt.:06/11/2019

To,

JAYESHBHAI,

1010,1011 ADDOR ASPIRE GULBAI TEKRA AHMEDABAD

1010,1011 ADDOR ASPIRE GULBAI TEKRA AHMEDABAD

Sub: Fire safety & protection, opinion for a proposed high-rise building / Low-Rise Building – High Rise Building

Sir,

This is to intimate that , the plans submitted for,High Rise Building , have all the required line drawings and write-up are as per the requirement of fire prevention and protection.

All norms as per the GDCR (2021) & CBD by AUDA have to be followed as far as the construction and Fire Prevention and Protection system, are to be followed.

Moreover, it is required that all the staircases of the building shall be ventilated above the parapet wall at each floor level and shall be 2 meters , clear in width.

The staircase and lift shafts shall not go to the basement but if they go they have to be protected by 2 hours fire resistant construction including the doors.

A motorable road with 45 ton load bearing capacity and minimum as mention in table; is required around the building without obstruction to a clear motorable passage for fire/rescue vehicles.

Any transformer to be installed shall be away from the ^{building & leaving} ~~8 meters~~ open space required around the building.

The gate (entry) to the premises shall be minimum 6 meters or more if required, in width, entry gate to be provided on both sides.

The Fire Protection system shall be as mentioned in the approved plans.

1. All basements parking and HPP shall be fully sprinklered.
2. All lower basements should have positive pressure ventilation.
3. Electric Cable Shaft should have fire resistant doors.

In this Filed we can write what system they required in building – So whatever here we write that can be mention in final opinion letters

Builder name	JAYESHBHAI
Address	1010,1011 ADDOR ASPIRE GULBAI TEKRA AHMEDABAD
T.P.No.	I MEMNAGAR
F.P.No.	19
R.S.No.	
Sub Plot No.	
Surrounding Margin from building	
Common Plot Margin from building	

Building Types		High Rise Building		
	A+B		C	
Fire Opinion Remarks	ALL BASEMENTS PARKING & HPP SHALL BE FULLY SPRINKLERED. ALL BASEMENTS PARKING SHOULD HAVE POSITIVE PRESSURE VENTILATION. •ELECTRIC CABLE DUCT SHOULD HAVE FIRE RATED DOORS AT ALL LEVEL AND TO BE KEPT OPEN FROM TERRACE AND LAST BASEMENT LEVEL. •STAIRCASE AND LIFT LOBBY TO BE ENCLOSED AT BASEMENT.		ALL BASEMENTS PARKING & HPP SHALL BE FULLY SPRINKLERED. ALL BASEMENTS PARKING SHOULD HAVE POSITIVE PRESSURE VENTILATION. •ELECTRIC CABLE DUCT SHOULD HAVE FIRE RATED DOORS AT ALL LEVEL AND TO BE KEPT OPEN FROM TERRACE AND LAST BASEMENT LEVEL. •STAIRCASE AND LIFT LOBBY TO BE ENCLOSED AT BASEMENT.	
Block Height From Ground Level to Top Slab(In Meter)	45		42	
	Use	Height(In Meter)	Use	Height(In Meter)
Basement 2	PARKING	0.0000	PARKING	0.0000
Basement 1	PARKING	0.0000	PARKING	0.0000
Hollow Plinth/Ground Floor	HPP	3.3500	HPP	3.5000
Floor 1	RESI	2.9500	RESI	2.9500
Floor 2	RESI	2.9500	RESI	2.9500
Floor 3	RESI	2.9500	RESI	2.9500
Floor 4	RESI	2.9500	RESI	2.9500
Floor 5	RESI	2.9500	RESI	2.9500
Floor 6	RESI	2.9500	RESI	2.9500
Floor 7	RESI	2.9500	RESI	2.9500
Floor 8	RESI	2.9500	RESI	2.9500
Floor 9	RESI	2.9500	RESI	2.9500
Floor 10	RESI	2.9500	RESI	2.9500
Floor 11	RESI	2.9500	RESI	2.9500
Floor 12	RESI	2.9500	RESI	2.9500
Floor 13	RESI	2.9500	RESI	2.9500
Floor 14	RESI	2.9500		

Margin for different types of building

1) 8 to 25 Meters building - 3 Meters

at area more than 750 sq. mt. : 4 Meters

2) Up to 45 Meters building : 6 Meters

3) Up to 70 Meters building : 8 Meters

Ramp only permitted for 18 to 25 meters building in margin.

Industrial Building - Information about all processes, raw material and finished material shall be mentioned in plan.

Basic Fire Requirement Notes on plan

The copies of plans are returned herewith duly signed and have to be submitted during final inspection of the fire fighting system.

After, the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer an NOC can be issued.



M.F. Dastoor

(M.F.Dastoor)
Chief Fire Officer

ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૮૭૯ ની કલમ-૬૬ હેઠળ મંજૂરી

હુકમ નં. 606/07/17/033/2020

તા. 06/03/2020

વંચાણે લીધા :-

- (૧) અરજદારશ્રી Memnagar Monapark Co Op Hosing Society Chairmen Dilipbhai Shantilal Dixit રહે. C-3/906, Anushruti Tower, S.G.Highway, Thaltej, Ahmedabad-380052 ની તા. 06/02/2020 ની ઓનલાઇન અરજી તથા સોગંદનામું
- (૨) ગુજરાત જમીન મહેસૂલ કાયદો ૧૮૭૯ ની કલમ-૬૬
- (૩) ગુજરાત જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ ૮૧, ૧૦૦, ૧૦૧, ૧૦૨
- (૪) સરકારશ્રીનાં મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક તા.૦૧/૦૭/૨૦૦૮
- (૫) સરકારશ્રીનાં મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૨૦૧૮/૩૨૭/ક તા.૦૮/૦૫/૨૦૧૮
- (૬) સરકારશ્રીનાં મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૧૬/૦૮/૨૦૧૮
- (૭) સરકારશ્રીનાં મહેસૂલ વિભાગનાં જાહેરનામા ક્રમાંક. GHM/2018/151/BKP/102018-CMO-VIP-13/K, તા.૦૭/૧૨/૨૦૧૮
- (૮) સરકારશ્રીનાં મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૦૮/૦૧/૨૦૧૯
- (૯) સરકારશ્રીનાં મહેસૂલ વિભાગનાં પરિપત્ર નં. બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૧૨/૦૨/૨૦૧૯
- (૧૦) સરકારશ્રીનાં મહેસૂલ વિભાગનાં પરિપત્ર નં. બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૦૮/૦૩/૨૦૧૯
- (૧૧) મામલતદાર અને ફિષિપંચ શ્રી (ALT) નો તા.25/02/2020 નો અભિપ્રાય
- (૧૨) નાણા ભરવાની જાણ કરતો તા.03/03/2020 નો પત્ર

હુકમ :-

વંચાણે લીધેલ કમ (૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી Memnagar Monapark Co Op Hosing Society Chairmen Dilipbhai Shantilal Dixit એ મોજે મેમનગર તા. ઘાટલોડીયા જિ. અમદાવાદ ના સરવે/બ્લોક નં. ૦૧૧૧૯ ના ક્ષેત્રફળ ૩,૬૨૩.૦૦ ચો.મી. ની જમીન અંગે ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૮૭૯ ની કલમ-૬૬ હેઠળ દંડ વસુલ લઇને બિનખેતી પરવાનગી મેળવવાની માગણી કરેલ છે.

સવાલવાળી જમીનના ગામ નમૂના નં. ૭/૧૨ માં કબજેદારોની વિગત નીચે મુજબ છે.

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ (ખાતા નં. 10)
સરવે/બ્લોક નં. : ૦૧૧૧૯ જુનો સરવે/બ્લોક નં. : --- ટી.પી. નં. : 1 એફ.પી. નં. : 19	3,623.00	મેમનગર મોનાપાર્ક કો.ઓ.હા.સો.લી

સવાલવાળી જમીન અંગેના રજૂ થયેલ રેકર્ડની ચકાસણી કરતાં સદર જમીન હાલમાં જુની શરત (જુ.શ.) સત્તાપ્રકારે ચાલતી આવે છે. તેમજ અરજદારે સોગંદનામામા જાહેર કરેલ હકીકત તથા અન્ય આધાર પુરાવાઓ ધ્યાને લેતા મહેસૂલી ટાઇટલ કલીયર હોવાનું જણાય છે. જેથી બિનખેતી પરવાનગી આપવાપાત્ર જણાય છે. હુકમના ઉપરોક્ત વંચાણે લીધેલ પત્રમાં જણાવેલ વિગતે અરજદારને રૂપાંતર કર, વિશેષ ધારો તથા અન્ય વેરાની રકમ સરકારશ્રીમા ભરપાઇ કરવા ઓનલાઇન સિસ્ટમ દ્વારા તેઓને જાણ કરતાં, નીચે જણાવેલ વિગતે ઓનલાઇન સિસ્ટમ દ્વારા અરજદારે નાણા સરકારશ્રીમાં જમા કરાવેલ છે. જે નીચેની વિગતે છે.

કરની વિગત	સદર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	દર રૂ. પ્રતિ ચો.મી.	કુલ રકમ રૂ.
રૂપાંતર કર	569-0035-00-800-01	3,623.00	40.00	1,44,920.00
વિશેષ ધારો	570-0035-00-101-01	3,623.00	0.60	2,174.00

લોકલ ફંડ	574-0029-00-103-01	3,623.00	0.30	1,087.00
શિક્ષણ ઉપકર	575-0045-00-108-01	3,623.00	0.15	543.00
દંડનીય રકમ	570-0035-00-101-01	3,623.00	---	36,230.00
માપણી ફી	577-0029-00-106-01	3,623.00	---	1,800.00
કુલ રૂ.				1,86,754.00

સબબ, ઉપરોક્ત હકીકત ધ્યાનમાં લેતાં નીચે દર્શાવ્યા મુજબની જમીન અંગે, જમીન મહેસૂલ કાયદાની કલમ-૬૭(ક) હેઠળ નિયમાનુસાર દંડ વસુલ લઈ હુકમમાં જણાવેલ શરતોને આધીન જમીન મહેસૂલ કાયદાની કલમ-૬૬ હેઠળ કાર્યવાહી થયા બાદ સક્ષમ સત્તાધિકારી દ્વારા મળવાપાત્ર બાંધકામના પ્રમાણિત નકશા મુજબ બાંધકામ વિનિયમિત કરવા બિનખેતીની પરવાનગી આપવા અર્થે હુકમ કરવામાં આવે છે.

-: મોજે મેમનગર તા. ઘાટલોડીયા જિ. અમદાવાદ ની જમીન બિનખેતી કરવાની વિગત :-

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	જમીનનું ૭/૧૨ મુજબ ક્ષેત્રફળ (ચો.મી.)	ફા.પ્લોટ મુજબ ક્ષેત્રફળ (ચો.મી.)	પ્લાન મુજબ બાંધકામ સહિત બિનખેતી કરવામાં આવેલ જમીનનું ક્ષેત્રફળ (ચો.મી.)	ફા.પ્લોટ મુજબ બિનખેતી કરવાપાત્ર બાંધકામનું ક્ષેત્રફળ (ચો.મી.)	દૂર કરવાપાત્ર બાંધકામનું ક્ષેત્રફળ (ચો.મી.)
સરવે/બ્લોક નં. : ૦૧૧૧૯ જુનો સરવે/બ્લોક નં. : --- ટી.પી. નં. : ૧ એફ.પી. નં. : ૧૯	૩,૬૨૩.૦૦	૩,૬૨૩.૦૦	૩,૬૨૩.૦૦	૩,૬૨૩.૦૦	૦.૦૦

શરતો :-

- (૧) આ હુકમ મળ્યેથી બે માસમાં "એમ" નમૂનામાં સનદ પ્રાપ્ત થશે.
- (૨) જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવેલ છે. જેથી માપણી કરી / કરાવી આ હુકમ આધારે તેમજ મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું / કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલી દફતરે અમલ થયા બાદ જ પ્રશ્નવાળી બિનખેતીની જમીન / પ્લોટનું રજી. દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.
- (૩) અરજદારે પ્રતિ વર્ષ ખેતી સિવાયનો ધારો (વિશેષધારો) દર પ્રતિ ચો.મી. ના રૂ. ૦.૬૦ પ્રમાણે રૂ. ૨,૧૭૪.૦૦ તેમજ નિયમ પ્રમાણે લોકલ ફંડ તથા શિક્ષણ સેસ ભરવો પડશે જે અંગેનો દર વખતોવખત ફેરફારને પાત્ર રહેશે.
- (૪) અમદાવાદ મહાનગરપાલિકા એ મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને હુકમ થયા તારીખથી ત્રણ વર્ષમાં બાંધકામ પૂર્ણ કરવાનું રહેશે.
- (૫) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં. બખપ/૧૦૯૩/૧૦૫૨/ક તા. ૧૩/૦૮/૧૯૯૩ માં ઠરાવ્યા મુજબ સહીયારા / કોમન પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુળ માલિકનો કોઈ હક્ક રહેશે નહિ.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૦૭/૦૮/૧૯૯૧ ના પરિપત્ર નં. બખપ-૧૦૯૧/૧૭૫૬/ક ની જોગવાઈ મુજબ બિન અધિકૃત બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા / શહેરી વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલાં લેવાના રહેશે.
- (૭) સદર જમીનમાંથી પેટ્રોલીયમ / પાણીની કે અન્ય કોઈપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ પરવાનગી આપનાર ઓથોરિટીએ સંબંધિતો ના-વાંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૮) સરકારશ્રીનાં મહેસૂલ વિભાગનાં તા. ૦૧/૦૭/૨૦૦૮ ના ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક માં જણાવેલ નીચે મુજબની શરતોનું પાલન કરવાનું રહેશે.
 ૧. જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડ દ્વારા ઇસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ હોવી જોઈએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવી જોઈએ.
 ૨. બાંધકામ શરૂ કરતા પહેલાં બાંધકામનાં નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિનખેતી પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચિઠ્ઠી મેળવી શકશે નહિ.

૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનિંગ સ્કીમ મંજૂર થઇ ગઇ છે ત્યાં જી.ડી.સી.આર. અને ઝોનિંગના નિયમો અનુસાર બાંધકામ કરવાનું રહેશે.
૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
૫. અરજદારે રિબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઇ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
૬. ફ્લોર, મિલ, સિનેમા/ ટુરિંગ સિનેમા/ થિયેટર માટે બિનખેતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ કરતાં પહેલા જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
૮. ઇન્ડિયન એક્સપ્લોઝિવ એક્ટ અન્વયે મેગેનિઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલા જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
૯. સવાલવાળી જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી નિયમ મુજબ જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રિડના તાર/ હાઇટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.
૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસ નિયમ મુજબની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સિવિલ એવિએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સિવિલ એવિએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
૧૨. ઓ.એન.જી.સી. ના કુવાની નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
૧૩. નર્મદા કેનાલ/ અન્ય સિંચાઇ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાના થતાં અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
૧૪. અરજદારે/ જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી નિયમ મુજબનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૯) પ્રશ્નવાળી જમીનમાં નગરપાલિકા/ મહાનગરપાલિકા/ શહેરી વિકાસ સત્તા મંડળ દ્વારા જે શરતોએ પરવાનગી આપવામાં આવશે તે શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.
- (૧૦) આ જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન/ સંચય માટે દર મકાન/ બહુમાળી મકાન દીઠ એકના દરે આ જમીનમાં ઉપર પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.
- (૧૧) પ્રશ્નવાળી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહિ.
- અરજદારે ઉપરોક્ત શરતોનું પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.
- (૧૨) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.
- (૧૩) ઉપરોક્ત શરતોમાં ગમે તે મજદૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલા અથવા વધારાના કોઇપણ મકાન અથવા ઇમલારને કલેક્ટરશ્રીએ, આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સૂચવ્યા મુજબ ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.
- (૧૪) મંજૂરી હેઠળની જમીન પરત્વે અલગ અલગ હિસ્સા (સબ પ્લોટ) ના કિસ્સામાં સંબંધિત ડી.ઇ.લે.રે. કચેરીમાં માપણી ફી અલગ અલગ ભરપાઇ કરવાની રહેશે.
- (૧૫) જો આ જમીન પર કોઇ બેંક/ મંડળીનો બોજો બાકી હોય તો, તે ભરપાઇ કર્યા સિવાય આ મિલકત કોઇપણ પ્રકારે વેચાણ, ભેટ, વસિયત, બાનાખત, ગિરો કરી શકાશે નહિ અને કોઇપણ અન્યને પ્રત્યક્ષ કે પરોક્ષ રીતે માલિકી કે કબજો ભોગવટો તબદીલ કરી શકાશે નહિ.

વધુમાં ઉપર્યુક્ત શરતોને આધિન અરજદાર દ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ દ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે. તદઅનુસાર સંબંધિત મામલતદારશ્રીએ આ હુકમની ગામના તથા તાલુકાના સંબંધિત રેકર્ડમાં નોંધ રાખી પ્રતિ વર્ષ વિશેષધારો તથા અન્ય ઉપકર વસુલ કરવાના રહેશે.

(કે. કે. નિરાલા)
કલેક્ટર, અમદાવાદ

રવાના કરવા માટે પ્રમાણિત

નાયબ કલેક્ટર (બિનખેતી)
અમદાવાદ



આર.પી.એ.ડી.

પ્રતિ,

Memnagar Monapark Co Op Housing Society Chairmen Dilipbhai Shantilal Dixit

C-3/906, Anushruti Tower

S.G.Highway

Thaltej

Ahmedabad-380052

નકલ રવાના:-

૧. નાયબ કલેક્ટરશ્રી, અમદાવાદ સીટી (પશ્ચિમ) પ્રાંત, જિ. અમદાવાદ તરફ.
૨. મામલતદારશ્રી તા. ઘાટલોડીયા જિ. અમદાવાદ (હુકમનો અમલ ગામ દફતરે રેકર્ડ ઓફ રાઈટ્સ મુજબ કરાવવા સારું.)
૩. જિલ્લા ઇન્સ્પેક્ટરશ્રી જમીન રેકર્ડ જિ. અમદાવાદ
૪. તલાટીશ્રી મેમનગર તા. ઘાટલોડીયા જિ. અમદાવાદ તરફ.
૫. જિલ્લા કલેક્ટર, અમદાવાદ, કલેક્ટર કચેરી, અમદાવાદ

* આ હુકમની ઇ-ધરા કેન્દ્ર, ઘાટલોડીયા માં નોંધ નંબર 3636 થી મોજે.- મેમનગર તા.- ઘાટલોડીયા જિ.- અમદાવાદ માં નોંધ થયેલ છે.

Dr. K. RAMESH, IFS
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

No. SEIAA/GUJ/EC/8(a)/1649 /2020

Date: 31 DEC 2020 BY R.P.A.D
Time Limit

Sub: Environment Clearance for the Building Construction Project – “Vishwa Lake Iksa” at F.P. No.19, Memnagar, Ghatlodiya, Ahmedabad proposed by M/s. Vishwa Developers through Mr. Jayant. M. Patel. Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/MIS/134102/2020.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 23/01/2020, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 11/03/2020. The project proponent submitted additional information / documents vide letter dated 16/06/2020 to the SEAC.

The proposal is for Environmental Clearance for the Building Construction Project – “Vishwa Lake Iksa” at F.P. No.19, Memnagar, Ghatlodiya, Ahmedabad proposed by M/s. Vishwa Developers through Mr. Jayant. M. Patel. This is a proposed building construction project having plot area of 3,623.0 m² and the proposed FSI area of the project is 14,461.99 m² with proposed built up area of 24,523.87 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 02 numbers of buildings. No. of Blocks: 03. Scope of buildings/blocks are: 1 building: 2 level basement + hollow plinth +14 floors; 1 building: 2 level basement + hollow plinth +13 floors and No.& size of Residential Units are: 158 units.

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 08/12/2020 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 13/11/2020. The proposal was considered by SEIAA, Gujarat in its meeting held on 11/12/2020 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

1. Fresh water requirement during the construction phase shall be 12.0 KL/day and it shall be met through local water tankers. No ground water shall be tapped during the construction phase.
2. Sewage generated during the construction phase shall be disposed off into septic tank & soak pit.

A.2 OPERATION PHASE:

A.2.1 WATER

3. Total water requirement during the operation phase shall be 123.0 KL/day, out of which fresh water requirement of 79.36 KL/day shall be met through water supply system of Ahmedabad Municipal Corporation (AMC) and the remaining 43.64 KL/day of water requirement shall be met through treated sewage. No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained.
4. Sewage generation during operation phase shall be 94.17 KL/day which shall be treated in the proposed onsite Sewage Treatment Plant.

The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the GPCB norms at the STP outlet. Treated sewage conforming to GPCB norms shall be utilized within premises for gardening & flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed off through drainage line of Ahmedabad Municipal

Corporation (AMC).

6. A proper logbook of STP operation and also showing the quantity of treated sewage utilization within premises & quantity of treated sewage discharged into the drainage line shall be maintained and furnished to the GPCB from time to time.
7. Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.
8. No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
9. Rain water harvesting from rooftop and paved areas and ground water recharge through 1 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the run off, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

10. A D. G. set (1 x 20 KVA) proposed as backup power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
11. The exhaust of the D. G. Set shall be at least 3 m above roof top.
12. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards.

A.2.3 SOLID WASTE:

13. The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be converted into useful end product by treating it into the proposed onsite Organic Waste Converter and the recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by Ahmedabad Municipal Corporation (AMC).

A.2.4 SAFETY :

14. Fire fighting facilities like fire hydrant system, one CO₂ type extinguisher of 4.5 kg and one DCP type extinguisher of 5 kg on each floor, hose reels and wet risers, sprinkler system in the basement, fire lifts, auto glow signages on each floor, automatic electric fire alarm system, a fire alarm call point on each floor, separate electric power supply to the entire fire safety system, two electric & one diesel pump of capacity 2500 L/min. & two electric pump of capacity 200 L/min. having pressure 4.0 kg/cm² at terrace level, a properly earthed lightning arrester, underground water tank of 2 x 75 KL, terrace tank of 3 x 10 KL etc. shall be provided as proposed.
15. All the staircases and lifts shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each building having floor area more than 500 m² on each floor.
16. In basement at least two separate ramps of adequate width and slope shall be provided, located preferably at opposite ends.
17. Provision for adequate air changes per hour in the basement shall be made so as to avoid build up of CO in the area.
18. Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.
19. Clear peripheral margin space of atleast 6 m, excluding the width for tree plantation, shall be provided for unobstructed & easy movement of vehicles in case of emergency.

A2.5 PARKING / TRAFFIC CONGESTION:

20. Minimum parking space of 4,605.06 m² [1,826.12 m² in 1st basement + 1,932.82 m² in 2nd basement + 846.12 m² in hollow plinth] shall be provided as proposed.

A.2.6 ENERGY CONSERVATION:

21. Energy conservation measures viz. maximum use of LED lights, solar lights for common areas, use of variable frequency drive motors to optimize power consumption, maximum use of light colors in the building envelope so that UV absorption is reduced & associated cooling requirements are minimized, roof top solar panel of 34.7 KW capacity etc. shall be implemented as proposed.

A 2.7 GREEN BELT :

22. Green belt area of 625.0 m² comprising of 262.6 m² tree covered area with 91 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B. GENERAL CONDITIONS :

B1. PRE -CONSTRUCTION AND CONSTRUCTION PHASE:

23. Roads leading to or at construction site must be paved and blacktopped (i.e. – metallic roads).
24. No excavation of soil shall be carried out without adequate dust mitigation measures in place.
25. Grinding and cutting of building materials in open area shall be prohibited.
26. Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.
27. Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site.
28. Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.
29. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Rules 2003.
30. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
31. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
32. Wind – breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.
33. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
34. No uncovered vehicles carrying construction material and waste shall be permitted.
35. No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
36. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
37. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
38. The project proponent shall ensure maximum employment to the local people.
39. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
40. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
41. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
42. First Aid Box shall be made readily available in adequate quantity at all the times.
43. Training shall be given to all workers on construction safety aspects.
44. The project proponent shall strictly comply with the Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
45. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.
46. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase
47. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.



48. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
49. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
50. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.
51. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
52. Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
53. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.
54. Provisions of Construction & Demolition Waste Management Rules-2016 shall be strictly adhered to.
55. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
56. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
57. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
58. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:

59. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
60. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
61. Used oil shall be sold only to the registered recycler.
62. Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.
63. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules & regulations made there under shall be provided.
64. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
65. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
66. First Aid Box shall be made readily available in adequate quantity at all the times.
67. Main entry and exit shall be separate and clearly marked in the facility
68. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
69. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
70. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall confirm to the standards prescribed under the Environment (Protection) Act and Rules.
71. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
72. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.



73. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
74. The transformers and motors shall have minimum efficiency of 85%.
75. Only variable frequency motor drives shall be used in project.
76. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.
77. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
78. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
79. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
80. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
81. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
82. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
83. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
84. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
85. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
86. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
87. All the terms & conditions prescribed in the amendment of EIA Notification – 2006 published by the MoEF&CC vide its Notification No. S.O. 3999(E) dated 9th December, 2016 shall be complied with letter & spirit.
88. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
89. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
90. The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.

B3. OTHER:

91. The project proponent shall allocate separate fund of Rs. 54 lakhs to provide scholarship to students, drinking water facility (RO sstem 100 LPH), medical camps & distribution of medicines in Memnagar Sarvajanik Vidhyalaya in accordance to the MoEFCC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
92. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
93. The project proponent shall adhere to provisions made for Corporate Environment Responsibility "CER" in Office Memorandum dated 01/05/2018 by Ministry of Environment, Forests & Climate Change and its amendments

from time to time in a letter and spirit.

94. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
95. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned and shall be uploaded on website of Gujarat Real Estate Regulatory Authority, on 1st June and 1st December of each calendar year.
96. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
97. The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
98. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
99. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
100. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards,
Yours sincerely,

(Dr. K. RAMESH)
Member, Secretary



Issued to:

Mr. Jayant Manilal Patel
Vishwa Develoeprs,
C/3/906, Anushruti Tower,
Near Muktidham Derasar,
S.G.Highway, Thaltej,
Ahmedabad – 380054.