



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Narayanbhai Keshavlal Patel

Date: 31-05-2021

Vihaan Nirvana, Nr. Sarthak
Era, Village: Tarapur, Dist.
Gandhinagar-382423

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	AHME/WEST/B/052521/547781
Applicant Name*	aMRUT
Site Address*	Old Survey No 273/P New Survey No 369/2 At Tarapur Taluka Gandhinagar District Gandhinagar
Site Coordinates*	23 11 37.86N 72 36 15.24E, 23 11 36.54N 72 36 16.02E, 23 11 38.96N 72 36 16.68E, 23 11 37.70N 72 36 17.51E
Site Elevation in mtrs AMSL as submitted by Applicant*	70.15 M
Type Of Structure*	Building

*As provided by applicant

Your site is located at a distance 13777 mts from ARP and lies in the grid D12 of the published CCZM of Ahmedabad airport. The Permitted top elevation for this grid is 135 mts.

Since the requested top elevation 125.15 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

e. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

f. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.

g. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC for Defence, if the site lies within jurisdiction of Defence Airport. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed civil aerodrome as outlined in Rule 13 of GSR751 (E).

This assessment is system auto generated and thus does not require any signature

Designated Officer


Region Name: WEST

Address: General Manager (ATM)


Email ID: vaah.noc@aai.aero

Contact No: 079-22858111

Street View



May 25, 2021




AAI

Satellite View



May 25, 2021



AAI

S. J. PANDIT, IFS (Retd.)
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

No. SEIAA/GUJ/EC/8(a)/ 1508 /2021

Date:

08 OCT 2021

BY R.P.A.D
Time Limit

Sub: Environment Clearance for the Building Construction Project "Vihaan 273" at Survey No. 369/2, OP No. 369/2, Tarapur, Gandhinagar proposed by M/s. Ahaana Infracon. Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/MIS/213182/2021.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 28/05/2021, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 14/07/2021.

The proposal is for Environmental Clearance for the Building Construction Project "Vihaan 273" at Survey No. 369/2, FP No. 369/2, OP No. 369/2, Tarapur, Gandhinagar proposed by M/s. Ahaana Infracon. This is a proposed building construction project having plot area of 5278.0 m² and the proposed FSI area of the project is 11646.51 m² with proposed built up area of 21679.39 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 02 numbers of buildings. No. of Blocks: 02. Scope of buildings/blocks are: Block A: Ground Floor + 6 floors Block B: Ground Floor +3 floors and No. & size of Commercial Units are: 80 Shops & 54 Offices .

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 25/08/2021 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 14/07/2021. The proposal was considered by SEIAA, Gujarat in its meeting held on 23/09/2021 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

1. Fresh water requirement during the construction phase shall not exceed 15.25 KLD and it shall be met through tankers. No ground water shall be tapped during the construction phase.
2. Sewage generated during the construction phase shall be disposed off through Soak Pit.
3. Explore possibilities of provision of mobile toilets in construction phase.

A.1.2 HEALTH & SAFETY:

4. Project Proponent shall obtain Fire opinion/provisional fire NOC from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.
5. The project proponent shall obtain registration of the establishment under the Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Act 1996 and shall comply with the provisions of the Act for the safety, health and welfare of construction workers.
6. The project proponent shall obtain registration of the construction workers as beneficiaries with the Gujarat Building and Other Construction Workers Welfare Board.

A.2 OPERATION PHASE:

A.2.1 WATER

Total water requirement during the operation phase shall not exceed 59 KLD, out of which fresh water requirement of 33 KLD shall be met through GUDA and the remaining 26 KLD of water requirement shall be met through treated sewage. No ground water shall be tapped during the operation phase. Metering of the

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152, 232-41514 Fax No.:- (079) 232-22784
E-mail : msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

water shall be done and its records shall be maintained.

8. Sewage generation during operation phase shall not exceed 49.5 KLD which shall be treated in the proposed onsite Sewage Treatment Plant.
9. The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the GPCB norms at the STP outlet. Treated sewage conforming to GPCB norms shall be utilized within premises for gardening & flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed off through drainage line of GUDA.
10. A proper logbook of STP operation and also showing the quantity of treated sewage utilization within premises & quantity of treated sewage discharged into the drainage line shall be maintained and furnished to the GPCB from time to time.
11. Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.
12. No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
13. Rain water harvesting from rooftop and paved areas and ground water recharge through 3 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

14. A D. G. set (125 KVA) proposed as backup power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
15. The exhaust of the D. G. Set shall be at least 3 m above roof top.
16. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards.

A.2.3 SOLID WASTE:

17. The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be converted into useful end product by treating it into the proposed onsite Organic Waste Converter and the recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by the GUDA.

A.2.4 SAFETY AND WELFARE:

18. Project Proponent shall obtain fire safety certificate / Fire No-Objection Certificate (NOC) from the concerned authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.
19. Fire fighting facilities like Dedicated underground & terrace water tanks for firefighting 1x 100 KLD & 2 x 20 KLD respectively, fire extinguishers, fire alarms, hose reels, external hydrants & wet risers, automatic sprinkler system in basement, pumping arrangement system-riser with pressure pump, first aid box, displaying of important telephone numbers etc. shall be provided. A lightening arrester will be installed and properly earthed.
20. Staircase shall be provided: 1 nos of 2 mts width in each block. All the staircases shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Total 11nos of lifts shall be provided in the project.
21. Provision for adequate air changes per hour in the basement shall be made so as to avoid build-up of CO in the area.
22. Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.
23. Clear peripheral margin space of adequate width, in accordance with the concerned local bye-laws, shall be provided for unobstructed & easy movement of vehicles in case of emergency.
24. Adequate sanitation facilities, drinking water, Medical facilities will be provided to all workers. PPEs shall be provided for workers.

A.2.5 PARKING / TRAFFIC CONGESTION:

25. Minimum parking space of 8895.40 m² (287 ECS) m² [8211 m² in Basement + 684.40 m² in open area] shall be provided as proposed.

A.2.6 ENERGY CONSERVATION:

26. Energy conservation measures viz. maximum use of natural lighting through architectural design, energy efficient motors & pumps, water efficient taps, solar lights in open & solar street light, 75 KW solar power generation, use of aerated blocks & RMC, use of LED lighting fixtures and low voltage lighting, roof-top thermal insulation etc. shall be implemented as proposed.

A.2.7 GREEN BELT:

27. Green belt area of 738.92 m² comprising of 211.12 m² tree covered area with 105 trees within premises shall be

developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B. GENERAL CONDITIONS :

B1. PRE-CONSTRUCTION AND CONSTRUCTION PHASE:

28. Roads leading to or at construction site must be paved and blacktopped (i.e. – metallic roads).
29. No excavation of soil shall be carried out without adequate dust mitigation measures in place.
30. Grinding and cutting of building materials in open area shall be prohibited.
31. Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.
32. Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site.
33. Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.
34. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Rules 2003.
35. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
36. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
37. Wind – breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.
38. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
39. No uncovered vehicles carrying construction material and waste shall be permitted.
40. No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
41. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
42. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
43. The project proponent shall ensure maximum employment to the local people.
44. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
45. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do not ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
46. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
47. First Aid Box shall be made readily available in adequate quantity at all the times.
48. Training shall be given to all workers on construction safety aspects.
49. The project proponent shall strictly comply with the Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
50. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.
51. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase
52. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
53. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
54. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
55. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.

56. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
57. Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
58. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.
59. Provisions of Construction & Demolition Waste Management Rules-2016 shall be strictly adhered to.
60. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
61. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
62. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
63. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:

64. Separate Entries and Exits shall be provided to the project on the approach road.
65. Separate Entry and Exit to the basement shall be provided.
66. Explore possibilities of provision of Electric vehicle charging points in the basement.
67. Structure shall be designed considering the seismic zone and has to be earthquake resistant.
68. Project proponent shall ensure fire safety and safe lift installation by getting the due certification from competent authority.
69. The design of building has to be earthquake resistant & duly certified by competent structural engineer of competent authority.
70. The project proponent shall explore the possibilities & adopt mitigation measures to minimize the impact of project with reference to Urban Heat Island (UHI) Phenomena.
71. The project proponent shall allocate the adequate funds required for the compliance of Environment Management plan & CER activity proposed & shall be under taken in time bound manner.
72. Project proponent shall emphasize on 3R concept of Reduce, Reuse and Recycle and while handing over the project to Maintenance Society shall ensure the compliances as required.
73. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
74. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
75. Used oil shall be sold only to the registered recycler.
76. Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.
77. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules & regulations made there under shall be provided.
78. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
79. Dedicated power back-up system shall be provided in the case of power failure & emergency of fire water pumps.
80. First Aid Box shall be made readily available in adequate quantity at all the times.
81. Main entry and exit shall be separate and clearly marked in the facility
82. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
83. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
84. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall confirm to the standards prescribed under the Environment (Protection) Act and Rules.



85. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
86. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
87. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
88. The transformers and motors shall have minimum efficiency of 85%.
89. Only variable frequency motor drives shall be used in project.
90. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.
91. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
92. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
93. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
94. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
95. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
96. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
97. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
98. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
99. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
100. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
101. All the terms & conditions prescribed in the amendment of EIA Notification – 2006 published by the MoEF&CC vide its Notification No. S.O. 3999(E) dated 9th December, 2016 shall be complied with letter & spirit.
102. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
103. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
104. The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.

B3. OTHER:

105. The project proponent shall carry out the activities i.e. [Development of Common plot as senior Citizen Park with tree Plantation, Internal Road, Seating arrangement, water supply facility, drinking water facility etc. at Tarapur village, Gandhinagar] Proposed under Corporate Environment Responsibility (CER) shall be part of Environment Management Plan (EMP) as per the MoEF&CC's OM no. F. No. 22-65/2017-IA.III dated 30.09.2020. The said activities shall be completed within 5 years from the commencement of the project. This shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly compliance report and to the District Collector. The monitoring report shall be posted on the website of the project proponent.

106. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
107. The project proponent shall adhere to provisions made for Corporate Environment Responsibility "CER" in Office Memorandum dated 01/05/2018 by Ministry of Environment, Forests & Climate Change and its amendments from time to time in a letter and spirit.
108. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
109. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned and shall be uploaded on website of Gujarat Real Estate Regulatory Authority, on 1st June and 1st December of each calendar year.
110. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
111. The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
112. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
113. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
114. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards,
Yours sincerely,


(S. J. PANDIT)

Member Secretary

Issued to:

Smit N Patel
Ahnaa Infracon,
Survey no. 369/2, Opp. Vihaan Nirvana,
Tarapur, Gandhinagar-382423





GANDHINAGAR MUNICIPAL CORPORATION
FIRE & EMERGENCY SERVICES

NEAR JILLA PANCHAYAT, 1ST FLOOR, SECTOR 17, GANDHINAGAR - 382017
PHONE NO. 079 23222100 & 079 23222742 EMAIL ID: gmoefire101@gmail.com



No. GMC/GFES/PREE-NOC/R-7/ 100 /2022

Date: - 07-04-2022

To,
Ahana Infracon on behalf of
Shree Naranbhai K. Patel,
01, Sahi Kutir Bungalows,
Sahibag, Ahmedabad, Gujarat.

Sub: Fire safety & protection, opinion for a proposed High-rise building / Low-Rise Building - High Rise Building

Sir,
This is to intimate that, the plans submitted for,
Site Name : NA [Block – A,B, =Commercial], [B2+B1+H/G+06]
Address : Tarapur, Gandhinagar, Gujarat.
Survey No. : 369/2,
FP No. : 369/2,
CP No. : 369/2,
P.P.S. No. : NA

Have all the required line drawings and write-up as per the requirement of fire prevention and protection.

All norms as per the NBC-2016 part-IV fire and life safety guidelines/ Gujarat State Fire Prevention & life safety measures Act - Rules/ GDCR (2021) & CBD by GUDA/ special instructions given by fire officer in charge or Chief Fire Officer have to be followed as far as the construction and Fire Prevention and Protection system is concerned are to be followed as below.

Staircase:

- For building height of 9 to 25 meters - 1.5 meters
- For building height of 25 meters or above - 2.00 meters
- The staircase and lift shafts shall not go to the basement but if they go they have to be protected by 2 hours fire resistant construction including the doors.
- Staircase of the building shall be naturally ventilated above the parapet wall.

A clear motorable road with 45 ton load bearing capacity is required around the building without obstruction to provide passage for fire/rescue vehicles.

Any transformer installed shall be away from the building leaving open space required around the building.

Open space Margin for different heights of building is as below;

- ❖ 8 to 25 Meters building - 3 Meters (for plot area below 750 sq.mt) and 4 Meters (for plot area more than 750 sq.mt)
- 6 meter clear motorable road is required between building blocks
- ❖ Up to 45 Meters building: 6 Meters
- 9 meter clear motorable road is required between building blocks
- ❖ Up to 70 Meters building: 8 Meters
- 12 meter clear motorable road is required between building blocks





GANDHINAGAR MUNICIPAL CORPORATION

FIRE & EMERGENCY SERVICES

NEAR JILLA PANCHAYAT, 1ST FLOOR, SECTOR 17, GANDHINAGAR - 382017
PHONE NO. 079 23222100 & 079 23222742 EMAIL ID: gmcfire101@gmail.com



Date: - 07-04-2022

Clear load bearing motorable road will be required on all sides of building block mentioned as above measured from the outer most part of the building block to common plot area/ Building block.

The gate (entry) to the premises shall be minimum 6 meters or more in clear width and at least 6 Meters in height. Moreover the entry gate is to be provided on both sides.

The Fire Protection system shall be as mentioned in the approved plans.

- ❖ This Building shall be fully sprinklered
- ❖ All lower basements should have positive pressure (Mechanical) ventilation.
- ❖ All basements parking and HPP shall be fully sprinklered
- ❖ Electric Cable Shaft should have fire resistant doors.
- ❖ Double hydrant point on terrace level is required to test Fire Pump capacity i.e. 900 LPM at 3.5 Bars on the Topmost level for all buildings.
- ❖ Ramp Gradient min 1:7
- ❖ Parking or parking shed will not be permitted in required margin as per the height of building.

Ramp in margin will only permitted for buildings with 18 to 25 meters of height. Extra necessary points to be incorporated regarding fire prevention and protection might be noted on the signed plans. No changes shall be made after the fire plans are approved by the Fire authority.

After the building is built and all the required Fire safety and Protection equipment have been installed and after due inspection by the Fire service officer, an NOC can be issued.



FIRE OFFICER,
GANDHINAGAR MUNICIPAL CORPORATION



By hand

Oil and Natural Gas Corporation Ltd.

LAQ Section,, Ahmedabad Asset, Avani Bhavan, Chandkheda, Ahmedabad-380 005. Gujarat
Phone No. : + 91 079 - 23266409 / 23266625 Fax : + 91 079 - 23291284

ONGC/AMD/LAQ/NOC/Tarapur/2021/FP-369/2 / 1396348
26.03.21

Dated: 25.03.2021

To,
The Jr. Town Planner,
Block No-18, 4th floor,
Udhyog Bhavan,
Sector-11, GUDA,
Gandhinagar - 382017.

Sub:- NOC from ONGC for Final Plot No. 369/2 of Survey/Block No. 369/2 Old No. 273/P, for the final plot land area 5278 Sq. Mtr., Village: Tarapur, Ta & Dist: Gandhinagar.

Sir,

This is with reference to your letter no. GUDA/Tantrik/184/2021 Dated 05.01.2021, received from your office regarding NOC from ONGC for the development permission.

Sl. No.	Survey No./ Block no.	Vill & Taluka	Letter No. and Date	REMARKS
01	Final Plot No. 369/2 of Survey/Block No. 369/2 Old No. 273/P	Village: Tarapur, Ta & Dist: Gandhinagar	GUDA/Tantrik/184/2021 Dated 05.01.2021	NOC Granted for the land area 5278 Sq. Mtr. for the construction/dwelling permission as per final plot land area in said TP Scheme.

Presently, There is no well / Installation (within 90/60 mts.) nearby survey number(s) as mentioned in the table above. No Oil/Gas, Trunk and Water injection pipe line is passing through the said survey numbers.

Based on the above observations, undersigned has been asked to issue NOC for the subject survey number, subject to the statutory guidelines.

LAQ SECTION
ONGC LTD.
Ahmedabad Asset
Ahmedabad-5

Regards,

25/03/21
In charge- LAQ

N. NAUTIYAL
GM (DRII)-I/C LAQ
LAQ SECTION ONGC
Ahmedabad Asset

કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટની કચેરી, ગાંધીનગર

સેક્ટર-૧૧, ઉદ્યોગ ભવન પાસે, ગાંધીનગર - ૩૮૨૦૧૧

ફોન નંબર : ૦૭૯-૨૩૨૫૯૦૩૯

ઇ-મેઇલ : collector-gnr@gujarat.gov.in

ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ

હુકમ નં. ૩૩૭/૦૬/૦૩/૦૪૦/૨૦૨૦

તા. ૧૩/૦૨/૨૦૨૦

વંચાણે લીધા :-

- (૧) અરજદારશ્રી નારાયણભાઈ કેશવલાલ પટેલ વિગેરે રહે. ૧, શાહીકુટીર બંગલોઝ, કેમ્પ રોડ, ડફનાળા, શાહીબાગ, અમદાવાદ.-૩૮૦૦૦૪ ની તા.૦૩/૦૨/૨૦૨૦ ની ઓનલાઇન અરજી (નં.૩૦૬૦૩૨૦૨૦૧૧૯૪૩) તથા સોગંદનામું
- (૨) મુંબઇ જમીન મહેસૂલ કાયદો ૧૯૭૯ ની કલમ - ૪૮, ૬૫, ૬૬ તથા ૬૭
- (૩) ગુજરાત જમીન મહેસૂલ નિયમો, ૧૯૭૨ ના નિયમ ૮૧, ૧૦૦, ૧૦૧, ૧૦૨
- (૪) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક તા.૦૧/૦૭/૨૦૦૮
- (૫) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૩૨૭/ક તા.૦૮/૦૫/૨૦૧૮
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ ક્રમાંક: એસ/ટીપી/૧૨૨૦૯/૭૬૯/૧૧/હ.૧ તા.૩૧/૦૩/૨૦૧૧
- (૭) સરકારશ્રીના મહેસૂલ વિભાગનાં ઠરાવ ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૦૯/૦૧/૨૦૧૯
- (૮) સરકારશ્રીના મહેસૂલ વિભાગનાં પરિપત્ર ક્રમાંક: બખપ/૧૦૨૦૧૮/૪૨૫/ક તા.૧૨/૦૨/૨૦૧૯
- (૯) ITCMS પોર્ટલ પરની કેસ વિગત

હુકમ :-

વંચાણે લીધેલ કમ (૧) ની અરજી તથા સોગંદનામા થી અરજદારશ્રી નારાયણભાઈ કેશવલાલ પટેલ વિગેરે એ ગોજે તારાપુર ગાંધીનગર જિ. ગાંધીનગર ના સરવે/બ્લોક નં. ૩૬૭/૨ ના ક્ષેત્રફળ ૮,૭૯૬.૦૦ ચો.મી. પૈકી ક્ષેત્રફળ ૫,૨૭૮.૦૦ ચો.મી ની જમીન પર ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતીના હેતુ માટે પરવાનગી આપવા વિનંતી કરેલ છે.

૨. સવાલવાળી જમીનના ગામ નમૂના નં. ૭/૧૨ માં કબજેદારોની વિગત નીચે મુજબ છે.

સરવે/બ્લોક નંબર ટી.પી. નંબર એફ.પી. નંબર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	કબજેદારોના નામ (ખાતા નં. ૫૪૬)	જમીનનો સત્તા (૭/૧૨ મુજબ)
સરવે/બ્લોક નં. : ૩૬૭/૨ જુનો સરવે/બ્લોક નં. : --- ટી.પી. નં. : - એફ.પી. નં. : સર્વે નં. મુજબની ૬૦ ટકા મુજબની મળવાપાત્ર ૫૨૭૮ ચો.મી	૫,૨૭૮.૦૦	નારાયણભાઈ કેશવલાલ પટેલ(૨૭૨૦) મીતાબેન ભોળાભાઈ(૨૭૪૮) પાર્થ જયંતીભાઈ પટેલ(૩૨૪૭) દિવ્ય જયંતીભાઈ પટેલ(૩૨૪૭) મીતાબેન તે જયંતીભાઈ પટેલની વિધવા(૩૪૫૭)	જુની શરત (જુ)

૩. વસુલ કરવામાં આવેલ કરવેરાની વિગત નીચે મુજબ છે.

બેંકમાં ચલન ભર્યા તા.૧૨/૦૨/૨૦૨૦ નં.૫૭૦૦૦૦૧૩૫૫૧૦૦૩૫૧૧૦૨૨૦૨૦૩૦૨


કરની વિગત	સદર	માંગણીનું ક્ષેત્રફળ (ચો.મી.)	દર રૂ. પ્રતિ ચો.મી.	કુલ રકમ રૂ.
રૂપાંતર કર	૫૬૭-૦૦૩૫-૦૦-૮૦૦-૦૧	૫,૨૭૮.૦૦	૮.૦૦	૪૨,૨૨૪
વિશેષ ધારો	૫૭૦-૦૦૩૫-૦૦-૧૦૧-૦૧	૫,૨૭૮.૦૦	૦.૬૦	૩,૧૬૭
લોકલ ફંડ	૫૭૪-૦૦૨૯-૦૦-૧૦૩-૦૧	૫,૨૭૮.૦૦	૧.૨૦	૬,૩૩૪
શિક્ષણ ઉપકર	૫૭૫-૦૦૪૫-૦૦-૧૦૮-૦૧	૫,૨૭૮.૦૦	૦.૩૦	૧,૫૮૩
માપણી ફી	૫૭૭-૦૦૨૯-૦૦-૧૦૬-૦૧	૫,૨૭૮.૦૦	---	૧,૨૦૦
કુલ રૂ.				૫૪,૫૦૮

૪. ઉપર્યુક્ત તમામ હકીકતો ધ્યાને લઈ મોજે તારાપુર તા. ગાંધીનગર જિ. ગાંધીનગર ના સરવે/પ્લોટ નં. ૩૬૭/૨ ના ક્ષે ૮,૭૯૬.૦૦ ચો.મી. પૈકી ક્ષેત્રફળ ૫,૨૭૮.૦૦ ચો.મી ની જમીનને નીચે જણાવેલ શરતોને આધિન ગુજરાત જમીન મહેસૂલ અધિનિયમ-૧૯૭૯ ની કલમ-૬૫ હેઠળ બિનખેતી હેતુ (બહુહેતુક ઉપયોગ) માટે પરવાનગી આપવા આથી હુકમ કરવામાં આવે છે શરતો :-

- (૧) આ હુકમ મળ્યેથી બે માસમાં "એમ" નમૂનામાં સનદ પ્રાપ્ત થશે.
- (૨) જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડની કચેરીમાં માપણી ફી જમા કરાવેલ છે. જેથી માપણી કરી / કરાવી આ હુકમ આધારે મંજૂર થયેલ પ્લાન મુજબ દુરસ્તી પત્રક તૈયાર કરવાનું / કરાવવાનું રહેશે અને દુરસ્તી પત્રકનો મહેસૂલી દફતરે અમલ જ પ્રશ્નવાળી બિનખેતીની જમીન / પ્લોટનું રજી. દસ્તાવેજથી થયેલ વેચાણ વ્યવહારના અમલ માટે નોંધ પાડવાની રહેશે.
- (૩) અરજદારે પ્રતિ વર્ષે ખેતી સિવાયનો ધારો (વિશેષધારો) દર પ્રતિ ચો.મી. ના રૂ. ૦.૬૦ પ્રમાણે રૂ. ૩,૧૬૭.૦૦ તેમજ નિયમ લોકલ ફંડ તથા શિક્ષણ સેસ ભરવો પડશે જે અંગેનો દર વખતે વખત ફેરફારને પાત્ર રહેશે.
- (૪) ગાંધીનગર શહેરી વિકાસ સત્તા મંડળ એ મંજૂર કરેલા પ્લાન મુજબ બાંધકામ કરવાનું રહેશે અને હુકમ થયા તારીખથી ત્રણ બાંધકામ પૂર્ણ કરવાનું રહેશે.
- (૫) સરકારશ્રીના મહેસૂલ વિભાગના ઠરાવ નં. બખપ/૧૦૯૩/૧૦૫૨/ક તા. ૧૩/૦૯/૧૯૯૩ માં ઠરાવ્યા મુજબ સહીયાશ / ક પ્લોટ અને રસ્તાની જમીન સોસાયટીની માલિકીની અથવા સર્વે પ્લોટ હોલ્ડરની સહીયારી માલિકીની ગણાશે તે ઉપર મુજ માલિકનો કોઈ હકક રહેશે નહિ.
- (૬) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૦૭/૦૮/૧૯૯૧ ના પરિપત્ર નં. બખપ-૧૦૯૧/૧૭૫૬/ક ની જોગવાઈ મુજબ બિ બાંધકામ બાબતે બાંધકામ નિયંત્રણ કરતી સંબંધિત મહાનગરપાલિકા / શહેરી વિસ્તાર સત્તા મંડળએ ધોરણસરનાં પગલાં રહેશે.
- (૭) સદર જમીનમાંથી પેટ્રોલીયમ / પાણીની કે અન્ય કોઈપણ પ્રકારની પાઇપલાઇન પસાર થતી હશે તો તે સંદર્ભે વિકાસ પર આપનાર ઓથોરિટીએ સંબંધિતોનું ના-વોંધા પ્રમાણપત્ર મેળવી વિકાસ પરવાનગી આપવાની રહેશે.
- (૮) સરકારશ્રીના મહેસૂલ વિભાગના તા. ૧૨/૦૨/૨૦૧૯ ના પરિપત્ર નં. બખપ/૧૦૨૦૧૮/૪૨૫/ક મુજબની નીચેની શરતોનું કરવાનું રહેશે.
 ૧. જો અગાઉ ચોકકસ હેતુ માટે પ્રિમિયમ ભરપાઈ થયેલ હોય અને અન્ય હેતુ માટે વિકાસ પરવાનગી માંગેલ હોય/ નકશ મંજૂર કરવાના થતા હોય તો વિકાસ પરવાનગી આપતાં પહેલાં પ્રિમિયમ તફાવત ભરાયાની સંબંધિત સત્તામંડળે ખાત કરવાની રહેશે અને ત્યારબાદ જ વિકાસ પરવાનગી આપવાની રહેશે.
 ૨. જીડીસીઆર મુજબ જે તે હેતુ/ ઉપયોગ માટે પરવાનગી મળવાપાત્ર નહિ હોય તો તે ઉપયોગ કરી શકાશે નહિ.
 ૩. ખેતી ઝોનમાં જીડીસીઆર મુજબ જેટલું બાંધકામ મળવાપાત્ર હશે તેટલા જ ક્ષેત્રફળ માટે વિકાસ પરવાનગી આપવાની
 ૪. બિનખેતી પરવાનગી મળ્યા બાદ જો ખાસ મંજૂરી વિના ધાર્મિક ઉપયોગ માટે બાંધકામ કરેલ હશે તો તે શરતભંગ ગણા અને તે બાંધકામ દૂર કરવાપાત્ર થશે.
- (૯) સરકારશ્રીનાં મહેસૂલ વિભાગનાં તા. ૦૧/૦૭/૨૦૦૮ ના ઠરાવ નં. બખપ/૧૦૦૬/૪૨૫/ક માં જણાવેલ નીચે મુજબની પાલન કરવાનું રહેશે.
 ૧. જિલ્લા ઇન્સ્પેક્ટરશ્રી, જમીન રેકર્ડ દ્વારા ઇસ્યુ કરાયેલ માપણી શીટ કે જેના ઉપર મૂળ ટિપ્પણની હદ પણ દર્શાવેલ હોવી જોઈએ. રજૂ કરાયેલ પ્લાન તથા લે-આઉટ પ્લાન સક્ષમ કક્ષાએ મંજૂર કરાયેલ હોવી જોઈએ.
 ૨. બાંધકામ શરૂ કરતા પહેલાં બાંધકામનાં નકશા સક્ષમ અધિકારી પાસે મંજૂર કરાવવાના રહેશે. પરંતુ અરજદાર બિનખેત પરવાનગી મેળવ્યા વગર આવા બાંધકામની રજા ચિઠ્ઠી મેળવી શકશે નહિ.
 ૩. શહેરી વિસ્તાર જ્યાં ટાઉન પ્લાનિંગ સ્કીમ મંજૂર થઇ ગઇ છે ત્યાં જી.ડી.સી.આર. અને ઝોનિંગના નિયમો અનુસાર બાંધક કરવાનું રહેશે.
 ૪. મંજૂર થયેલ નકશા મુજબ આરોગ્ય અને સ્વાસ્થ્યની દ્રષ્ટિએ ગંદા પાણીનાં નિકાલની જોગવાઈ કરવાની રહેશે.
 ૫. અરજદારે રિબન ડેવલપમેન્ટ રુલ્સ નીચે જે તે રસ્તાનો પ્રકાર ધ્યાને લઈ રસ્તાના મધ્યબિંદુથી બાંધકામ વચ્ચે અંતર જાળવવાનું રહેશે અન્યથા અરજદારની જવાબદારી થશે.
 ૬. ફ્લોર, મિલ, સિનેમા/ ટુરિંગ સિનેમા/ થિયેટર માટે બિનખેતી પરવાનગીના કામે જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવ આગળની કાર્યવાહી કરવાની રહેશે.
 ૭. પેટ્રોલ, ડીઝલ, કેરોસીન, સી.એન.જી., એલ.પી.જી. પંપ નાંખવા માટે બિનખેતી પરવાનગીના કામે બાંધકામ શરૂ કરતાં પ જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.
 ૮. ઇન્ડિયન એક્ષપ્લોઝિવ એક્ટ અન્વયે મેગેનિઝ, ફાયર વર્ક્સ, દારૂખાના માટે બિનખેતીની કાર્યવાહી કરતા પહેલાં જિલ્લા મેજિસ્ટ્રેટની જરૂરી મંજૂરી મેળવી આગળની કાર્યવાહી કરવાની રહેશે.

૯. સવાલવાળી જમીન જો રેલવે હદની નજીક હોય તો રેલવેની હદથી નિયમ મુજબ જગ્યા છોડી બાંધકામ કરવાનું રહેશે.
૧૦. સવાલવાળી જમીન ઉપરથી અથવા બાજુમાંથી વીજળી ગ્રિડના તાર/ હાઇટેન્શન પાવર અગર થાંભલા આવેલ હોય ત્યારે તે અન્વયે લાગુ પડતા નિયમોનું પાલન કરવા અને તે મુજબ બાંધકામ કરવાનું રહેશે.
૧૧. બિનખેતી માંગવામાં આવી હોય તેવી જમીન જો એરોડ્રામ આસપાસ નિયમ મુજબની ત્રિજ્યામાં આવતી હોય ત્યારે બાંધકામની ઉંચાઇ તથા એરોડ્રામની દ્રષ્ટિએ જરૂરી એવું ના-વાંધા પ્રમાણપત્ર સિવિલ એવિએશન ખાતા પાસેથી મેળવવાનું રહેશે અને સિવિલ એવિએશન ખાતાના નિયમોનું પાલન કરવાનું રહેશે.
૧૨. ઓ.એન.જી.સી. ના કુવાની નજીકમાં આવેલ જમીનના કિસ્સામાં અરજદારે સંબંધિત નિયમોનું પાલન કરવાનું રહેશે.
૧૩. નર્મદા કેનાલ/ અન્ય સિંચાઇ કેનાલની નજીકમાં આવેલ જમીનની બાબતમાં અરજદારે સૂચિત બાંધકામ માટે જાળવવાના થતાં અંતર અંગેના નિયમોનું પાલન કરવાનું રહેશે.
૧૪. અરજદારે/ જ્યાં જરૂરી હોય ત્યાં કેન્દ્ર સરકાર કે રાજ્ય સરકારના કાયદા નીચે રક્ષિત સ્મારક (Protected Monuments) તરીકે જાહેર કરેલ પ્રાચીન સ્મારકથી નિયમ મુજબનું અંતર જાળવવાની પ્રવર્તમાન જોગવાઈઓનું પાલન કરવાનું રહેશે.
- (૧૦) જો આ જમીન પર કોઇ બેંક/ મંડળીનો બોજો બાકી હોય તો, તે ભરપાઇ કર્યા સિવાય આ મિલકત કોઇપણ પ્રકારે વેચાણ, ભેટ, વસિયત, બાનાખત, ગિરો કરી શકાશે નહિ અને કોઇપણ અન્યને પ્રત્યક્ષ કે પરોક્ષ રીતે માલિકી કે કબજો ભોગવતો તબદીલ કરી શકાશે નહિ.
- (૧૧) પ્રશ્નવાળી જમીનમાં નગરપાલિકા/ મહાનગરપાલિકા/ શહેરી વિકાસ સત્તા મંડળ દ્વારા જે શરતોએ પરવાનગી આપવામાં આવશે તે શરતોનું પાલન તથા બાંધકામ કરવાનું રહેશે.
- (૧૨) આ જમીનમાં વરસાદી પાણીના ભુગર્ભ વહન/ સંચય માટે દર મકાન/ બહુમાળી મકાન દીઠ ચેકના દરે આ જમીનમાં ઉપર પરકોલેટીંગ બોરવેલની વ્યવસ્થા અચૂક કરવાની રહેશે તથા વરસાદી પાણીના નિકાલની વ્યવસ્થા કરીને બાંધકામ કરવાનું રહેશે.
- (૧૩) પ્રશ્નવાળી જમીનમાં સ્થળે થયેલ બાંધકામ સ્થાનિક સ્વરાજની સંસ્થાના નિયમોનુસાર નહિ હોય તો સ્થાનિક સ્વરાજની સંસ્થા નિયમોનુસાર કાર્યવાહી કરી શકશે. તેમાં આ હુકમથી બાધ આવશે નહિ.
- અરજદારે ઉપરોક્ત શરતોનું પાલન કરવાનું રહેશે. જો તેમાં નિષ્ફળ જશે તો શરતભંગ ગણી સક્ષમ અધિકારી કાયદેસરની કાર્યવાહી કરશે.
- (૧૪) ઉપરની કોઇપણ શરતનો ભંગ થયેથી જમીન મહેસૂલ કાયદાની કલમ-૬૭ મુજબ શિક્ષાત્મક પગલા લેવામાં આવશે તેમજ બીજી કોઇપણ શિક્ષાને પાત્ર હશે તો તેને બાધ આપ્યા સિવાય કે જે ફરમાવવાનું યોગ્ય લાગે તે પ્રમાણે દંડ અથવા આકાર લઇ સદરહુ જમીનનો કબજો કબજેદાર પાસે ચાલુ રહેવા દઇ શકાશે.
- (૧૫) ઉપરોક્ત શરતોમાં ગમે તે મજફૂર હોય તેમ છતાં, કલેક્ટરશ્રી સદરહુ હુકમ વિરુદ્ધ બાંધેલા અથવા વધારાના કોઇપણ મકાન અથવા છમલાને કલેક્ટરશ્રીએ, આ અર્થે જે મુદત ઠરાવી હોય તે મુદત દરમિયાન તેવી રીતે ખસેડવામાં ન આવે કે સૂચવ્યા મુજબ ફેરફાર ન કરવામાં આવે તો તેમ કરવામાં જે ખર્ચ થાય તે કબજેદાર પાસેથી જમીન મહેસૂલની બાકી તરીકે વસુલ કરવાને મુખત્યાર છે.
- (૧૬) અત્રેની ગણોત્તશાખાના તા.૨૧/૦૧/૨૦૨૦ ના હુકમ નં.૨૧૧/૦૬/૦૩/૦૪૦/૨૦૨૦ થી સે.પર૭૮ ચો.મી.માં રહેણાંકના હેતુ માટે હેતુકેરનો હુકમ કરવામાં આવેલ છે.

વધુમાં ઉપર્યુક્ત શરતોને આધીન અરજદાર દ્વારા રજુ થયેલ સોગંદનામાની વિગતોમાં તેઓ દ્વારા જાહેર કરેલી હકીકતોને આધારે સવાલવાળી જમીનના બિનખેતી ઉપયોગ માટે પરવાનગી આપવામાં આવે છે.



(ડૉ. કુલદીપ આર્ય)
કલેક્ટર, ગાંધીનગર

આર.પી.એ.ડી.

પ્રતિ,

નારાયણભાઈ કેશવલાલ પટેલ વિગેરે

૧, શાહીકુદીર બંગલોઝ, કેમ્પ રોડ

ડફનાળા

શાહીબાગ

અમદાવાદ-૩૮૦૦૦૪

નકલ રવાના:-

૧. મુખ્ય કારોબારી અધિકારીશ્રી, ગાંધીનગર શહેરી વિકાસ સત્તા મંડળ
૨. મામલતદારશ્રી તા. ગાંધીનગર જિ. ગાંધીનગર (હુકમનો અમલ ગામ દફતરે રેકર્ડ ઓફ રાઈટ્સ મુજબ કરાવવા સારું.)
૩. જિલ્લા ઈન્સ્પેક્ટરશ્રી જમીન રેકર્ડ જિ. ગાંધીનગર
૪. તલાટીશ્રી તારાપુર તા. ગાંધીનગર જિ. ગાંધીનગર તરફ.
૫. નાયબ કલેક્ટરશ્રી, જ.સુ. અપીલ, ગણોત શાખા, કલેક્ટર કચેરી, ગાંધીનગર, તરફ જાણ સારું

* આ હુકમની ઇ-ધરા કેન્દ્ર, ગાંધીનગર માં નોંધ નંબર 3843 થી મોજે. તારાપુર તા. ગાંધીનગર જિ. ગાંધીનગર માં નોંધ થયેલ

