

भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ संख्या: एएआई/एएच/एटीसीओ-61/157-960

957-960

/15848-51

दुतगामी डाक
दिनांक: 10-06-2016

सेवा में,

श्री निमेष पटेल, निदेशक, मारुती इन्फ्रास्ट्रक्चर लिमिटेड,
(श्री तुषार मोरी के द्वारा),
खंड संख्या 37/882,
गुजरात गृह निर्माण मंडल, अंतिम बस ठहराव के समीप,
मेघानीनगर, अहमदाबाद, गुजरात 380016।

विषय: अनापत्ति प्रमाणपत्र पहचान (NOC ID): AHME/WEST/B/060816/128960 का
अनापत्ति प्रमाणपत्र जारी करने हेतु।

महोदय,

अनापत्ति प्रमाणपत्र पहचान (NOC ID): AHME/WEST/B/060816/128960 के लिए
यहांमा अनापत्ति प्रमाणपत्र।

मालिक का नाम

(अनापत्ति प्रमाणपत्र पहचान के अनुसार)

कार्यस्थल का पता

(अनापत्ति प्रमाणपत्र पहचान के अनुसार)

Director Of Maruti Infrastructure Limited Mr.
Nimesh Patel

I.P.S.NO.-4 Vejalpur, F.P.NO.-27, Revenue
Survey No.-32 At - Jodhpur, Taluka -
Vejalpur, Dist - Ahmedabad

सधन्यवाद

(सुभाष चन्द्र)

वरिष्ठ प्रबन्धक (वा. या. नि. - एन. ओ. सी.)
एवं सदस्य सचिव (एन. ओ. सी. सी.)
कृते विमानपत्तन निदेशक


प्रतिलिपि: - (सूचनाथी)

1. शहरी विकास अधिकारी (टीडीओ), अहमदाबाद महानगरपालिका, सरदार पटेल भवन, दानापीठ, अहमदाबाद-
सूचनाथी
2. गार्ड फाइल।
3. विमानपत्तन निदेशक के निजी सचिव।

MARUTI INFRASTRUCTURE LTD.

AUTHORISED OFFICIAL

वरिष्ठ प्रबन्धक (वा. या. नि. - एन. ओ. सी.)
एवं सदस्य सचिव (एन. ओ. सी. सी.)
कृते विमानपत्तन निदेशक



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Director Of Maruti Infrastructure Limited Mr. Nim

Date: 10-06-2016

Shyam Residency, Nr. Seema Hall,
Anand Nagar - Shyamal Road,
Vejalpur Ahmedabad.

Valid Upto: 09-06-2021

No Objection Certificate for Height Clearance

1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations.

2. This office has no objection to the construction of the proposed structure as per the following details:

NOC ID	AHME/WEST/B/060816/128960
Applicant Name	Tushar Mory
Site Address	T.P.S.NO-4 Vejalpur F.P.NO-27, Revenue Survey No -32 At - Jodhpur, Taluka - Vejalpur, Dist - Ahmedabad
Site Coordinates	72 31 06.32-23 00 48.21, 72 31 06.44-23 00 49.25, 72 31 08.01-23 00 49.36, 72 31 08.46-23 00 48.12,
Site Elevation in mtrs AMSL as submitted by Applicant	56.745 M
Permissible Top Elevation in mtrs Above Mean Sea Level (AMSL)	181.74M

3. This NOC is subject to the terms and conditions as given below:

a. The site elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will become invalid and action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994 may be initiated by the concerned Airport Operator

b. The Structure height shall be calculated by subtracting the Site elevation in AMSL from the Permissible Top Elevation in AMSL i.e Maximum Structure Height = Permissible Top Elevation - Site Elevation.

c. The issue of the NOC is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

d. No radio/TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation of 181.74M, as indicated in para 2.

e. The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.

[Signature]
10/06/16

Page 1/2

राजीव गांधी भवन
Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003
Safdarjung Airport, New Delhi-110003

दूरभाष : 24632950
Phone: 24632950

MARUTI INFRASTRUCTURE LTD.
[Signature]
AUTHORISED OFFICIAL



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

- f. The certificate is valid for a period of 5 years from the date of its issue. If the construction of structure/Chimney is not commenced within the period, a fresh 'NOC' from the Designated Officer of Airports Authority of India shall be obtained. However, if construction work has commenced, onetime revalidation request, as per the rules, may be considered. The date of completion of the Structure should be intimated to this office.
- g. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights
- h. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.
- i. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in
- j. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.
- k. This NOC has been issued w.r.t. the Civil Airports. Applicant needs to seek separate NOC from Defence, if the site lies within their jurisdiction.
- l. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.
- m. In case of any dispute w.r.t site elevation and/or AGL height, top elevation in AMSL shall prevail.

Chairman NOC Committee

Region Name: WEST

Address: Jt. General Manager Airports
Authority of India, SVP
International Airport
Ahmedabad-3800003(Gujrat)

Email ID: nocahm@aai.aero

Contact No: 079-22863396

10/06/14

वरिष्ठ प्रबंधक (एटीएम-एनओसी)
Sr. Manager (ATM-NOC)
सदस्य सचिव (एनओसी कक्ष)
Member Secretary (NOC Cell)
स.व.प. अंतर्राष्ट्रीय हवाई अड्डा
SVP International Airport,
अहमदाबाद/Ahmedabad-3

Page 2/2

राजीव गांधी भवन

Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003

Safdarjung Airport, New Delhi-110003

दूरभाष : 24632950

Phone: 24632950

MARUTI INFRASTRUCTURE LTD.

AUTHORISED OFFICIAL