



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

द्रुतगामी डाक

दिनांक: 04.02.2015
75

संदर्भ संख्या: एएआई/एएच/एटीसीओ-61/1413-18

सेवा में

✓ रमेशभाई बाबुभाई पटेल एच.यु.एफ. तथा अन्य,
मारफत होलरीया डिजाईन (श्री जंगदीश भीखाभाई पटेल),
सी-17, दूसरी मंजिल, पदमावती फ्लैट, नारणनगर बस स्टॉप के पास,
मुकेश भाजीपाठ के उपर, एट-नरोडा, तालुका, सीटी एवं जिला-अहमदाबाद-382330.

विषय: अनापत्ति प्रमाणपत्र जारी करने हेतु, NOC ID: AHME/WEST/B/111114/72146, AH376/2014

महोदय,

Please refer to your NOC application dated 02.12.2014 on the subject mentioned above. The NOC letter for AHME/WEST/B/111114/72146, AH376/2014 is enclosed.

सधन्यवाद

भवदीय

(कुलदीप आत्रेय)

प्रबंधक (वा.या.नि.-अनापत्ति प्रमाणपत्र)
एवं सदस्य सचिव (एन.ओ.सी.)
कृते विमानपत्तन निदेशक

प्रतिलिपि:- (सूचनार्थ।)

1. कार्यपालक निदेशक (वा.या.नि.), भारतीय विमानपत्तन प्राधिकरण, राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली-110003
2. महाप्रबंधक (विमानक्षेत्र), प.क्षे: मुख्यालय, भारतीय विमानपत्तन प्राधिकरण, नया एटीएस कॉम्प्लेक्स, सुतार पाकड़ी रोड, सहाय कर्मों कॉम्प्लेक्स के नजदीक, संहार, गुबई-99
3. शहरी विकास अधिकारी (TDO), अहमदाबाद महानगरपालिका, सरदार पटेल भवन, दनापिठ, अहमदाबाद-सूचनार्थ।
4. गार्ड फाईल
5. विमानपत्तन निदेशक के निजी सचिव।

(कुलदीप आत्रेय)

प्रबंधक (वा.या.नि.-अनापत्ति प्रमाणपत्र)
एवं सदस्य सचिव (एन.ओ.सी.)
कृते विमानपत्तन निदेशक

स.व.प. अन्तरराष्ट्रीय हवाई अड्डा
S.V.P. International Airport,

अहमदाबाद-380003
Ahemdabad-380003

दूरभाष : 22867261-62
Phone : 22867261-62

फैक्स : 079-22863561
Fax : 079-22863561



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

No. AA/AR/ATCO-61/

Date: 4/2/2015

Rameshbhai Babubhai Patel H.U.F. and Others

C/o. Dhoolpriya Design, (Jagdish Bhikhabhai Patel), C/17, Second Floor, Padmavati Place, Near Narannagar Bus Stop, Above Mukesh Bhaji Pav. At: Naroda, Taluka: City, Dist: Ahmedabad - Guj. PIN-38 23 30.

NO Objection Certificate for Height Clearance

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order S.O.34 (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations.

1. References:

NOC ID: AHME/WEST/B/11114/72146
Applicant: NIL DATED 02/12/2014
AAI Reference: AU376/2014

2. NOC Details for Height Clearance:

Applicant Name: Rameshbhai Babubhai Patel H.U.F. and Others
Type of Structure: Building
Site Address: T. P. S. No. 107 (Ramol), F. P. No. 58/1, Survey No. 590/1, At: Ramol, Ta: Ahmedabad City - East, Dist: Ahmedabad, At: Ramol, Ta: Ahmedabad City - East, Dist: A'bad
Site Coordinates: 22 58 58.93N - 72 38 46.45E
22 58 58.97N - 72 38 48.42E
22 58 55.95N - 72 38 45.69E
22 58 57.10N - 72 38 44.37E
22 58 00.95N - 72 38 45.84E
Site Elevation: 47.914Mtrs FOUR SEVEN DECIMAL NINE ONE FOUR METERS.
Permissible Height above Ground Level in Mtrs: 100.00 Mtrs ONE ZERO ZERO DECIMAL ZERO METERS.
Permissible Top Elevation AMSL: 147.914Mtrs ONE FOUR SEVEN DECIMAL NINE ONE FOUR METERS.

This NOC is subject to the terms and conditions as given below.

- a. The site elevation and site coordinates provided by the applicant are taken on calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this NOC will be invalid.
- b. The issue of the NOC is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft Demolition of Obstruction caused by buildings and trees etc; Rules, 1994.
- c. No radio TV Aerials, lighting masts, staircase, Munties, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation 147.914 Mtrs. indicated in para 2.
- d. The use of oil fired or electric fired furnace is mandatory, within 5 KM of the Aerodrome Reference Point.
- e. The certificate is valid for a period of 5 years from the date of its issue. If the building/structure/Chimney is not constructed & completed within the period, the applicant will be required to obtain a fresh NOC from the Designated Officer, of Airports Authority of India. The date of completion of Building Structure/Chimney should be intimated to this office of AAI. Request for revocation of NOC will not be entertained after the expiry of its validity period.
- f. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time during or after the construction of the building.
- g. The applicant will not complain/claim compensation against a local noise vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.
- h. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website, www.dgca.nic.in.

<http://172.16.2.83:83/nocans/NOCLetterForBuilding2.aspx?nocID=AHME/WEST/B/11114/72146>

04-02-2015

स.व.प. अन्तरराष्ट्रीय हवाई अड्डा
SVP International Airport

अहमदाबाद-380003

दूरभाष : 22867261-62

फैक्स : 079-22863561

The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever including ownership of land etc.

This NOC has been issued with the Civil Airports as notified in SO 84(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport. This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation 147.914 Mtrs.

(Kuldeep Atreya)
Manager (ATM-NOC)
Member Secretary NOC
For Airport Director

Airports Authority Of India

Copy to

1. The Executive Director (ATM), AAI, Rajiv Gandhi Bhawan, Safdarjung Airport, New Delhi-110003

2. GM (NOC/Airport Director) (Bundle)

3. Guard File

4. GM (Aero) WR, AAI, New ATS Complex, Sutar Pakadi Road, Near Sahar Cargo Complex, Sahar, Mumbai-99.

5. Town Development Officer, AMC, Mahanagar Sewa Sadan, Third Floor, Sardar Patel Bhawan, Danapithi Ahmedabad-380001

DARPANA DHIMMAR
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

No. SEIAA/GUJ/EC/8(a)/4008/2015

BY R.P.A.D

Date: 07-11-2015

Time Limit

Sub: Environment Clearance for the Residential Building Construction Project - "Karnavati Enclave" at S.No.590/1, F.P.No.66/1, T.P.S. No.107, Ramol, Ahmedabad proposed by M/s. Karnavati Developers.....Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 05/02/2015, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 19/05/2015. The project proponent submitted additional information / documents vide letters dated 22/08/2015 to the SEAC.

The proposal is for Environmental Clearance for "Karnavati Enclave" at S.No.590/1, F.P.No.66/1, T.P.S. No.107, Ramol, Ahmedabad proposed by M/s. Karnavati Developers. This is a proposed residential building construction project having plot area of 7692.00 m² and the proposed built up area of the project is 26746.05 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.

The project will comprise of 06 number of building + Society office/Club House & Electric Sub Station. No. of Blocks: 14. Scope of buildings/blocks are: Hollow Plinth + 7 floors and No.& size of Residential Units are : 322 units (Below 65 m²).

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) - Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their letter dated 02/11/2015 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 09/09/2015. The proposal was considered by SEIAA, Gujarat in its meeting held on 07/11/2015 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

A.1 CONSTRUCTION PHASE

A.1.1 WATER

1. Fresh water requirement during the construction phase shall be 70.0 KL/day and it shall be met through the local water tanker suppliers. No ground water shall be tapped during the construction phase.
2. Sewage generated during the construction phase shall be disposed off through soak pit and septic tank.

A.2 OPERATION PHASE

A.2.1 WATER

3. Water requirement during the operation phase shall be 196.0 KL/day and it shall be met through water supply system of Ahmedabad Municipal Corporation (AMC). No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained.
4. No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
5. Sewage generation during the operational phase shall be 150.0 KL/day and it shall be discharged through the drainage system of Ahmedabad Municipal Corporation (AMC).
6. Rain water harvesting from rooftop and paved areas and ground water recharge through 3 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter.

A 2.2 AIR:

7. D. G. Sets, if any provided in future as back up power shall be of enclosed type and conform to prescribed standards under the EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
8. The stack height of the D.G. Sets shall be equal to the height needed for the combined capacity of all the D.G. Sets.
9. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed by GPCB. At no time, the emission levels shall go beyond the stipulated standards.

A 2.3 SOLID WASTE:

10. The solid waste generated shall be properly collected and segregated at source. The recyclable material shall be sold to vendors whereas other garbage shall be disposed off properly as per the provisions made by the Ahmedabad Municipal Corporation (AMC).

A 2.4 SAFETY:

11. Fire fighting facilities like underground tank having capacity of 50 KL, hose reel at each floor near staircase, fire extinguishers at each floor etc. shall be provided as proposed.
12. Adequate number of staircases and lifts shall open out at ground level for emergency evacuation.

A 2.5 PARKING / TRAFFIC CONGESTION:

13. Parking space of 4,253.74 m² [3,237.81 m² in hollow plinth + 1,055.93 m² as open surface parking] shall be provided as proposed.

A 2.6 ENERGY CONSERVATION:

14. Energy conservation measures viz. maximum use of natural lighting, provision of solar water heaters in each block, provision of LED & solar street lights for common area lighting, use of electrical appliances conforming to the norms of BEE etc. shall be implemented as proposed.

A 2.7 GREEN BELT:

15. Green belt area of 647.85 m² comprising of 277.85 m² tree covered area with 150 numbers of trees shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.

B GENERAL CONDITIONS:

B1. PRE-CONSTRUCTION AND CONSTRUCTION PHASE:

16. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers (Regulation of Employment & Conditions of Service) Rules 2003.
17. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
18. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
19. Temporary wind shield shall be done to prevent dust emission spreading outside the project premises. Barricade of adequate height shall be provided on the periphery of the construction site with adequate signages. Individual building within the project site shall also be provided with barricades.
20. Regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
21. Material shall be covered during transportation to avoid the fugitive emission.
22. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
23. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
24. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
25. The project proponent shall ensure maximum employment to the local people.
26. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
27. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.

28. Adequate personal protective equipments shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labors.
29. First Aid Box shall be made readily available in adequate quantity at all the times.
30. Training shall be given to all workers on construction safety aspects.
31. The project proponent shall strictly comply with the Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
32. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.
33. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase
34. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
35. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
36. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
37. All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.
38. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
39. Construction debris shall be reused in construction of roads, leveling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
40. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighboring communities.
41. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
42. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
43. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
44. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME

45. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
46. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
47. Used oil shall be sold only to the registered recycler.
48. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 & rules made there under shall be provided
49. Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
50. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
51. First Aid Box shall be made readily available in adequate quantity at all the times.
52. Main entry and exit shall be separate and clearly marked in the facility
53. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
54. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
55. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers

- etc. on all sources of noise generation including D.G.Sets. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules.
56. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
 57. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
 58. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
 59. The transformers and motors shall have minimum efficiency of 85%.
 60. Only variable frequency motor drives shall be used in project.
 61. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
 62. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
 63. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
 64. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
 65. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
 66. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
 67. All other statutory clearances such as N.A. permission, approvals for storage of diesel from PESO, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.
 68. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
 69. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
 70. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
 71. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
 72. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
 73. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
 74. The above conditions shall be enforced, Inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.
- B3. OTHER**
75. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
 76. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
 77. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
 78. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
 79. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

80. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for seven years from the date of issue.
81. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

With regards,
Yours sincerely,



(DARPANA DHIMMAR)
Member Secretary

Issued to:

To,
Mr. Nishant R. Dobariya (Partner)
Karnavati Enclave, Opp. Shrinanad City 3,
Nr. Express Way, Ramol,
Ahmedabad - 382449.

Copy to:-

1. The Secretary, SEAC, C/O. G.P.C.B. Gandhinagar - 382010.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD -cum-Office Complex, East Arjun Nagar, New Delhi-110032
3. The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (WZ), E-5, Arera Colony, Link Road-3, Bhopal-462016, MP
4. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi-110003.
5. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10 A, Gandhinagar-382010
6. Select File


(DARPANA DHIMMAR)
Member Secretary