



Origin Infra Partner Amratbhai Nathabhai Patel

Date: 15-12-2020

Origin Group, Opposite
Tarapur Village, Gandhinagar -
Sarkhej Highway,

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOC ID :	AHME/WEST/B/121120/515840
Applicant Name*	Jagdish B Patel
Site Address*	F. P. No. 284/2/1, Block No. 367 (Old Block No. 284/B), At Tarapur Taluka Gandhinagar District Gandhinagar
Site Coordinates*	23 11 36.49N 72 36 12.63E, 23 11 35.14N 72 36 13.78E, 23 11 37.75N 72 36 14.22E, 23 11 36.36N 72 36 15.40E
Site Elevation in mtrs AMSL as submitted by Applicant*	69.48 M AGL = 129.480 m - 69.480 m
Type Of Structure*	Building AGL = 60.000 m

*As provided by applicant

Your site is located at a distance 13702 mts from ARP and lies in the grid D12 of the published CCZM of Ahmedabad airport. The Permitted top elevation for this grid is 135 mts.

Since the requested top elevation 129.48 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If however, at any stage it is established that the actual data is different from the one provided by the applicant, this assessment will become invalid.

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, this assessment shall be treated as null and void

c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that assessment terms & conditions are complied with.

d. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

राजीव गांधी भवन
Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003
Safdarjung Airport, New Delhi-110003

दूरभाष : 24632950
Phone: 24632950

WE SERVE TO SAVE

ક્રમાંક:આરએફઓ/આર-૭/૦૧૩/૨૦૨૧
રીજીયોનલ ફાયર ઓફીસર
સ્ટેટ ફાયર પ્રિવેન્શન સર્વિસીસ,
પંચદેવ મંદીર પાછળ, સેક્ટર-૨૨, ગાંધીનગર.
તા. ૧૮/૦૧/૨૦૨૧

પ્રતિ,
ઓરીઝીન ઈન્ફ્રા નામની ભાગીદારી પઢીના અધિકૃત ભાગીદાર,
અમૃતભાઈ એન પટેલ, ધાનેરા, જી. બનાસકાંઠા.

વિષય : નકશા પર ફાયર સેફ્ટીનો અભિપ્રાય આપવા બાબત.
સંદર્ભ : આપની તા. ૧૮/૧/૨૦૨૧ ની અરજી.

ઉપરોક્ત વિષય અને આપશ્રીની સંદર્ભ દર્શાવત અરજી અન્વયે જણાવવાનું કે, સર્વે નંર ૮૪ બ, ફાયનલ પ્લોટ નં. ૨૮૪/૨/૧,, મોજે તારાપુર તા જી ગાંધીનગર ખાતે એફોર્ડેબલ હાઉસીંગ/વાણિજ્ય ઈમારત એ(૨ બેઝમેન્ટ, ગ્રાઉન્ડ ફ્લોર-૧૨) અને બી (૨ બેઝમેન્ટ, ગ્રાઉન્ડ ફ્લોર-૧૩) બનાવવાના હેતુસર માંગવામાં આવેલ અભિપ્રાયમાં અમારા અભિપ્રાય મુજબ નીચે મુજબની બાબતો ધ્યાને લઈ અમલીકરણ કરવાનું રહેશે તેમજ ગુજરાત સરકારનાં શહેરી વિકાસ અને શહેરી ગૃહ નિર્માણ વિભાગનાં તા-૨૧/૦૭/૨૦૧૮ નોટીફિકેશન મુજબ ફાયર સિસ્ટમ લગાવવાની રહેશે. અને નીચેનાં મુદ્દાઓ ધ્યાને લેવાનાં રહેશે.

૧. ઈમારતમાં નિયમ મુજબની સંપૂર્ણ ફીક્સ ફાયર ફાઈટીંગ અને વાણિજ્યમાં અને બેઝમેન્ટમાં સંપૂર્ણ સ્પ્રિંગલર સિસ્ટમ અને એક્ઝોસ્ટ સિસ્ટમ સાથે ડિટેક્શન તેમજ ફાયર એલાર્મ સિસ્ટમ લગાવવાની રહેશે તેમજ પુરતા પ્રમાણમાં ઈમરજન્સી એક્ઝીટ અને વેન્ટીલેશન સિસ્ટમ રાખવાની રહેશે. તેમજ જોકી પંપ, મેઈન ઇલેક્ટ્રીકલ પંપ અને ડીઝલ પંપ લગાવવાનાં રહેશે.
૨. હોઝ રીલ અડચણ રહીત સૌથી દુરના સ્થાન સુધી સરળતાથી પહોંચે તે મુજબની લગાવવાની રહેશે અને પુરતા પ્રમાણમાં એક્ઝીટ રાખવાની રહેશે.
૩. અલગ અલગ જગ્યાએ ફાયર એક્સ્ટીંગ્યુસરો પુરતા પ્રમાણમાં રાખવાનાં રહેશે તેમજ ઇલેક્ટ્રીક કેબલોમાં ફાયર પેસીવ સિસ્ટમ કરવાની રહેશે
૪. નિયમ મુજબ ઈમારતમાં ચારે બાજુ ફાયરનું મોટું વાહન ફરી શકે તે મુજબનાં પાકા રોડ બનાવવાનો રહેશે
૫. ઈમારતમાં અગર ગ્લાસ ફ્સાડ વાપરવામાં આવનાર હોય તો તે તમામ ફીક્સ ન રાખતાં ઓપનેબલ લગાવવાનાં રહેશે.
૬. ગુજરાત રાજ્ય અગ્નિ નિવારણ કાયદા કલમ ૧૨ હેઠળ ફાયર સેફ્ટી ઓફીસર રાખવાના રહેશે.
૭. સરકારશ્રી, લગત સત્તામંડળ અને સક્ષમ અધિકારીઓ દ્વારા પ્રસિધ્ધ કરવામાં આવેલ લગત તમામ નિયમો, દિશાનિર્દેશો અને કાયદા મુજબ ફાયર સેફ્ટીનું પાલન કરવાનું રહેશે. વધુમાં ઈમારત બન્યા બાદ કોઈ અન્ય જોખમ જણાશે તો ફાયર અધિકારીની સુચના મુજબ કરવાનું રહેશે.

ઉપરોક્ત સુચનો અને આપેલ નકશામાં જણાવ્યા મુજબના રેખાચિત્રોનું અને સદર પત્રમાં જણાવ્યા મુજબ પાલન કરવાની શરતે સદર અભિપ્રાય આપવામાં આવે છે.



રીજીયોનલ ફાયર ઓફીસર
સ્ટેટ ફાયર પ્રિવેન્શન સર્વિસીસ
ગાંધીનગર મહાનગરપાલિકા